

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Components for low-voltage surge protective devices –
Part 311: Performance requirements and test circuits for gas discharge tubes
(GDT)**

**Composants pour parafoudres basse tension –
Partie 311: Exigences de performance et circuits d'essai pour tubes à décharge
de gaz (TDG)**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembé
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Components for low-voltage surge protective devices –
Part 311: Performance requirements and test circuits for gas discharge tubes
(GDT)**

**Composants pour parafoudres basse tension –
Partie 311: Exigences de performance et circuits d'essai pour tubes à décharge
de gaz (TDG)**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

ICS 31.100; 33.040.99

ISBN 978-2-83220-678-2

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
1 Scope.....	6
2 Normative references	6
3 Terms, definitions and symbols	7
3.1 Terms and definitions	7
3.2 Symbols	10
4 Service conditions	10
4.1 Low temperature	10
4.2 Air pressure and altitude	10
4.3 Ambient temperature	10
4.4 Relative humidity	11
5 Mechanical requirements and materials	11
5.1 Robustness of terminations	11
5.2 Solderability	11
5.3 Radiation.....	11
5.4 Marking	11
6 General	11
6.1 Failure rates	11
6.2 Standard atmospheric conditions.....	11
7 Electrical requirements	12
7.1 General.....	12
7.2 Initial values	12
7.2.1 Sparkover voltages.....	12
7.2.2 Insulation resistance.....	13
7.2.3 Capacitance	13
7.2.4 Transverse voltage	13
7.2.5 DC holdover	13
7.3 Requirements after application of load.....	13
7.3.1 General	13
7.3.2 Sparkover voltages.....	14
7.3.3 Insulation resistance.....	14
7.3.4 AC follow current.....	14
7.3.5 Fail-short (Failsafe)	15
8 Test and measurement procedures and circuits	15
8.1 DC sparkover voltage.....	15
8.2 Impulse sparkover voltage.....	16
8.3 Insulation resistance	16
8.4 Capacitance	16
8.5 Glow-to-arc transition current, glow voltage, arc voltage.....	16
8.6 Transverse voltage.....	18
8.7 DC holdover voltage.....	19
8.7.1 General	19
8.7.2 DC holdover voltage values	21
8.8 Requirements for current-carrying capacity	22
8.8.1 General	22

8.8.2	Nominal alternating discharge current.....	22
8.8.3	Nominal impulse discharge current, waveshape 8/20	23
8.8.4	Life test with impulse currents, waveshape 10/1 000	24
8.8.5	AC follow current	24
8.9	Fail-short (failsafe)	25
	Bibliography.....	27
	Figure 1 – Voltage and current characteristics of a GDT	8
	Figure 2 – Symbol for a two-electrode GDT	10
	Figure 3 – Symbol for a three-electrode GDT	10
	Figure 4 – Circuit for d.c. sparkover voltage test at 100 V/s	15
	Figure 5 – Circuit for impulse sparkover voltage at 1 000 V/ μ s	16
	Figure 6 – Test circuit for glow-to-arc transition current, glow voltage and arc voltage	17
	Figure 7 – Voltage-current characteristic of a typical GDT, suitable for measuring for example the glow-to-arc transition current, glow voltage, and arc voltage	18
	Figure 8 – Test circuit for transverse voltage	19
	Figure 9 – Test circuit for dc holdover voltage, two-electrode GDTs	20
	Figure 10 – Test circuit for dc holdover voltage, three-electrode GDTs	20
	Figure 11 – Circuit for nominal alternating discharge current, two-electrode GDTs	23
	Figure 12 – Circuit for nominal alternating discharge current, three-electrode GDTs	23
	Figure 13 – Circuit for nominal impulse discharge current, two-electrode GDTs	23
	Figure 14 – Circuit for nominal impulse discharge current, three-electrode GDTs	23
	Figure 15 – Circuit for life test with impulse current, two-electrode GDTs	24
	Figure 16 – Circuit for life test with impulse current, three-electrode GDTs	24
	Figure 17 – Test circuit for alternating follow current	25
	Figure 18 – Test circuit for fail-short (failsafe), two-electrode GDTs	26
	Figure 19 – Test circuit for fail-short (failsafe), three-electrode GDTs	26
	Table 1 – DC and impulse sparkover voltage requirements, initial	12
	Table 2 – Values of sparkover voltages after the tests of Table 5	14
	Table 3 – Values for different d.c. holdover voltage tests for two-electrode GDTs	21
	Table 4 – Values for different d.c. holdover voltage tests for three-electrode GDTs	21
	Table 5 – Different classes of current-carrying capacity	22

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**COMPONENTS FOR LOW-VOLTAGE
SURGE PROTECTIVE DEVICES –****Part 311: Performance requirements and
test circuits for gas discharge tubes (GDT)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61643-311 has been prepared by subcommittee 37B: Specific components for surge arresters and surge protective devices, of IEC technical committee 37: Surge arresters.

This second edition of IEC 61643-311 cancels and replaces the first edition published in 2001. It constitutes a technical revision.

Specific changes with respect to the previous edition are:

- Addition of performance values.

The text of this standard is based on the following documents:

FDIS	Report on voting
37B/113/FDIS	37B/118/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of IEC 61643 series, under the general title *Components for low-voltage surge protective devices* can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

COMPONENTS FOR LOW-VOLTAGE SURGE PROTECTIVE DEVICES –

Part 311: Performance requirements and test circuits for gas discharge tubes (GDT)

1 Scope

This part of IEC 61643 is applicable to gas discharge tubes (GDT) used for overvoltage protection in telecommunications, signalling and low-voltage power distribution networks with nominal system voltages up to 1 000 V (r.m.s.) a.c. and 1 500 V d.c.. They are defined as a gap, or several gaps with two or three metal electrodes hermetically sealed so that gas mixture and pressure are under control. They are designed to protect apparatus or personnel, or both, from high transient voltages. This standard contains a series of test criteria, test methods and test circuits for determining the electrical characteristics of GDTs having two or three electrodes. This standard does not specify requirements applicable to complete surge protective devices, nor does it specify total requirements for GDTs employed within electronic devices, where precise coordination between GDT performance and surge protective device withstand capability is highly critical.

This part of IEC 61643

- does not deal with mountings and their effect on GDT characteristics. Characteristics given apply solely to GDTs mounted in the ways described for the tests;
- does not deal with mechanical dimensions;
- does not deal with quality assurance requirements;
- may not be sufficient for GDTs used on high-frequency (>30 MHz);
- does not deal with electrostatic voltages;
- does not deal with hybrid overvoltage protection components or composite GDT devices.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60068-2-1:2007, *Environmental testing – Part 2: Tests. Tests A: Cold*

IEC 60068-2-20:2008, *Environmental testing – Part 2: Tests. Test T: Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60068-2-21:2006, *Environmental testing – Part 2-21: Tests – Test U: Robustness of terminations and integral mounting devices*

IEC 61000-4-5:2005, *Electromagnetic compatibility (EMC) – Part 4: Testing and measurement techniques – Section 5: Surge immunity test*

ITU-T Recommendation K.20:2011, *Resistibility of telecommunication equipment installed in a telecommunications centre to overvoltages and overcurrents*