

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Fixed capacitors for use in electronic equipment –
Part 14: Sectional specification – Fixed capacitors for electromagnetic
interference suppression and connection to the supply mains**

**Condensateurs fixes utilisés dans les équipements électroniques –
Partie 14: Spécification intermédiaire – Condensateurs fixes d'antiparasitage
et raccordement à l'alimentation**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2013 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de la CEI ou du Comité national de la CEI du pays du demandeur.

Si vous avez des questions sur le copyright de la CEI ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de la CEI de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

Useful links:

IEC publications search - www.iec.ch/searchpub

The advanced search enables you to find IEC publications by a variety of criteria (reference number, text, technical committee,...).

It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available on-line and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary (IEV) on-line.

Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de la CEI

La Commission Electrotechnique Internationale (CEI) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications CEI

Le contenu technique des publications de la CEI est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Liens utiles:

Recherche de publications CEI - www.iec.ch/searchpub

La recherche avancée vous permet de trouver des publications CEI en utilisant différents critères (numéro de référence, texte, comité d'études,...).

Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

Just Published CEI - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications de la CEI. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne au monde de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans les langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (VEI) en ligne.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Fixed capacitors for use in electronic equipment –
Part 14: Sectional specification – Fixed capacitors for electromagnetic
interference suppression and connection to the supply mains**

**Condensateurs fixes utilisés dans les équipements électroniques –
Partie 14: Spécification intermédiaire – Condensateurs fixes d'antiparasitage
et raccordement à l'alimentation**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

XB

ICS 31.060.10

ISBN 978-2-83220-828-1

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	6
1 General	8
1.1 Scope	8
1.2 Object	8
1.3 Normative references	8
1.4 Information to be given in a detail specification	9
1.4.1 Outline drawing and dimensions	9
1.4.2 Mounting	9
1.4.3 Ratings and characteristics	10
1.4.4 Marking	10
1.5 Terms and definitions	10
1.6 Marking	15
1.6.1 Marking of capacitors	15
1.6.2 Marking of packaging	15
1.6.3 Additional marking	16
1.7 Classification of Class X and Class Y capacitors	16
1.7.1 Classification of X capacitors	16
1.7.2 Classification of Y capacitors	16
2 Preferred ratings and characteristics	17
2.1 Preferred characteristics	17
2.1.1 Preferred climatic categories	17
2.2 Preferred values of ratings	18
2.2.1 Nominal capacitance (C_N)	18
2.2.2 Tolerance on nominal capacitance	18
2.2.3 Rated voltage (U_R)	18
2.2.4 Nominal resistance (R_N)	18
2.2.5 Rated temperature	18
2.2.6 Passive flammability	18
2.3 Requirements for sleeving, tape, tubing and wire insulation	18
3 Assessment procedures	19
3.1 Primary stage of manufacture	19
3.2 Structurally similar components	19
3.3 Certified records of released lots	19
3.4 Approval testing	19
3.4.1 Safety tests only approval	19
3.4.2 Qualification approval	19
3.4.3 Qualification approval on the basis of the fixed sample size procedure	19
3.5 Quality conformance inspection	30
3.5.1 Formation of inspection lots	30
3.5.2 Test schedule	31
3.5.3 Delayed delivery	31
3.5.4 Assessment level	31
4 Test and measurement procedures	32
4.1 Visual examination and check of dimensions	32
4.1.1 Creepage distances and clearances	32

4.2	Electrical tests.....	33
4.2.1	Voltage proof.....	33
4.2.2	Capacitance	35
4.2.3	Tangent of loss angle	35
4.2.4	Resistance (Equivalent Series Resistance (ESR)) (for RC units only)	36
4.2.5	Insulation resistance.....	36
4.3	Robustness of terminations	37
4.4	Resistance to soldering heat	37
4.4.1	Test conditions	37
4.4.2	Final inspection, measurements and requirements	38
4.5	Solderability	38
4.5.1	Test conditions	38
4.5.2	Requirements	38
4.6	Rapid change of temperature	38
4.6.1	Final inspection	38
4.7	Vibration.....	38
4.7.1	Test conditions	39
4.7.2	Final inspection	39
4.8	Bump	39
4.8.1	Test conditions	39
4.8.2	Final inspection, measurements and requirements	39
4.9	Shock.....	39
4.9.1	Test conditions	39
4.9.2	Final inspection, measurements and requirements	40
4.10	Container sealing	40
4.10.1	Test conditions	40
4.10.2	Requirements	40
4.11	Climatic sequence	40
4.11.1	Initial measurements	40
4.11.2	Dry heat	41
4.11.3	Damp heat, cyclic, test Db, first cycle	41
4.11.4	Cold	41
4.11.5	Damp heat, cyclic, test Db, remaining cycles	41
4.11.6	Final inspection, measurements and requirements	41
4.12	Damp heat, steady state.....	41
4.12.1	Initial measurements	42
4.12.2	Test conditions	42
4.12.3	Final inspection, measurements and requirements	42
4.13	Impulse voltage	42
4.13.1	Initial measurements	42
4.13.2	Test conditions	43
4.13.3	Requirements	43
4.14	Endurance.....	44
4.14.1	Test conditions	44
4.14.2	Initial measurements	44
4.14.3	Endurance for Class X capacitors and RC units containing Class X capacitors.....	44
4.14.4	Endurance for Class Y capacitors and RC units containing Class Y capacitors.....	45

4.14.5	Endurance for the lead-through arrangements	45
4.14.6	Test conditions – Combined voltage/current tests	45
4.14.7	Final inspection, measurements and requirements	46
4.15	Charge and discharge	46
4.15.1	Initial measurements	46
4.15.2	Test conditions	46
4.15.3	Final measurements and requirements	47
4.16	Radiofrequency characteristics	47
4.17	Passive flammability test	47
4.17.1	Testing according to IEC 60384-1	47
4.17.2	Alternative passive flammability test	48
4.18	Active flammability test	49
4.18.3	Adjustment of U_i	50
4.18.4	Requirements	50
4.19	Component solvent resistance (if applicable)	50
4.20	Solvent resistance of the marking	51
Annex A (normative)	Circuit for the impulse voltage test	52
Annex B (normative)	Circuit for the endurance test	54
Annex C (normative)	Circuit for the charge and discharge test	55
Annex D (normative)	Declaration of design (confidential to the manufacturer and the certification body)	56
Annex E (informative)	Pulse test circuits	57
Annex F (normative)	Particular requirements for safety test of surface-mounting capacitors	59
Annex G (informative)	Capacitance ageing of fixed capacitors of ceramic dielectric, Class 2	62
Bibliography		64
Figure 1	– Two-terminal EMI suppression capacitor	11
Figure 2	– RC unit	11
Figure 3	– Lead-through capacitor (coaxial)	11
Figure 4	– Lead-through capacitors	12
Figure 5	– By-pass capacitors	13
Figure 6	– Test duration (s)	30
Figure 7	– Impulse wave form	43
Figure 8	– Typical circuit for pulse loading of capacitors under a.c. voltage	49
Figure 9	– Fundamental a.c. wave with randomly, not synchronized, superimposed high-voltage pulse	50
Figure A.1	– Impulse voltage test circuit	52
Figure B.1	– Endurance test circuit	54
Figure C.1	– Charge and discharge test circuit	55
Figure F.1	– Example of test substrate for safety test according to Table F.1	61
Table 1	– Classification of Class X capacitors	16
Table 2	– Classification of Class Y capacitors	17
Table 3	– Sampling plan – Tests concerning safety requirements only	21

Table 4 – Sampling plan – Safety and performance tests qualification approval – Assessment level DZ	22
Table 5 – Test schedule and sampling plan for lot-by-lot tests	23
Table 6 – Test schedule for safety tests only (1 of 2)	24
Table 7 – Test schedule for safety and performance tests qualification approval – Assessment level DZ	26
Table 8 – Assessment level	32
Table 9 – Creepage distances and clearances	33
Table 10 – Voltage proof.....	35
Table 11 – Insulation resistance – Safety tests only	36
Table 12 – Insulation resistance – Safety and performance tests	37
Table 13 – Resistance to soldering heat – Requirements	38
Table 14 – Climatic sequence – Requirements.....	41
Table 15 – Damp heat, steady state – Requirements	42
Table 16 – Endurance – Requirements	46
Table 17 – Charge and discharge – Requirements	47
Table A.1 – Values of C_X , C_T , R_P , R_S , C_p	52
Table A.2 – Values and tolerances of C_X , t_r , t_d	53
Table F.1 – Test schedule and sampling plan for safety test of surface mount capacitors	60

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –**Part 14: Sectional specification –
Fixed capacitors for electromagnetic interference
suppression and connection to the supply mains**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60384-14 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment.

This fourth edition cancels and replaces the third edition published in 2005. It constitutes a technical revision. All changes that have been agreed upon can be categorized as minor revisions.

The text of this standard is based on the following documents:

FDIS	Report on voting
40/2199/FDIS	40/2232/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all the parts of the IEC 60384 series, published under the general title *Fixed capacitors for use in electronic equipment*, can be found on the IEC website.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

FIXED CAPACITORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 14: Sectional specification – Fixed capacitors for electromagnetic interference suppression and connection to the supply mains

1 General

1.1 Scope

This part of IEC 60384 applies to capacitors and resistor-capacitor combinations which will be connected to an a.c. mains or other supply with nominal voltage not exceeding 1 000 V a.c. (r.m.s.) or 1 000 V d.c. and with a nominal frequency not exceeding 100 Hz.

1.2 Object

The principal object of this part of IEC 60384 is to prescribe preferred ratings and characteristics and to select from IEC 60384-1, the appropriate quality assessment procedures, tests and measuring methods and to give general performance requirements for this type of capacitor. Test severities and requirements prescribed in detail specifications referring to this sectional specification will be of equal or higher performance level; lower performance levels are not permitted.

This standard also provides a schedule of safety tests to be used by national testing stations in countries where approval by such stations is required.

The overvoltage categories in combination with the a.c. mains voltages for the capacitors classified in this standard should be taken from IEC 60664-1.

1.3 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60060-1:2010, *High-voltage test techniques – Part 1: General definitions and test requirements*

IEC 60063, *Preferred number series for resistors and capacitors*

IEC 60065:2001, *Audio, video and similar electronic apparatus – Safety requirements*
Amendment 1:2005
Amendment 2:2010

IEC 60068-1:1988, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-17, *Environmental testing – Part 2-17: Tests – Test Q: Sealing*

IEC 60384-1:2008, *Fixed capacitors for use in electronic equipment – Part 1: Generic specification*

IEC 60417, *Graphical symbols for use on equipment*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60695-11-10, *Fire hazard testing – Part 11-10: Test flames – 50 W horizontal and vertical flame test methods*

IEC 60940, *Guidance information on the application of capacitors, resistors, inductors and complete filter units for radio interference suppression*

IEC 61193-2, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*

IEC 61210, *Connecting devices – Flat quick-connect terminations for electrical copper conductors – Safety requirements*

CISPR 17, *Methods of measurement of the suppression characteristics of passive EMC filtering devices*

ISO 7000, *Graphical symbols for use on equipment – Index and synopsis*

1.4 Information to be given in a detail specification

Detail specifications shall be derived from the relevant blank detail specification.

Detail specifications shall not specify requirements inferior to those of the generic, sectional or blank detail specification. When more severe requirements are included, they shall be listed in 1.9 of the detail specification, and indicated in the test schedules, for example, by an asterisk.

The following information shall be given in each detail specification and the values quoted shall preferably be selected from the appropriate clause of this sectional specification.

NOTE The information given in 1.4.1 may, for convenience, be presented in tabular form.

1.4.1 Outline drawing and dimensions

There shall be an illustration of the capacitor as an aid to easy recognition and for comparison of the capacitor with others. Dimensions and their associated tolerances, which affect interchangeability and mounting, shall be given in the detail specification. All dimensions shall preferably be stated in millimetres; however, when the original dimensions are given in inches, the converted metric dimensions in millimetres shall be added.

Normally, the numerical values shall be given for the length, width and height of the body and the wire spacing, or for cylindrical types, the body diameter and the length and diameter of the terminations. When necessary, for example when a number of capacitance values/voltage ranges are covered by a detail specification, their dimensions and their associated tolerances shall be placed in a table below the drawing.

When the configuration is other than that described above, the detail specification shall state such dimensional information as will adequately describe the capacitor. When the capacitor is not designed for use on printed boards, this shall be clearly stated in the detail specification.

1.4.2 Mounting

The detail specification shall specify the method of mounting to be applied for normal use and for the application of the vibration, bump or shock tests. The capacitors shall be mounted by their normal means. The design of the capacitor may be such that special mounting fixtures