

**Masinate ohutus. Survetundlikud kaitseseadmed. Osa 3:
Üldpõhimõtted survetundlike pörkeraudade, plaatide,
trosside jm sarnaste vahendite konstrueerimiseks ja
katsetamiseks**

**Safety of machinery - Pressure-sensitive protective
devices - Part 3: General principles for design and
testing of pressuresensitive bumpers, plates, wires and
similar devices (ISO 13856-3:2013)**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 13856-3:2013 sisaldab Euroopa standardi EN ISO 13856-3:2013 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 13856-3:2013 consists of the English text of the European standard EN ISO 13856-3:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 24.07.2013.	Date of Availability of the European standard is 24.07.2013.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.110

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English Version

Safety of machinery - Pressure-sensitive protective devices -
Part 3: General principles for design and testing of pressure-
sensitive bumpers, plates, wires and similar devices (ISO
13856-3:2013)

Sécurité des machines - Dispositifs de protection sensibles
à la pression - Partie 3: Principes généraux de conception
et d'essai des pare-chocs, plaques, câbles et dispositifs
analogues sensibles à la pression (ISO 13856-3:2013)

Sicherheit von Maschinen - Druckempfindliche
Schutzeinrichtungen - Teil 3: Allgemeine Leitsätze für die
Gestaltung und Prüfung von Schuttpuffern, Schaltflächen,
Schaltlinien und ähnlichen Einrichtungen (ISO 13856-
3:2013)

This European Standard was approved by CEN on 5 July 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 13856-3:2013) has been prepared by Technical Committee ISO/TC 199 "Safety of machinery" in collaboration with Technical Committee CEN/TC 114 "Safety of machinery" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2014, and conflicting national standards shall be withdrawn at the latest by January 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 1760-3:2004+A1:2009.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive.

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 13856-3:2013 has been approved by CEN as EN ISO 13856-3:2013 without any modification.

Annex ZA (informative)

Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC

This European Standard has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association to provide a means of conforming to Essential Requirements of the New Approach Directive Machinery 2006/42/EC.

Once this standard is cited in the Official Journal of the European Union under that Directive and has been implemented as a national standard in at least one Member State, compliance with the normative clauses of this standard given in Table ZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding Essential Requirements of that Directive and associated EFTA regulations.

Table ZA.1 — Correspondence between this European Standard and Directive 2006/42/EC

Clause(s)/sub-clause(s) of this Standard	Essential Requirements (ERs) of Directive 2006/42/EC	Qualifying remarks/Notes
Clause 4	Annex I, 1.2	Control systems
	Annex I, 1.3	Protection against mechanical hazards
	Annex I, 1.4	Required characteristics of (guards and) protection devices
	Annex I, 1.5	Risks due to other hazards
	Annex I, 1.6	Maintenance
Clauses 5 and 6	Annex I, 1.7	Information

WARNING — Other requirements and other EC Directives may be applicable to the product(s) falling within the scope of this standard.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Requirements for design and testing	8
4.1 General	8
4.2 Basic requirements	8
4.3 Specific requirements for pressure-sensitive bumpers	15
4.4 Specific requirements for pressure-sensitive plates	16
4.5 Specific requirements for pressure-sensitive wires (trip wires)	16
5 Marking	17
5.1 General	17
5.2 Labels	17
5.3 Marking of the control unit	17
5.4 Marking of the sensor	17
6 Information for selection and use	17
6.1 General	17
6.2 Essential data for selection of suitable pressure-sensitive protective device	18
6.3 Information for use	19
7 Verification of requirements	21
7.1 Verification of requirements applicable to all pressure-sensitive protective devices covered by this part of ISO 13856	21
7.2 Verification of requirements for pressure-sensitive bumpers only	31
7.3 Verification of requirements for pressure-sensitive plates only	32
7.4 Verification of requirements for pressure-sensitive wires only	32
7.5 Other tests	33
Annex A (normative) Timing diagrams for pressure-sensitive bumpers, plates, wires and similar devices with/without reset	34
Annex B (informative) Device characteristics — Explanatory remarks and recommendations	38
Annex C (informative) Design guidance	40
Annex D (informative) Application guidance	50
Annex E (informative) Commissioning and inspection	54
Bibliography	56

Introduction

The structure of safety standards in the field of machinery is as follows:

- a) Type-A standards (basic safety standards) giving basic concepts, principles for design, and general aspects that can be applied to all machinery;
- b) Type-B standards (generic safety standards) dealing with one safety aspect or one type of safeguard that can be used across a wide range of machinery:
 - type-B1 standards on particular safety aspects (e.g. safety distances, surface temperature, noise);
 - type-B2 standards on safeguards (e.g. two-hand controls, interlocking devices, pressure-sensitive devices, guards);
- c) Type-C standards (machine safety standards) dealing with detailed safety requirements for a particular machine or group of machines.

This document is a type-B2 standard as stated in ISO 12100.

The requirements of this document can be supplemented or modified by a type-C standard.

For machines which are covered by the scope of a type-C standard and which have been designed and built according to the requirements of that standard, the requirements of that type-C standard take precedence.

The safeguarding of machinery (see ISO 12100:2010, 3.21) can be achieved by many different means. These means include guards which prevent access to the hazard zone by means of a physical barrier (for example, interlocking guards according to ISO 14119 or fixed guards according to ISO 14120) and protective devices (for example, electro-sensitive protective equipment according to IEC 61496-1 or pressure-sensitive protective devices according to this part of ISO 13856).

Type-C standards makers and designers of machinery/installations should consider the best way to achieve the required level of safety taking into account the intended application and the results of the risk assessment (see ISO 12100).

The required solution can also be to combine several of these different means. The machinery/installation supplier and the user examine together carefully the existing hazards and constraints before making their decision on the choice of safeguarding.

Pressure-sensitive protective devices are used in a wide range of applications with different conditions of use relating, for example, to extremes of loading or electrical, physical and chemical environments. They are interfaced with machine controls to ensure that the machine reverts to a safe condition if the sensitive protective equipment is actuated.

This part of ISO 13856 is restricted to the design of pressure-sensitive protective devices so that they can be used when the risk assessment carried out by the machine manufacturer and/or relevant type-C standard, when available, shows this to be appropriate.

This part of ISO 13856 does not specify the dimensions and the configuration of the effective sensing surface of the pressure-sensitive protective devices in relation to any particular application. However, there is a requirement for the manufacturer of any safeguard to provide sufficient information to enable the user (i.e. the machinery manufacturer and/or user of the machinery) to specify an adequate arrangement.

The forces for the activation of the pressure-sensitive protection devices specified in this part of ISO 13856 are based on the information available at the time of publication. These forces will be kept under review so that the results of further research into forces that can be applied to the human body without causing significant injury can be taken into account. While these forces provide a practical means for the design and testing of the pressure-sensitive device, they cannot prevent injury in all applications. When specifying the actuating force for a specific device or application many factors should be taken into account. These include the contact area, the contact speed, the material used and the part of the body affected.

Safety of machinery — Pressure-sensitive protective devices —

Part 3: General principles for design and testing of pressure-sensitive bumpers, plates, wires and similar devices

1 Scope

This part of ISO 13856 establishes general principles and specifies requirements for the design and testing of those pressure-sensitive protective devices, with or without an external reset facility, that are not specified in either ISO 13856-1 or ISO 13856-2, and the majority of which are produced for specific applications and are not available as “off-the-shelf” items.

This part of ISO 13856 also gives specific requirements for the following pressure-sensitive protective devices:

- a) pressure-sensitive bumpers;
- b) pressure-sensitive plates;
- c) pressure-sensitive wires (trip wires).

It deals with the design of a pressure-sensitive device with regard to safety and reliability rather than its suitability for particular applications.

NOTE 1 For the relationship between safety and reliability, see ISO 13849-1:2006, 4.2.

NOTE 2 The machinery manufacturer and/or user is responsible for installing appropriate types of protective device based on a risk assessment.

It is not applicable to

- specifying the dimensions of pressure-sensitive protective devices in relation to any particular application, or
- stopping devices according to IEC 60204-1 used for the normal operation, including emergency stopping of machinery.

NOTE 3 Specific requirements for particular applications are intended to be set forth in relevant type-C standards (see ISO 12100 and Introduction).

Additional requirements can be necessary where pressure-sensitive protective devices are used in locations accessible to elderly or disabled people or children.

NOTE 4 While requirements are given for the immunity of the device to electromagnetic disturbances, these are not intended to cover all aspects of electromagnetic compatibility (EMC).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies

ISO 4413, *Hydraulic fluid power — General rules and safety requirements for systems and their components*

- ISO 4414, *Pneumatic fluid power — General rules and safety requirements for systems and their components*
- ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction*
- ISO 13849-1:2006, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design*
- ISO 13849-2, *Safety of machinery — Safety-related parts of control systems — Part 2: Validation*
- ISO 13855:2010, *Safety of machinery — Positioning of safeguards with respect to the approach speeds of parts of the human body*
- IEC 60068-2-6, *Environmental testing — Part 2-6: Tests — Test Fc: Vibration (sinusoidal)*
- IEC 60068-2-14, *Environmental testing — Part 2-14: Tests — Test N: Change of temperature*
- IEC 60068-2-27, *Environmental testing — Part 2-27: Tests — Test Ea and guidance: Shock*
- IEC 60068-2-78, *Environmental testing — Part 2-78: Tests — Test Cab: Damp heat, steady state*
- IEC 60204-1:2005, *Safety of machinery — Electrical equipment of machines — Part 1: General requirements*
- IEC 60529, *Degrees of protection provided by enclosures (IP code)*
- IEC 60664-1:2007, *Insulation coordination for equipment within low-voltage systems — Part 1: Principles, requirements and tests*
- IEC 60947-5-1, *Low-voltage switchgear and controlgear — Part 5-1: Control circuit devices and switching elements — Electromechanical control circuit devices*
- IEC 60947-5-5:1997, *Low-voltage switchgear and controlgear — Part 5-5: Control circuit devices and switching elements — Electrical emergency stop device with mechanical latching function*
- IEC 61000-4-2, *Electromagnetic compatibility (EMC) — Part 4-2: Testing and measuring techniques — Electrostatic discharge immunity test*
- IEC 61000-4-3, *Electromagnetic compatibility (EMC) — Part 4-3: Testing and measurement techniques — Radiated, radio-frequency, electromagnetic field immunity test*
- IEC 61000-4-4, *Electromagnetic compatibility (EMC) — Part 4-4: Testing and measurement techniques — Electrical fast transient/burst immunity test*
- IEC 61000-4-5, *Electromagnetic compatibility (EMC) — Part 4-5: Testing and measurement techniques — Surge immunity test*
- IEC 61000-4-6, *Electromagnetic compatibility (EMC) — Part 4-6: Testing and measurement techniques — Immunity to conducted disturbances, induced by radio-frequency fields*
- IEC 61000-6-2, *Electromagnetic compatibility (EMC) — Part 6-2: Generic standards — Immunity for industrial environments*
- IEC 61439-1:2009, *Low-voltage switchgear and controlgear assemblies — Part 1: General rules*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 12100 and the following apply.