

This document is a review generated by EVS

**Textiles - Tear properties of fabrics - Part 1:
Determination of tear force using ballistic
pendulum method (Elmendorf)**

Textiles - Tear properties of fabrics - Part 1:
Determination of tear force using ballistic pendulum
method (Elmendorf)

EESTI STANDARDI EESSÖNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN ISO 13937-1:2000 sisaldb Euroopa standardi EN ISO 13937-1:2000 + AC:2006 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 13937-1:2000 consists of the English text of the European standard EN ISO 13937-1:2000 + AC:2006.
Käesolev dokument on jõustatud 12.09.2000 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.	This document is endorsed on 12.09.2000 with the notification being published in the official publication of the Estonian national standardisation organisation.
Standard on kätesaadav Eesti standardiorganisatsioonist.	The standard is available from Estonian standardisation organisation.

Käsitlusala: This part of the standard will describe a method known as the ballistic pendulum (Elmendorf) method. The tear force required to propagate a single-rip tear of defined length from a cut in a fabric when a sudden force is applied is measured.	Scope: This part of the standard will describe a method known as the ballistic pendulum (Elmendorf) method. The tear force required to propagate a single-rip tear of defined length from a cut in a fabric when a sudden force is applied is measured.
---	---

ICS 59.080.30

Võtmesõnad: determination, fabrics, test, textile products, textiles, woven fabrics

**EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM**

EN ISO 13937-1

April 2000

ICS 59.080.30

English version

Textiles – Tear properties of fabrics

Part 1: Determination of tear force using ballistic pendulum method
(Elmendorf)
(ISO 13937-1 : 2000)

Textiles – Propriétés de déchirement
des étoffes – Partie 1: Détermination
de la force de déchirure à l'aide de la
méthode balistique au pendule
(Elmendorf) (ISO 13937-1 : 2000)

Textilien – Weiterreißeigenschaften
von textilen Flächengebilden – Teil 1:
Bestimmung der Weiterreißkraft mit
dem ballistischen Pendel (Elmendorf)
(ISO 13937-1 : 2000)

This European Standard was approved by CEN on 1999-07-02.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, the Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and the United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

Contents

	Page
Foreword.....	3
Introduction.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions.....	5
4 Principle	5
5 Sampling	5
6 Apparatus.....	5
7 Atmosphere for conditioning and testing	6
8 Preparation of test specimens.....	6
9 Procedure	8
10 Calculation and expression of results	8
11 Test report.....	9
Annex A (informative) Adjustment and verification of apparatus.....	10
Annex B (informative) Suggested procedure for sampling.....	11
Annex C (informative) Example of pattern for cutting out test specimens from the laboratory sample.....	12
Bibliography.....	13

Foreword

The text of EN ISO 13937-1:2000 has been prepared by Technical Committee CEN/TC 248 "Textiles and textile products", the secretariat of which is held by BSI, in collaboration with Technical Committee ISO/TC 38 "Textiles".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2000, and conflicting national standards shall be withdrawn at the latest by October 2000.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Switzerland and the United Kingdom.

Introduction

EN ISO 13937 has been prepared in the context of several test methods for the determination of certain mechanical properties of textiles using mainly tensile-testing machines, e.g. tensile properties, seam tensile properties, tear properties, seam slippage. Test requirements for these standards agree where appropriate. The results obtained by one of the methods should not be compared with those obtained by other methods.

EN ISO 13937 specifies methods for the determination of tear force of fabrics. Part 1 describes a ballistic pendulum method and parts 2 to 4 describe methods using tensile-testing machines.

1 Scope

This part of EN ISO 13937 describes a method known as the ballistic pendulum (Elmendorf) method for the determination of tear force of textile fabrics. The method describes the measurement of the tear force required to propagate a single-rip tear of defined length from a cut in a fabric when a sudden force is applied.

The test is mainly applicable to woven textile fabrics. It may be applicable to fabrics produced by other techniques, e.g. to nonwovens (with the same under-mentioned restrictions as for the woven fabrics).

In general the test is not applicable to knitted fabrics and woven elastic fabrics. It is not suitable for highly anisotropic fabrics or loose fabrics where tear transfer from one direction to another direction of the fabric during the tear test is likely to occur.

NOTE 1: For tests using tensile-testing machines part 2 of EN ISO 13937 describes a single tear method known as the trouser test, part 3 the wing test and part 4 the tongue test method.

NOTE 2: For the ballistic pendulum method for coated fabrics see ISO 4674-2. For the trapezoidal test method, see ISO 9073-4 for nonwovens or ISO 4674 for coated fabrics.

2 Normative references

The following normative documents contain provisions through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 139	Textiles - Standard atmospheres for conditioning and testing
ISO 1974:1990	Paper - Determination of tearing resistance (Elmendorf method)
ISO 10012-1	Quality assurance requirements for measuring equipment - Part 1: Metrological confirmation system for measuring equipment