

**Geometrical product specifications (GPS) -
Dimensional tolerancing - Part 1: Linear sizes (ISO
14405-1:2010)**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN ISO 14405-1:2010 sisaldab Euroopa standardi EN ISO 14405-1:2010 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 31.12.2010 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 15.12.2010.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN ISO 14405-1:2010 consists of the English text of the European standard EN ISO 14405-1:2010.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.12.2010 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 15.12.2010.

The standard is available from Estonian standardisation organisation.

ICS 17.040.10

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English Version

Geometrical product specifications (GPS) - Dimensional
tolerancing - Part 1: Linear sizes (ISO 14405-1:2010)

Spécification géométrique des produits (GPS) -
Tolérancement dimensionnel - Partie 1: Tailles linéaires
(ISO 14405-1:2010)

Geometrische Produktspezifikation (GPS) - Dimensionelle
Tolerierung - Teil 1: Längenmaße (ISO 14405-1:2010)

This European Standard was approved by CEN on 13 November 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 14405-1:2010) has been prepared by Technical Committee ISO/TC 213 “Dimensional and geometrical product specifications and verification” in collaboration with the Technical Committee CEN/TC 290 “Dimensional and geometrical product specification and verification” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2011, and conflicting national standards shall be withdrawn at the latest by June 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 14405-1:2010 has been approved by CEN as a EN ISO 14405-1:2010 without any modification.

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope.....	1
2 Normative references	2
3 Terms and definitions	3
4 Specification modifiers and symbols	14
5 Default specification operator for size	16
5.1 General	16
5.2 ISO default specification operator for size	17
5.3 Drawing-specific default specification operator for size	18
6 Drawing indication for special specification operators for size.....	18
6.1 General	18
6.2 Indication with one or more specification operators.....	20
7 Indication of the tolerated feature on which the size characteristic is defined	23
7.1 Complete tolerated feature of size.....	23
7.2 Specific fixed restricted portion of the feature of size	24
7.3 Any restricted portion of the feature of size of a specified length.....	25
7.4 Any cross section of a feature of size.....	26
7.5 Specific cross section of a feature of size.....	27
7.6 Requirement applied individually for more than one feature of size.....	28
7.7 Requirement applied simultaneously for more than one feature and considered as one feature of size	28
7.8 Flexible/non-rigid parts.....	29
Annex A (normative) Proportions and dimensions of graphical symbols	30
Annex B (informative) Overview diagram for size	31
Annex C (informative) Former practice and consequences	32
Annex D (informative) Relation to the GPS matrix model.....	33
Bibliography.....	35

Introduction

This part of ISO 14405 is a geometrical product specification (GPS) standard and is to be regarded as a general GPS standard (see ISO/TR 14638). It influences chain links 1 to 3 of the chain of standards on size.

The ISO/GPS Masterplan given in ISO/TR 14638 gives an overview of the ISO/GPS system of which this document is a part. The fundamental rules of ISO/GPS given in ISO 8015 apply to this document and the default decision rules given in ISO 14253-1 apply to specifications made in accordance with this document, unless otherwise indicated.

For more detailed information of the relation of this part of ISO 14405 to other standards and the GPS matrix model, see Annex D.

Produced workpieces exhibit deviations from the ideal geometric form. The real value of the dimension of a feature of size is dependent on the form deviations and on the specific type of size applied.

The type of size to be applied to a feature of size depends on the function of the workpiece.

The type of size can be indicated on the drawing by a specification modifier for controlling the feature definition and evaluation method to be used.

Geometrical product specifications (GPS) — Dimensional tolerancing —

Part 1: Linear sizes

1 Scope

This part of ISO 14405 establishes the default specification operator for linear size and defines a number of special specification operators for linear size for feature of size types “cylinder” and “two parallel opposite planes”. It also defines the specification modifiers and the drawing indications for these linear sizes. This part of ISO 14405 covers the following linear sizes:

- local size;
 - two-point size;
 - spherical size;
 - section size;
 - portion size;
- global size;
 - direct global linear size;
 - least-squares size;
 - maximum inscribed size;
 - minimum circumscribed size;
 - indirect global linear size;
- calculated size;
 - circumference diameter;
 - area diameter;
 - volume diameter;
- rank-order size;
 - maximum size;
 - minimum size;
 - average size;
 - median size;

- mid-range size;
- range size.

This part of ISO 14405 defines tolerances of linear sizes when there is:

- a + and/or – limit deviation (e.g. 0/–0,019) (see Figure 9);
- an upper limit of size (ULS) and/or lower limit of size (LLS) (e.g. 15,2 max., 12 min. or 30,2/30,181) (see Figure 11);
- an ISO tolerance class code in accordance with ISO 286-1 (e.g. 10 h6) (see Figure 10)

with or without modifiers (see Tables 1 and 2).

This part of ISO 14405 provides a set of tools to express several types of size characteristic. It does not present any information on the relationship between a function or a use and a size characteristic.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 286-1:2010, *Geometrical product specifications (GPS) — ISO code system for tolerances on linear sizes — Part 1: Basis of tolerances, deviations and fits*

ISO 10579:2010, *Geometrical product specifications (GPS) — Dimensioning and tolerancing — Non-rigid parts*

ISO 8015:—¹⁾, *Geometrical product specifications (GPS) — Fundamentals — Concepts, principles and rules*

ISO 14660-1:1999, *Geometrical product specifications (GPS) — Geometrical features — Part 1: General terms and definitions*

ISO 14660-2:1999, *Geometrical product specifications (GPS) — Geometrical features — Part 2: Extracted median line of a cylinder and a cone, extracted median surface, local size of an extracted feature*

ISO 17450-1:—²⁾, *Geometrical product specifications (GPS) — General concepts — Part 1: Model for geometrical specification and verification*

ISO 17450-2:—³⁾, *Geometrical product specifications (GPS) — General concepts — Part 2: Basic tenets, specifications, operators and uncertainties*

ISO 81714-1:—⁴⁾, *Design of graphical symbols for use in the technical documentation of products — Part 1: Basic rules*

1) To be published. (Revision of ISO 8015:1985)
 2) To be published. (Revision of ISO/TS 17450-1:2005)
 3) To be published. (Revision of ISO/TS 17450-2:2002)
 4) To be published. (Revision of ISO 81714-1:1999)