

**RAADIOHÄIRETE JA HÄIRINGUKINDLUSE
MÕÕTESEADMED JA -MEETODID. OSA 1-2:
RAADIOHÄIRETE JA HÄIRINGUKINDLUSE
MÕÕTESEADMED. ABISEADMED. JUHTIVUSHÄIRINGUD**

**Specification for radio disturbance and immunity
measuring apparatus and methods - Part 1-2: Radio
disturbance and immunity measuring apparatus -
Coupling devices for conducted disturbance
measurements**

EESTI STANDARDI EESSÕNA**NATIONAL FOREWORD**

See Eesti standard EVS-EN 55016-1-2:2014 sisaldab Euroopa standardi EN 55016-1-2:2014 ingliskeelset teksti.	This Estonian standard EVS-EN 55016-1-2:2014 consists of the English text of the European standard EN 55016-1-2:2014.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 11.07.2014.	Date of Availability of the European standard is 11.07.2014.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 33.100.10, 33.100.20

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Specification for radio disturbance and immunity measuring
apparatus and methods - Part 1-2: Radio disturbance and
immunity measuring apparatus - Coupling devices for conducted
disturbance measurements
(CISPR 16-1-2:2014)

Spécifications des méthodes et des appareils de mesure
des perturbations radioélectriques et de l'immunité aux
perturbations radioélectriques - Partie 1-2: Appareils de
mesure des perturbations radioélectriques et de l'immunité
aux perturbations radioélectriques - Dispositifs de couplage
pour la mesure des perturbations conduites
(CISPR 16-1-2:2014)

Anforderungen an Geräte und Einrichtungen sowie
Festlegung der Verfahren zur Messung der hochfrequenten
Störaussendung (Funkstörungen) und Störfestigkeit - Teil 1-
2: Geräte und Einrichtungen zur Messung der
hochfrequenten Störaussendung (Funkstörungen) und
Störfestigkeit - Koppelinrichtungen zur Messung der
leitungsgeführten Störaussendung
(CISPR 16-1-2:2014)

This European Standard was approved by CENELEC on 2014-04-25. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document CISPR/A/1051/FDIS, future edition 2 of CISPR 16-1-2, prepared by SC A “Radio-interference measurements and statistical methods” of IEC/TC CISPR “International special committee on radio interference” was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 55016-1-2:2014.

The following dates are fixed:

- latest date by which the document has to be (dop) 2015-01-25
implemented at national level by
publication of an identical national
standard or by endorsement
- latest date by which the national (dow) 2017-04-25
standards conflicting with the
document have to be withdrawn

This document supersedes EN 55016-1-2:2004.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard CISPR 16-1-2:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

CISPR 16-2 Series	NOTE	Harmonized as EN 55016-2 Series (not modified).
CISPR 16-4 Series	NOTE	Only Part 4-2 harmonized as EN 55016-4-2.
CISPR 22	NOTE	Harmonized as EN 55022.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
CISPR 16-1-1	2010	Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-1: Radio disturbance and immunity measuring apparatus - Measuring apparatus	EN 55016-1-1	2010
CISPR 16-2-1	2014	Specification for radio disturbance and immunity measuring apparatus and methods - Part 2-1: Methods of measurement of disturbances and immunity - Conducted disturbance measurements	EN 55016-2-1	2014
CISPR 16-4-2	2011	Specification for radio disturbance and immunity measuring apparatus and methods - Part 4-2: Uncertainties, statistics and limit modelling - Measurement instrumentation uncertainty	EN 55016-4-2	2011
IEC 61000-4-6	2008	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio-frequency fields	EN 61000-4-6	2009
IEC 60050	Series	International Electrotechnical Vocabulary - Part 802: Ultrasonics	-	-

CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references	9
3 Terms, definitions and abbreviations	10
3.1 Terms and definitions.....	10
3.2 Abbreviations.....	12
4 Artificial mains networks.....	12
4.1 General.....	12
4.2 AMN impedance.....	12
4.3 50 Ω /50 μ H + 5 Ω artificial mains V-network (V-AMN) for use in the frequency range 9 kHz to 150 kHz	13
4.4 50 Ω /50 μ H artificial mains V-network (V-AMN) for use in the frequency range 0,15 MHz to 30 MHz	14
4.5 50 Ω /5 μ H + 1 Ω artificial mains V-network (V-AMN) for use in the frequency range 150 kHz to 108 MHz	15
4.6 150 Ω artificial mains V-network (V-AMN) for use in the frequency range 150 kHz to 30 MHz	17
4.7 150 Ω artificial mains delta-network (Δ -AMN) for use in the frequency range 150 kHz to 30 MHz.....	17
4.7.1 General parameters.....	17
4.7.2 Balance of the 150 Ω artificial mains delta-network.....	17
4.8 Isolation.....	18
4.8.1 Requirement.....	18
4.8.2 Measurement procedure	18
4.9 Current carrying capacity and series voltage drop.....	19
4.10 Modified reference ground connection	19
4.11 Measurement of the voltage division factor of artificial mains V-networks.....	20
5 Current and voltage probes	21
5.1 Current probes.....	21
5.1.1 General	21
5.1.2 Construction	21
5.1.3 Characteristics.....	21
5.2 Voltage probe	22
5.2.1 High impedance voltage probe.....	22
5.2.2 Capacitive voltage probe	23
6 Coupling units for conducted current immunity measurement	25
6.1 General.....	25
6.2 Characteristics.....	25
6.2.1 General	25
6.2.2 Impedance.....	25
6.2.3 Insertion loss.....	25
7 Coupling devices for measuring signal lines	26
7.1 General.....	26
7.2 Requirements for AANs (or Y-networks).....	26
7.3 Requirements for artificial networks for coaxial and other screened cables	30
8 The artificial hand and series RC element	30

8.1	General.....	30
8.2	Construction of the artificial hand and RC element.....	30
8.3	The use of the artificial hand.....	31
9	CDNE for measurement of disturbance voltage in frequency range 30 MHz to 300 MHz.....	34
9.1	Instrumentation.....	34
9.1.1	General.....	34
9.1.2	Description of the CDNE measurement.....	35
9.1.3	Description of the RGP.....	35
9.2	Technical requirements for the CDNE- X	36
9.2.1	Mechanical and electrical parameters.....	36
9.2.2	Validation of the CDNE.....	36
9.3	Technical requirement for the RGP.....	39
Annex A	(normative) AMNs.....	40
A.1	General.....	40
A.2	An example of the 50 Ω /50 μ H + 5 Ω artificial mains V-network.....	40
A.3	An example of the 50 Ω /50 μ H artificial mains V-network.....	41
A.4	Examples of the 50 Ω /5 μ H + 1 Ω artificial mains V-network.....	41
A.5	An example of the 150 Ω artificial mains V-network.....	42
A.6	Example of the 150 Ω artificial mains delta-network.....	43
A.7	Example design for an AMN with a 50 μ H inductor.....	44
A.7.1	The inductor.....	44
A.7.2	The case of the inductor.....	45
A.7.3	Isolation of the inductor.....	46
A.8	Measurement of the voltage division factor of an artificial mains V-network.....	46
Annex B	(informative) Construction, frequency range, and calibration of current probes.....	49
B.1	Physical and electrical considerations for current probes.....	49
B.2	Equivalent electrical circuit of current probe.....	51
B.3	Detrimental effects of current probe measurements.....	51
B.4	Typical frequency response characteristics of current probes.....	52
B.5	A shielding structure for use with current probes.....	53
B.5.1	General.....	53
B.5.2	Theoretical model.....	54
B.5.3	Construction of the shielding structure.....	55
B.5.4	High-pass filter.....	55
B.6	Calibration of current probes.....	55
Annex C	(informative) Construction of the coupling units for current injection for the frequency range 0,15 MHz to 30 MHz.....	59
C.1	Coupling unit type A for coaxial antenna input.....	59
C.2	Coupling unit type M, for mains leads.....	59
C.3	Coupling unit type L, for loudspeaker leads.....	62
C.4	Coupling unit type Sw, for audio-frequency signals.....	63
C.5	Coupling unit type Sw, for audio, video, and control signals.....	63
Annex D	(informative) Principle of operation and examples of coupling units for conducted current immunity measurements.....	65
D.1	Principle of operation.....	65
D.2	Types of unit and their construction.....	65

Annex E (normative) Example and measurement of the parameters of the asymmetric artificial network (AAN).....	69
E.1 Description of an example of an AAN: the T-network.....	69
E.2 Measurements of the parameters of an asymmetric artificial network (AAN)	69
Annex F (normative) Example and measurement of the parameters of the AN for coaxial and other screened cables.....	75
F.1 Description of ANs for coaxial and other screened cables	75
F.2 Measurements of parameters of an AN for coaxial and other screened cables.....	75
Annex G (informative) Construction and evaluation of capacitive voltage probe	77
G.1 General.....	77
G.2 Physical and electrical considerations for CVP	77
G.3 Determination of the frequency response of the voltage division factor	77
G.4 Method of measurement to determine the influence of external electric fields.....	78
G.4.1 Influence of external electric field	78
G.4.2 Method of measurement to determine the influence of the external electric field	78
G.5 Pulse response	78
G.6 Voltage division factor dependence.....	79
Annex H (informative) Rationale for the introduction of a minimum decoupling factor between mains and EUT/receiver ports for the V-AMN.....	84
Annex I (informative) Rationale for the introduction of a phase tolerance for the V-AMN input impedance.....	85
Annex J (informative) Example CDNE set-up diagrams.....	87
J.1 CDNE-M2 and CDNE-M3	87
J.2 CDNE-Sx	89
Bibliography.....	90
Figure 1 – Impedance (magnitude and phase) of the V-network for Band A (see 4.3, the relevant frequency range is from 9 kHz to 150 kHz)	16
Figure 2 – Impedance (magnitude and phase) of the V-network for Band B (see 4.4).....	16
Figure 3 – Impedance (magnitude and phase) of the V-network for Bands B and C (from 150 kHz to 108 MHz; see 4.5).....	17
Figure 4 – Method for checking the balance of the arrangement for the measurement of symmetrical voltages	18
Figure 5 – Example of artificial mains $50 \Omega/50 \mu\text{H} + 5 \Omega$ V-network (see 4.3 and A.2).....	20
Figure 6 – Example of artificial mains V-networks, $50 \Omega/50 \mu\text{H}$, $50 \Omega/5 \mu\text{H} + 1 \Omega$ or 150Ω (see 4.4, 4.5, 4.6, A.3, A.4 and A.5, respectively)	20
Figure 7 – Circuit for RF voltage measurement on supply mains	23
Figure 8 – Circuit used to make voltage measurements between a cable and reference ground	24
Figure 9 – Measuring set-up to check the insertion loss of the coupling units in the frequency range 30 MHz to 150 MHz	26
Figure 10 – Principal circuit and LCL requirements of an AAN	28
Figure 11 – Application of the artificial hand	33
Figure 12 – Examples of application of artificial hand to ITE	34
Figure 13 – Arrangement for validation of a CDNE.....	37

Figure 14 – IMA arrangement for correcting the electrical length.....	38
Figure 15 – Test arrangement for the measurement of the symmetric impedance (Z_{DM}).....	39
Figure A.1 – Example of an alternative 50 Ω /5 μ H + 1 Ω V-AMN for devices used with low impedance power sources	42
Figure A.2 – Example of a Δ -AMN for a measuring receiver with unbalanced input	43
Figure A.3 – Schematic of 50 μ H inductor	45
Figure A.4 – General view of an AMN	45
Figure A.5 – Attenuation of an AMN filter	46
Figure A.6 – Test set-up for determining the voltage division factor	47
Figure B.1 – Typical current probe configuration	50
Figure B.2 – High-pass filter with cut-off frequency of 9 kHz	52
Figure B.3 – Transfer impedance of typical current probes.....	53
Figure B.4 – Set-up for current measurement using the AMN.....	54
Figure B.5 – Shield configuration used with current transformer.....	55
Figure B.6 – Schematic diagram of circuit with coaxial adaptor and current probe transfer admittance Y_T measurement.....	56
Figure B.7 – Transfer admittance Y_T as a function of frequency.....	57
Figure B.8 – Return loss of the coaxial adaptor terminated with 50 Ω and with the current probe (also terminated with 50 Ω) inside	57
Figure B.9 – Current probe between the two halves of the coaxial adaptor.....	58
Figure C.1 – Example of coupling unit type A, for coaxial input schematic diagram and construction details (see C.1 and D.2)	60
Figure C.2 – Example of coupling unit type M, for mains leads, schematic diagram and construction details (see C.2 and D.2)	61
Figure C.3 – Example of coupling unit type L for loudspeaker leads, schematic diagram and simplified construction drawing (see D.2).....	62
Figure C.4 – Example of coupling unit type Sw, for audio signals. Schematic diagram and simplified construction drawing (see D.2)	63
Figure C.5 – Example of coupling unit type Sw, for audio, video and control signals, schematic diagram and simplified construction drawing (see D.2)	64
Figure D.1 – General principle of the current-injection method (see D.1).....	67
Figure D.2 – Coupling unit type Sr with load resistances – Schematic diagram and simplified construction drawing (see D.2).....	68
Figure E.1 – Example of a T-network circuit for one pair of wires	70
Figure E.2 – Arrangement for the termination impedance measurement.....	71
Figure E.3 – Arrangement for LCL probe verification.....	71
Figure E.4 – Arrangement for the LCL probe calibration using an L-circuit	72
Figure E.5 – LCL measurement of the AAN using an LCL probe	72
Figure E.6 – Test set-up for the decoupling attenuation (isolation) of the AAN	
$a_{\text{decoup}} = 20 \lg \left \frac{V_1}{V_2} \right - a_{\text{vdiv}}$ in dB for asymmetric signals between AE port and EUT port	73
Figure E.7 – Test set-up for the insertion loss (symmetric) of the AAN	73
Figure E.8 – Calibration test set-up for the AAN voltage division factor of the asymmetric circuit: $F_{\text{AAN}} = a_{\text{vdiv}} = 20 \lg \left \frac{V_1}{V_2} \right $ in dB	74
Figure F.1 – Example of a coaxial cable AN.....	75

Figure F.2 – Test set-up for the coaxial and screened cable AN voltage division factor

$F_{AN} = 20 \lg \left| \frac{V_1}{V_2} \right|$ in dB 76

Figure G.1 – Configuration of a CVP 80

Figure G.2 – Equivalent circuit of a CVP 81

Figure G.3 – Test set-up to measure the frequency response 81

Figure G.4 – Electrostatic coupling model and its equivalent circuit 82

Figure G.5 – Test set-up to measure the reduction, through the shielding effect, of the influence of the external electric field caused by electrostatic coupling 82

Figure G.6 – Conversion factor deviation when cable position is changed 83

Figure G.7 – Investigation result of the cable radius dependence 83

Figure H.1 – Isolation measurement arrangement 84

Figure I.1 – Definition of impedance magnitude and phase tolerances 85

Figure J.1 – CDNE-M3 with internal attenuator a_{meas} of at least 6 dB 87

Figure J.2 – CDNE-M2 with internal attenuator a_{meas} of at least 6 dB 88

Figure J.3 – CDNE-S_x for screened cable with x internal wires and an internal attenuator of at least 6 dB 89

Table 1 – Magnitudes and phase angles of the V-network (see Figure 1) 13

Table 2 – Magnitudes and phase angles of the V-network (see Figure 2) 14

Table 3 – Magnitudes and phase angles of the V-network (see Figure 3) 15

Table 4 – Values of minimum isolation for V-networks 18

Table 5 – Characteristics of the AAN for the measurement of asymmetric disturbance voltage 29

Table 6 – Characteristics of artificial networks for coaxial and other screened cables 30

Table 7 – Electrical parameters of the CDNE- X 36

Table A.1 – Component values of 50 Ω /50 μ H + 5 Ω V-network 40

Table A.2 – Component values of 50 Ω /50 μ H V-network 41

Table A.3 – Component values of 50 Ω /5 μ H + 1 Ω V-network 42

Table A.4 – Component values of the 150 Ω V-network 43

Table A.5 – Component values of the 150 Ω delta-network 44