this documes

TOIDUTÖÖTLEMISMASINAD. HAKKIMISMASINAD. OHUTUS- JA HÜGIEENINÕUDED

Food processing machinery - Mincing machines - Safety and hygiene requirements



#### EESTI STANDARDI EESSÕNA

#### **NATIONAL FOREWORD**

See Eesti standard EVS-EN 12331:2015 sisaldab Euroopa standardi EN 12331:2015 ingliskeelset teksti.

This Estonian standard EVS-EN 12331:2015 consists of the English text of the European standard EN 12331:2015.

Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.

This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.

Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 09.09.2015.

Date of Availability of the European standard is 09.09.2015.

Standard on kättesaadav Eest Standardikeskusest.

Eesti The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 67.260

#### Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega. Aru 10, 10317 Tallinn, Eesti; koduleht <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

#### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

### **EUROPEAN STANDARD**

#### EN 12331

## NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

September 2015

ICS 67.260

Supersedes EN 12331:2003+A2:2010

**English Version** 

# ood processing machinery - Mincing machines - Safety and hygiene requirements

Machines pour les produits alimentaires - Hachoirs -Prescriptions relatives à la sécurité et à l'hygiène

Nahrungsmittelmaschinen - Wölfe - Sicherheits- und Hygieneanforderungen

This European Standard was approved by CEN on 1 August 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	cents	Page
Europ	pean foreword	4
	duction	
1	Scope	6
_	-	
2	Normative references	
3	Terms and definitions	
4	List of hazards	11
5	Safety requirements and/or measures	14
5.1	General	14
5.2	Mechanical safety	14
5.2.1	General	
5.2.2	Zone 1 - Measures at mincing machines with feed intake and worm	
5.2.3	Zone 2 – Measures at mincing machines with feed intake hopper and screw convey	
5.2.4	Zone 3 – Discharge outlet on minering machines	
5.2.5	Zone 4 - Removal of worm and set of cutting tools	
5.2.6	Zone 5 - Drive system	21 21
5.2.7	Zone 6 – Machine components e.g. cover over hopper edge	
5.2.8	Zone 7 to 10 – Mincing machines with loading devices	
5.2.0 5.3	Electrical begards	22 24
5.3.1	Electrical hazardsGeneral	24 24
5.3.2	Stopping function of switching devices	24
5.3.3	Emergency stop-device	24
5.3.4		
5.3.5	ON- and OFF-switch	
5.3.6	Safety requirements related to electromagnetic phenomena	25
5.4	Hazards from loss of stability	26
5.5	Noise reduction	26
5.6	Hazards from use of gases (N <sub>2</sub> , CO <sub>2</sub> and steam) Ergonomic requirements	26
5.7	Ergonomic requirements	26
5.8	Hygiene and cleaning	27
5.8.1		27
5.8.2	Food area	28
5.8.3	Splash area	
5.8.4	Non-food area	29
5.8.5	Surface conditions	29
5.8.6	Cleaning	29
6	Verification of safety requirements and/or measures	29
7	Information for use	31
7.1	General	
7.2	Operating instruction	
7.3	Marking	
	x A (normative) Noise test code for mincing machines (grade 2)	
<b>A.1</b>	Emission sound pressure level determination	

<b>A.2</b>	Installation and mounting conditions	34
<b>A.3</b>	Operating conditions	34
A.4	Measurement	34
A.5	Information to be recorded	34
A.6	Information to be reported	34
<b>A.7</b>	Declaration and verification of the noise emission values	35
Annex	x B (normative) Design principles to ensure cleanability of mincing machines	36
<b>B.1</b>	Definition,	36
<b>B.2</b>	Materials	
B.2.1	General	36
<b>B.2.2</b>	Type of materials	37
<b>B.3</b>	Design	37
B.3.1	General	37
B.3.2	Food area	
B.3.3	Splash area  Non-food area	38
B.3.4	Non-food area	40
Annex	x ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC	41
Biblio	graphy	42
	graphy	

#### **European foreword**

This document (EN 12331:2015) has been prepared by Technical Committee CEN/TC 153 "Machinery intended for use with foodstuffs and feed", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2016, and conflicting national standards shall be withdrawn at the latest by March 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12331:2003+A2:2010.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2006/42/EC.

For relationship with EU Directive 2006/42/EC, see informative Annex ZA, which is an integral part of this document.

#### Significant changes

The significant changes with respect to the previous edition EN 12331:2003+A2:2010 are listed below:

- same pictures have been renewed and renumbered;
- Clause 2: EN 1088 replaced by EN ISO 14119;
- Clause 3: clarify of some definitions and use of this wording in the document;
- Clause 4: transferred to a table;
- 5.2.5.1: inclusion of a note that under certain conditions the combination of specific hole plates diameter with specific hole diameter represents a securing element.
- Bibliography: with respect to 5.2.4.2 the standards DIN 9810 and UNI 11303 were added.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### Introduction

This document is a type-C-standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and hazardous events are covered are indicated in the scope of this document.

s or provis. machines
Cumbent is a breview Senerated by titles When provisions of this type-C-standard are different from those which are stated in type-A- or -Bstandards, the provisions of this type-C-standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type-Cstandard.

5

#### 1 Scope

**1.1** This European Standard specifies requirements for the design and manufacture of mincing machines (see Figures 1a and 1b) used in a stationary position.

The machines covered by this European Standard are used for size reduction of fresh or frozen meat, meat products and fish (hereinafter referred to as product) by cutting in a set of cutting tools.

Mincing machines for domestic uses are not included in this European Standard. Filling mincers are covered by EN 12463 "Food processing machinery – Filling machines and auxiliary machines – Safety and hygiene requirements".

This European Standard applies only to machines that are manufactured after the date of issue of this European Standard.

Mincing machines in connection with using a hold-to-run foot switch are not covered by this European Standard.

This European Standard covers:

- mincing machines used in shops and preparation rooms;
- mincing machines used in kitchens where sausages are prepared;
- mincing machines used industrially;
- accessories.


The extent to which hazards are covered, is indicated in this European Standard. For other hazards which are not covered by this European Standard, machinery should comply with EN ISO 12100:2010 where applicable.

This European Standard is not dealing with specific requirements for the control of mincing machines with foot switch.

- **1.2** This European Standard covers the following types:
- mincing machine with feed tray, feed intake and pusher, diameter ≤ 52 mm on feed intake (see Figure 3);
- mincing machine with feed tray, feed intake, restrictor plate and pusher, diameter > 52 mm on feed intake (see Figure 4);
- mincing machine with feed intake hopper and cover, screw conveyor, with 1) or without mixing screw in feed intake hopper (see Figure 5);
- mincing machine with feed intake hopper, with or without cover, screw conveyor, with <sup>1)</sup> or without mixing screw in the feed intake hopper, with loading device (continuously or discontinuously).

Mincing machines comprise a machine base, a worm casing with a worm, a feed tray (with feed intake) or a feed intake hopper, a screw conveyor (and sometimes an additional mixing screw in the feed intake hopper), a set of cutting tools, a lock nut, a loading device, a drive motor and – depending on machine type – electrical, hydraulic and pneumatic components. They will also have various safeguarding devices as examples in Clause 5.

<sup>1)</sup> In this case, EN 13570 should be taken into consideration.



### a) Mincing machine with feed tray and restrictor plate

### b) Mincing machine with feed intake hopper, cover and screw conveyor

Key							
1	lock nut	6	feed intake	11	feed intake hopper	15	lock nut
2	hole plate	7	pusher	12	screw conveyor	16	protective hood
3	blade	8	restrictor plate	13	cover	17	worm
4	worm	9	feed tray	14	on-/off-switch with protective hood	18	machine rack
5	worm casing	10	on-/off-switch				

Figure 1 — Arrangement of a mincing machine

Mincing machines may be equipped e.g. with

- an extraction claw,
- an ejector or extractor,
- a protective hood over the discharge outlet,
- a cover over the inlet opening of the feed intake hopper,
- a transport carriage for the lock nut, the set of cutting tools, the worm and the screw conveyor,
- a lifting device for the lock nut, the set of cutting tools, the worm and the screw conveyor,
- a loading device.

#### **1.3** Intended use

The product is fed manually or by means of the loading device into the mincing machine. The product is fed to the worm either by means of a pusher or a screw conveyor and size reduced in the set of cutting tools.

It is not intended that mincing machines are cleaned with pressurized water. However, it is to be foreseen that it is difficult to guarantee that this method will never be used in practice. In order to deal with this eventuality, the requirements of 5.3.4 should apply.

This European Standard specifies all significant hazards, hazardous situations and events relevant to mincing machines, when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer (see Clause 4).

This European Standard specifies the hazards which can arise during commissioning, operation, cleaning, use, maintenance and decommissioning of the machine.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 349, Safety of machinery — Minimum gaps to avoid crushing of parts of the human body

EN 614-1, Safety of machinery — Ergonomic design principles — Part 1: Terminology and general principles

EN 953:1997+A1:2009, Safety of machinery — Guards — General requirements for the design and construction of fixed and movable guards

EN 1005-1, Safety of machinery — Human physical performance — Part 1: Terms and definitions

EN 1005-2, Safety of machinery — Human physical performance — Part 2: Manual handling of machinery and component parts of machinery

EN 1005-3, Safety of machinery — Human physical performance — Part 3: Recommended force limits for machinery operation

EN 1672-2:2005+A1:2009, Food processing machinery—Basic concepts — Part 2: Hygiene requirements

EN 60204-1:2006, Safety of machinery — Electrical equipment of machines — Part 1: General requirements (IEC 60204-1:2005, modified)

EN 60529, Degrees of protection provided by enclosures (IP Code) (IEC 60529)

EN 61496-1, Safety of machinery — Electro-sensitive protective equipment — Part 1: General requirements and tests (IEC 61496-1)

EN ISO 4287, Geometrical product specifications (GPS) — Surface texture: Profile method — Terms, definitions and surface texture parameters (ISO 4287)

EN ISO 4871, Acoustics — Declaration and verification of noise emission values of machinery and equipment (ISO 4871)

EN ISO 11204:2010, Acoustics — Noise emitted by machinery and equipment — Determination of emission sound pressure levels at a work station and at other specified positions applying accurate environmental corrections (ISO 11204:2010)

EN ISO 11688-1, Acoustics — Recommended practice for the design of low-noise machinery and equipment — Part 1: Planning (ISO/TR 11688-1)

EN ISO 12100:2010, Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)

EN ISO 13849-1:2008, Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design (ISO 13849-1:2006)

EN ISO 13857:2008, Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs (ISO 13857:2008)

EN ISO 14119:2013, Safety of machinery — Interlocking devices associated with guards — Principles for design and selection (ISO 14119:2013)

#### Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 12100:2010 and the following apply.

#### 3.1

#### platform

accessible standing are

#### 3.2

#### worm

rotating screw-shaped component in the worm casing for product transport to the set of cutting tools

#### 3.3

#### step

interlocked standing area

#### 3.4

#### ejector/extractor

device for detaching the set of cutting tools and the

#### 3.5

#### extraction claw

tool for detaching the set of cutting tools and the worm

#### 3.6

#### loading device

device for the lifting and tilting of transport cars and contained

#### 3.7

#### container

device for holding products to be processed

#### 3.8

movable device with safety function

#### 3.9

#### feed intake

housing between the feed tray and the worm casing

#### 3.10

#### feed intake hopper

container for holding the products to be processed with safety function