

Geometrical Product Specifications (GPS) - General concepts and requirements for GPS measuring equipment

Geometrical Product Specifications (GPS) - General
concepts and requirements for GPS measuring
equipment

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN ISO 14978:2006 sisaldab Euroopa standardi EN ISO 14978:2006 ingliskeelset teksti.</p> <p>Käesolev dokument on jõustatud 30.08.2006 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN ISO 14978:2006 consists of the English text of the European standard EN ISO 14978:2006.</p> <p>This document is endorsed on 30.08.2006 with the notification being published in the official publication of the Estonian national standardisation organisation.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

<p>Käsitlusala:</p> <p>This International Standard specifies the general requirements, terms and definitions of characteristics of simple GPS measuring equipment, e.g. micrometers, dial gauges, callipers, surface plates, height gauges, gauge blocks, but not necessarily excluding more complicated equipment.</p>	<p>Scope:</p> <p>This International Standard specifies the general requirements, terms and definitions of characteristics of simple GPS measuring equipment, e.g. micrometers, dial gauges, callipers, surface plates, height gauges, gauge blocks, but not necessarily excluding more complicated equipment.</p>
--	--

ICS 17.040.30

Võtmesõnad:

ICS 17.040.30

English Version

**Geometrical Product Specifications (GPS) - General concepts
and requirements for GPS measuring equipment (ISO
14978:2006)**

Spécification géométrique des produits (GPS) - Concepts
et exigences généraux pour les équipements de mesure
GPS (ISO 14978:2006)

Geometrische Produktspezifikation (GPS) - Allgemeine
Begriffe und Anforderungen für GPS Messeinrichtungen
(ISO 14978:2006)

This European Standard was approved by CEN on 19 June 2006.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

This document (EN ISO 14978:2006) has been prepared by Technical Committee ISO/TC 213 "Dimensional and geometrical product specifications and verification" in collaboration with Technical Committee CEN/TC 290 "Dimensional and geometrical product specification and verification", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2007, and conflicting national standards shall be withdrawn at the latest by January 2007.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Endorsement notice

The text of ISO 14978:2006 has been approved by CEN as EN ISO 14978:2006 without any modifications.

**Geometrical product specifications
(GPS) — General concepts and
requirements for GPS measuring
equipment**

*Spécification géométrique des produits (GPS) — Concepts et
exigences généraux pour les équipements de mesure GPS*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Abbreviations	12
5 Design characteristics	13
5.1 General	13
5.2 Indicating measuring equipment	14
5.3 Material measures	14
6 Metrological characteristics	15
6.1 General	15
6.2 Identification, definition and choice of metrological characteristics	16
6.3 Indicating measuring equipment — identification of general metrological characteristics	17
6.4 Material measures — Identification of general metrological characteristics	19
7 Types of presentation and types of specifications for characteristics	21
7.1 General	21
7.2 Presentation of characteristic curves — Fixed and floating zero	21
7.3 Presentation of a characteristic — Statistical	24
7.4 Specifications for single-value metrological characteristics	25
7.5 Specification for metrological characteristics defined in a range	25
7.6 Specification for metrological characteristics defined in a two- or three-dimensional range	29
8 Calibration of metrological characteristics	29
8.1 Manufacturer and supplier of measuring instruments	29
8.2 User of measuring instruments	29
8.3 Measurement uncertainty	29
9 Marking	30
Annex A (normative) General minimum requirements and guidance for clauses in GPS standards for specific measuring equipment	31
Annex B (informative) Data sheet for measuring equipment requirements	33
Annex C (normative) Relation to the GPS matrix model	35
Bibliography	37

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14978 was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

Introduction

This International Standard is a geometrical product specification (GPS) standard and is to be regarded as a global GPS standard (see ISO/TR 14638). It influences chain links 5 and 6 of all chains of standards in the general GPS matrix.

For more detailed information of the relation of this International Standard to other standards and the GPS matrix model, see Annex C.

This International Standard contains guidance for writing the standards for specific measuring equipment.

This International Standard is intended to give the user a basic understanding of the use of ISO standards for GPS measuring equipment. This International Standard presents and defines general concepts to be used in connection with GPS measuring equipment to avoid multiple repetitions in the ISO standards for specific GPS measuring equipment. This International Standard is also intended as guidance for the manufacturer to evaluate and present specifications for characteristics for GPS measurement equipment.

This International Standard should be close at hand when reading and using ISO standards for a specific GPS measuring equipment.

Geometrical product specifications (GPS) — General concepts and requirements for GPS measuring equipment

1 Scope

This International Standard specifies the general requirements, terms and definitions of characteristics of simple GPS measuring equipment, e.g. micrometers, dial gauges, callipers, surface plates, height gauges, gauge blocks, but not necessarily excluding more complicated equipment. It forms the basis for standards defining and describing the design characteristics and metrological characteristics for measuring equipment. It also gives guidance for the development and content of standards for GPS measuring equipment.

This International Standard is intended to ease the communication between manufacturer/supplier and customer/user and to make the specification phase of GPS measuring equipment more accurate. This International Standard is also intended as a tool to be used in companies in the process of defining and selecting relevant characteristics for measuring equipment to be used in the quality assurance of measuring processes, i.e. in calibration and in workpiece measurements.

This International Standard also includes terms which are frequently used in connection with the characterization of specific measuring equipment.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1:2002, *Geometrical Product Specifications (GPS) — Standard reference temperature for geometrical product specification and verification*

ISO 1101:2004, *Geometrical Product Specifications (GPS) — Geometrical tolerancing — Tolerances of form, orientation, location and run-out*

ISO 5459:—¹⁾, *Geometrical Product Specifications (GPS) — Geometrical tolerancing — Datums and datum systems*

ISO 14253-1:1998, *Geometrical Product Specifications (GPS) — Inspection by measurement of workpieces and measuring equipment — Part 1: Decision rules for proving conformance or non-conformance with specifications*

ISO/TS 14253-2:1999, *Geometrical Product Specifications (GPS) — Inspection by measurement of workpieces and measuring equipment — Part 2: Guide to the estimation of uncertainty in GPS measurement, in calibration of measuring equipment and product verification*

ISO/TS 17450-2, *Geometrical product specifications (GPS) — General concepts — Part 2: Basic tenets, specifications, operators and uncertainties*

International vocabulary of basic and general terms in metrology (VIM), BIPM, IEC, IFCC, ISO, IUPAC, IUPAP, 1987

1) To be published. (Revision of ISO 5459:1981.)

International vocabulary of basic and general terms in metrology (VIM), BIPM, IEC, IFCC, ISO, IUPAC, IUPAP, 1993

Guide to the expression of uncertainty in measurement (GUM), BIPM, IEC, IFCC, ISO, IUPAC, IUPAP, OIML, 1993²⁾

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 14253-1, ISO/TS 14253-2, ISO/TS 17450-2, VIM and GUM and the following apply.

3.1

measuring equipment

ME

any instrument, measurement standard, reference material and/or auxiliary apparatus or any combination thereof necessary to implement a measurement process for carrying out a specified and defined measurement

NOTE 1 This definition is necessarily wider than that of a measuring instrument [VIM:1993, 4.1] since it includes all the means necessary for producing a measurement result.

NOTE 2 The concept measuring equipment includes, for example, **indicating measuring instruments** (3.2) and **material measures** (3.3).

3.2

indicating measuring instrument

measuring equipment that displays an indication

NOTE 1 The display can be analog (continuous or discontinuous) or digital.

NOTE 2 Values of more than one quantity can be displayed simultaneously.

NOTE 3 A displaying measuring instrument can also provide a record.

[VIM:1993, 4.6]

EXAMPLES

- a) Analog mechanical dial gauge,
- b) digital calliper,
- c) micrometer.

NOTE 4 The examples given in VIM are changed here to examples in length units.

3.3

material measure

device intended to reproduce or supply, in a permanent manner during its use, one or more known values of a given quantity

NOTE 1 The quantity concerned can be called the supplied quantity.

[VIM:1993, 4.2]

2) Corrected and reprinted in 1995.