

**Space engineering - Electromagnetic compatibility**

This document is a preview generated by EVS

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 16603-20-07:2014 sisaldab Euroopa standardi EN 16603-20-07:2014 inglisekeelset teksti.	This Estonian standard EVS-EN 16603-20-07:2014 consists of the English text of the European standard EN 16603-20-07:2014.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 09.07.2014.	Date of Availability of the European standard is 09.07.2014.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 49.140

### **Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele**

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Aru 10, 10317 Tallinn, Eesti; [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

### **The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation**

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:  
Aru 10, 10317 Tallinn, Estonia; [www.evs.ee](http://www.evs.ee); phone 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

ICS 49.140

English version

## Space engineering - Electromagnetic compatibility

Ingénierie spatiale - Compatibilité électromagnétique

Raumfahrttechnik - Elektromagnetische Kompatibilität

This European Standard was approved by CEN on 10 February 2014.

CEN and CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN and CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN and CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



CEN-CENELEC Management Centre:  
Avenue Marnix 17, B-1000 Brussels

## Table of contents

---

<b>Foreword</b> .....	<b>6</b>
<b>Introduction</b> .....	<b>7</b>
<b>1 Scope</b> .....	<b>8</b>
<b>2 Normative references</b> .....	<b>9</b>
<b>3 Terms, definitions and abbreviated terms</b> .....	<b>10</b>
3.1 Terms from other standards.....	10
3.2 Terms specific to the present standard .....	11
3.3 Abbreviated terms.....	13
<b>4 Requirements</b> .....	<b>15</b>
4.1 General system requirements.....	15
4.2 Detailed system requirements .....	15
4.2.1 Overview.....	15
4.2.2 EMC with the launch system .....	15
4.2.3 Lightning environment.....	16
4.2.4 Spacecraft charging and effects.....	16
4.2.5 Spacecraft DC magnetic emission .....	17
4.2.6 Radiofrequency compatibility .....	18
4.2.7 Hazards of electromagnetic radiation .....	18
4.2.8 Intrasystem EMC .....	18
4.2.9 EMC with ground equipment.....	19
4.2.10 Grounding.....	19
4.2.11 Electrical bonding requirements .....	20
4.2.12 Shielding (excepted wires and cables).....	21
4.2.13 Wiring (including wires and cables shielding).....	21
<b>5 Verification</b> .....	<b>23</b>
5.1 Overview .....	23
5.1.1 Introduction.....	23
5.1.2 Electromagnetic effects verification plan .....	23
5.1.3 Electromagnetic effects verification report.....	23

5.2	Test conditions .....	23
5.2.1	Measurement tolerances.....	23
5.2.2	Test site .....	24
5.2.3	Ground plane .....	26
5.2.4	Power source impedance.....	26
5.2.5	General test precautions .....	28
5.2.6	EUT test configurations.....	28
5.2.7	Operation of EUT .....	31
5.2.8	Use of measurement equipment .....	32
5.2.9	Emission testing.....	33
5.2.10	Susceptibility testing.....	35
5.2.11	Calibration of measuring equipment.....	36
5.3	System level .....	37
5.3.1	General.....	37
5.3.2	Safety margin demonstration for critical or EED circuits .....	37
5.3.3	EMC with the launch system .....	37
5.3.4	Lightning .....	38
5.3.5	Spacecraft and static charging .....	38
5.3.6	Spacecraft DC magnetic field emission.....	38
5.3.7	Intra–system electromagnetic compatibility .....	38
5.3.8	Radiofrequency compatibility .....	38
5.3.9	Grounding.....	39
5.3.10	Electrical bonding.....	39
5.3.11	Wiring and shielding.....	39
5.4	Equipment and subsystem level test procedures.....	39
5.4.1	Overview.....	39
5.4.2	CE, power leads, differential mode, 30 Hz to 100 kHz.....	40
5.4.3	CE, power and signal leads, 100 kHz to 100 MHz.....	42
5.4.4	CE, power leads, inrush current.....	45
5.4.5	DC Magnetic field emission, magnetic moment.....	47
5.4.6	RE, electric field, 30 MHz to 18 GHz .....	50
5.4.7	CS, power leads, 30 Hz to 100 kHz.....	54
5.4.8	CS, bulk cable injection, 50 kHz to 100 MHz.....	56
5.4.9	CS, power leads, transients .....	59
5.4.10	RS, magnetic field, 30 Hz to 100 kHz.....	62
5.4.11	RS, electric field, 30 MHz to 18 GHz.....	66
5.4.12	Susceptibility to electrostatic discharges .....	71

<b>Annex A (informative) Subsystem and equipment limits .....</b>	<b>77</b>
A.1 Overview .....	77
A.2 CE on power leads, differential mode, 30 Hz to 100 MHz .....	77
A.3 CE on power leads, in-rush currents .....	79
A.4 CE on power and signal leads, common mode, 100 kHz to 100 MHz .....	79
A.5 CE on antenna ports .....	80
A.6 DC magnetic field emission .....	80
A.6.1 General .....	80
A.6.2 Characterization .....	81
A.6.3 Limit .....	82
A.7 RE, low-frequency magnetic field .....	82
A.8 RE, low-frequency electric field .....	82
A.9 RE, electric field, 30 MHz to 18 GHz .....	83
A.10 CS, power leads, differential mode, 30 Hz to 100 kHz .....	84
A.11 CS, power and signal leads, common mode, 50 kHz to 100 MHz .....	85
A.12 CS, power leads, short spike transients .....	85
A.13 RS, magnetic field, 30 Hz to 100 kHz .....	86
A.14 RS, electric field, 30 MHz to 18 GHz .....	87
A.15 Susceptibility to electrostatic discharge .....	88

## Figures

Figure 4-1: Bonding requirements .....	20
Figure 5-1: RF absorber loading diagram .....	25
Figure 5-2: Line impedance stabilization network schematic .....	27
Figure 5-3: General test setup .....	29
Figure 5-4: Typical calibration fixture .....	33
Figure 5-5: Conducted emission, 30 Hz to 100 kHz, measurement system check .....	42
Figure 5-6: Conducted emission, 30 Hz to 100 kHz, measurement setup .....	42
Figure 5-7: Conducted emission, measurement system check .....	43
Figure 5-8: Conducted emission, measurement setup in differential mode .....	43
Figure 5-9: Conducted emission, measurement setup in common mode .....	44
Figure 5-10: Inrush current: measurement system check setup .....	46
Figure 5-11: Inrush current: measurement setup .....	46
Figure 5-12: Smooth deperm procedure .....	50
Figure 5-13: Electric field radiated emission. Basic test setup .....	52
Figure 5-14: Electric field radiated emission. Antenna positioning .....	52
Figure 5-15: Electric field radiated emission. Multiple antenna positions .....	53

Figure 5-16: CS, power leads, measurement system check set-up .....	55
Figure 5-17: CS, power leads, signal injection .....	55
Figure 5-18: Bulk cable injection, measurement system check set-up .....	58
Figure 5-19: Signal test waveform .....	59
Figure 5-20: CS of power and signal leads, bulk cable injection .....	59
Figure 5-21: CS of power leads, transients, calibration set-up .....	61
Figure 5-22: CS of power leads, spike series injection test setup .....	61
Figure 5-23: CS of power leads, spike parallel injection test setup .....	61
Figure 5-24: Measurement system check configuration of the radiating system .....	64
Figure 5-25: Basic test set-up .....	64
Figure 5-26: Test equipment configuration .....	68
Figure 5-27: RS Electric field. Multiple test antenna positions .....	68
Figure 5-28: Receive antenna procedure .....	69
Figure 5-29: Spacecraft charging ESD susceptibility test .....	74
Figure 5-30: Susceptibility to ESD: calibration configuration .....	74
Figure 5-31: Susceptibility to ESD: test equipment configuration .....	75
Figure A-1 : Power leads, differential mode conducted emission limit .....	78
Figure A-2 : Common mode conducted emission limit .....	80
Figure A-3 : Radiated electric field limit .....	83
Figure A-4 : Conducted susceptibility limit, frequency domain .....	84
Figure A-5 : CS, voltage spike in percentage of test bus voltage .....	86
Figure A-6 : Radiated susceptibility limit .....	87

## Tables

Table 5-1: Absorption at normal incidence .....	25
Table 5-2: Bandwidth and measurement time .....	34
Table 5-3: Correspondence between test procedures and limits .....	40
Table A-1 : Equipment: susceptibility to conducted interference, test signal .....	85

## Foreword

---

This document (EN 16603-20-07:2014) has been prepared by Technical Committee CEN/CLC/TC 5 "Space", the secretariat of which is held by DIN.

This standard (EN 16603-20-07:2014) originates from ECSS-E-ST-20-07C Rev. 1.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2015, and conflicting national standards shall be withdrawn at the latest by January 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been developed to cover specifically space systems and has therefore precedence over any EN covering the same scope but with a wider domain of applicability (e.g. : aerospace).

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom."

## Introduction

---

Electromagnetic compatibility (EMC) of a space system or equipment is the ability to function satisfactorily in its electromagnetic environment without introducing intolerable electromagnetic disturbances to anything in that environment.

The space system is designed to be compatible with its external natural, induced, or man-made electromagnetic environment. Natural components are lightning for launchers, the terrestrial magnetic field for space vehicles. Spacecraft charging is defined as voltage building-up of a space vehicle or spacecraft units when immersed in plasma. Electrostatic discharges result from spacecraft charging with possible detrimental effects. External man-made interference, intentional or not, are caused by radar or telecommunication beams during ground operations and the launching sequence. Intersystem EMC also applies between the launcher and its payload or between space vehicles.

Intrasystem EMC is defined between all electrical, electronic, electromagnetic, and electromechanical equipment within the space vehicle and by the presence of its self-induced electromagnetic environment. It comprises the intentional radiated electromagnetic fields and parasitic emission from on-board equipment. Both conducted and radiated emissions are concerned. An electromagnetic interference safety margin is defined at system critical points by comparison of noise level and susceptibility at these points.

# 1 Scope

---

EMC policy and general system requirements are specified in ECSS-E-ST-20.

This ECSS-E-ST-20-07 Standard addresses detailed system requirements (Clause 4), general test conditions, verification requirements at system level, and test methods at subsystem and equipment level (Clause 5) as well as informative limits (Annex A).

Associated to this standard is ECSS-E-ST-20-06 "Spacecraft charging", which addresses charging control and risks arising from environmental and vehicle-induced spacecraft charging when ECSS-E-ST-20-07 addresses electromagnetic effects of electrostatic discharges.

Annexes A to C of ECSS-E-ST-20 document EMC activities related to ECSS-E-ST-20-07: the EMC Control Plan (Annex A) defines the approach, methods, procedures, resources, and organization, the Electromagnetic Effects Verification Plan (Annex B) defines and specifies the verification processes, analyses and tests, and the Electromagnetic Effects Verification Report (Annex C) document verification results. The EMEVP and the EMEVR are the vehicles for tailoring this standard.

This standard may be tailored for the specific characteristic and constraints of a space project in conformance with ECSS-S-ST-00.

## 2

## Normative references

---

The following normative documents contain provisions which, through reference in this text, constitute provisions of this ECSS Standard. For dated references, subsequent amendments to, or revision of any of these publications do not apply. However, parties to agreements based on this ECSS Standard are encouraged to investigate the possibility of applying the more recent editions of the normative documents indicated below. For undated references, the latest edition of the publication referred to applies.

EN reference	Reference in text	Title
EN 16601-00-01	ECSS-S-ST-00-01	ECSS system - Glossary of terms
EN 16603-20	ECSS-E-ST-20	Space engineering - Electrical and electronic
EN 16603-20-06	ECSS-E-ST-20-06	Space engineering - Spacecraft charging
EN 16603-33-11	ECSS-E-ST-33-11	Space engineering - Explosive systems and devices
EN 16603-50-14	ECSS-E-ST-50-14	Space engineering - Spacecraft discrete interfaces
	IEC 61000-4-2 (Edition 1.2)	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test