

**Health and safety in welding and allied processes -
Laboratory method for sampling fume and gases -
Part 3: Determination of ozone emission rate during arc
welding**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN ISO 15011-3:2009 sisaldab Euroopa standardi EN ISO 15011-3:2009 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 31.12.2009 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 15.10.2009.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN ISO 15011-3:2009 consists of the English text of the European standard EN ISO 15011-3:2009.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.12.2009 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 15.10.2009.

The standard is available from Estonian standardisation organisation.

ICS 13.100, 25.160.10

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute Estonian Standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: +372 605 5050; E-mail: info@evs.ee

English Version

Health and safety in welding and allied processes - Laboratory method for sampling fume and gases - Part 3: Determination of ozone emission rate during arc welding (ISO 15011-3:2009)

Hygiène et sécurité en soudage et techniques connexes -
Méthode de laboratoire d'échantillonnage des fumées et
des gaz - Partie 3: Détermination du débit d'émission
d'ozone lors du soudage à l'arc (ISO 15011-3:2009)

Arbeits- und Gesundheitsschutz beim Schweißen und bei
verwandten Verfahren - Laborverfahren zum Sammeln von
Rauch und Gasen - Teil 3: Bestimmung der Emissionsrate
von Ozon beim Lichtbogenschweißen (ISO 15011-3:2009)

This European Standard was approved by CEN on 29 September 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 15011-3:2009) has been prepared by Technical Committee ISO/TC 44 "Welding and allied processes" in collaboration with Technical Committee CEN/TC 121 "Welding" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2010, and conflicting national standards shall be withdrawn at the latest by April 2010.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 15011-3:2002.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 15011-3:2009 has been approved by CEN as a EN ISO 15011-3:2009 without any modification.

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Equipment and materials	2
6 Tests procedures	4
6.1 Welding procedure selection	4
6.2 Setting up the test equipment	4
6.3 Trial tests	5
6.4 Emission rate testing	5
7 Calculating and reporting the results	6
Annex A (informative) Equipment notes	7
Annex B (informative) Welding parameters for ozone emission rate testing	9
Annex C (normative) Test procedures	11
Annex D (normative) Calculation of the average stable ozone concentration	12
Annex E (normative) Test report	13
Bibliography	14

Introduction

Welding and allied processes generate fume and gases, which, if inhaled, can be harmful to human health. Knowledge of the composition and the emission rates of the fume and gases can be useful to occupational health professionals in assessing worker exposure and in determining appropriate control measures.

Absolute exposure is dependent upon factors such as welder position with respect to the plume and draughts and cannot be predicted from emission rate data. However, in the same work situation, a higher emission rate is expected to correlate with a higher exposure and a lower emission rate with a lower exposure. Hence, emission rate data can be used to predict relative changes in exposure that might occur in the workplace under different welding conditions and to identify measures for reducing such exposure, but they cannot be used to calculate ventilation requirements.

This part of ISO 15011 defines a method for measuring the emission rate of ozone during arc welding using a hood technique. The procedure simply prescribes a methodology, leaving selection of the test parameters to the user, so that the effects of different variables can be evaluated. Research^[2] has shown that differences in ozone emission rate measured using this technique correlate well with changes in exposure in the workplace.

It is assumed that the executions of the provisions and the interpretation of the results obtained in this part of ISO 15011 are entrusted to appropriately qualified and experienced people.

Health and safety in welding and allied processes — Laboratory method for sampling fume and gases —

Part 3: Determination of ozone emission rate during arc welding

1 Scope

This part of ISO 15011 defines a laboratory method for measuring the emission rate of ozone during arc welding, using a hood technique. The method is directed primarily at measuring ozone emission rate when using gas-shielded arc welding processes, but it can also be employed with other processes, e.g. self-shielded flux-cored arc welding, provided that welding can be performed automatically under the hood.

The method can be used to evaluate the effects of welding wires, welding parameters, processes, shielding gases, test piece composition and test piece surface condition on emission rate.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TR 25901 *Welding and related processes — Vocabulary*

ISO/IEC Guide 98-3, *Uncertainty of measurement — Part 3: Guide to the expression of uncertainty in measurement (GUM:1995)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TR 25901 and the following apply.

3.1

bubble flow meter

primary device for measuring gas flow rate, where the time for a bubble of gas, defined by a soap film, to pass through a calibrated volume in a vertical tube is measured

3.2

test chamber

semi-enclosed, continuously extracted chamber used in emission rate tests performed during arc welding, cutting or gouging operations

NOTE Test chambers generally fall into three generic types:

- a test chamber without a floor, widely referred to as a “hood”;
- a test chamber having a floor, widely referred to as a “fume box”;
- a “fume box”, in which the floor of the test chamber is easily removed and replaced, facilitating its ready interconversion to and from a “hood”.