

KRAANAD. ÜLDINE EHITUS. OSA 3-5: SEPISTATUD
KONKSUDE PIIRSEISUNDID JA KÕLBLIKKUSE
TÕENDAMINE

Cranes - General design - Part 3-5: Limit states and
proof of competence of forged hooks

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|---|--|
| See Eesti standard EVS-EN 13001-3-5:2016 sisaldab Euroopa standardi EN 13001-3-5:2016 ingliskeelset teksti. | This Estonian standard EVS-EN 13001-3-5:2016 consists of the English text of the European standard EN 13001-3-5:2016. |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 10.08.2016. | Date of Availability of the European standard is 10.08.2016. |
| Standard on kättesaadav Eesti Standardikeskusest. | The standard is available from the Estonian Centre for Standardisation. |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 53.020.20, 53.020.30

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Cranes - General design - Part 3-5: Limit states and proof of competence of forged hooks

Appareils de levage à charge suspendue - Conception générale - Partie 3-5 : Etats limites et vérification des crochets forgés

Krane - Konstruktion allgemein - Teil 3-5: Grenzzustände und Sicherheitsnachweise von geschmiedeten Haken

This European Standard was approved by CEN on 19 May 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

| Contents | Page |
|---|-------------|
| European foreword..... | 4 |
| Introduction | 5 |
| 1 Scope..... | 6 |
| 2 Normative references..... | 6 |
| 3 Terms and definitions, symbols and abbreviations | 8 |
| 3.1 Terms and definitions | 8 |
| 3.2 Symbols and abbreviations | 9 |
| 4 General requirements | 11 |
| 4.1 Materials..... | 11 |
| 4.2 Workmanship..... | 13 |
| 4.3 Manufacturing tolerances of forgings..... | 14 |
| 4.4 Heat treatment..... | 14 |
| 4.5 Cold forming by proof loading..... | 14 |
| 4.6 Hook body geometry..... | 14 |
| 4.7 Hook shank machining..... | 16 |
| 4.8 Nut | 17 |
| 4.9 Effect of hook suspension..... | 17 |
| 5 Static strength | 17 |
| 5.1 General..... | 17 |
| 5.2 Vertical design load..... | 17 |
| 5.3 Horizontal design force..... | 18 |
| 5.4 Bending moment of the shank..... | 19 |
| 5.5 Hook body, design stresses..... | 23 |
| 5.6 Hook shank, design stresses | 25 |
| 5.7 Hook, proof of static strength | 25 |
| 6 Fatigue strength..... | 27 |
| 6.1 General..... | 27 |
| 6.2 Vertical fatigue design force..... | 27 |
| 6.3 Horizontal fatigue design force..... | 27 |
| 6.4 Fatigue design bending moment of shank | 28 |
| 6.5 Proof of fatigue strength, hook body..... | 29 |
| 6.6 Proof of fatigue strength, hook shank..... | 34 |
| 6.7 Fatigue design of hook shanks for stand alone hooks | 40 |
| 7 Verification of the safety requirements and/or protective measures..... | 41 |
| 7.1 General..... | 41 |
| 7.2 Scope of testing and sampling | 41 |
| 7.3 Testing of mechanical properties..... | 41 |
| 7.4 Test loading..... | 41 |
| 8 Information for use | 42 |
| 8.1 Maintenance and inspection | 42 |
| 8.2 Marking..... | 43 |
| 8.3 Safe use | 44 |
| Annex A (informative) Sets of single hooks | 45 |
| A.1 A series of single hooks of type RS/RSN, dimensions of forgings | 45 |

| | | |
|------------------------|---|----|
| A.2 | A series of single hooks of type RF/RFN, dimensions of forgings | 47 |
| A.3 | A series of single hooks of type B, dimensions of forgings | 49 |
| Annex B (informative) | A series of ramshorn hooks of type RS/RSN and RF/RFN, dimensions of forgings | 51 |
| Annex C (informative) | Dimensional tolerances of forgings | 53 |
| Annex D (normative) | Static limit design forces of hook bodies | 54 |
| D.1 | Static limit design forces of hook bodies for hooks of type RS and RF | 54 |
| D.2 | Static limit design forces of hook bodies for a series of hooks of type B, with additional materials | 55 |
| Annex E (normative) | Fatigue limit design forces of hook bodies | 56 |
| E.1 | Fatigue limit design forces of hook bodies for hooks of type RS and RF | 56 |
| E.2 | Fatigue limit design forces of hook bodies for a series of hooks of type B, with additional materials | 57 |
| Annex F (informative) | Sets of hook shank and thread designs | 58 |
| F.1 | A series of hook shank and thread designs, a knuckle thread | 58 |
| F.2 | A series of hook shank and thread designs, a metric thread | 60 |
| F.3 | A series of hook shank and thread designs, a modified metric thread | 62 |
| F.4 | Hook shank and thread designs for hooks of type B | 64 |
| Annex G (normative) | Bending of curved beams | 66 |
| G.1 | Basic formulae for stresses | 66 |
| G.2 | Approximation of the reference moment of inertia | 67 |
| Annex H (normative) | Calculation of hook suspension tilting resistance, articulation by a hinge or a rope reeving system | 69 |
| H.1 | General | 69 |
| H.2 | Articulation of hook by a hinge | 70 |
| H.3 | Articulation of a hook suspension by a balanced rope reeving | 70 |
| Annex I (informative) | Guidance for the selection of a hook body size using Annexes D and E | 73 |
| I.1 | General | 73 |
| I.2 | Case description | 73 |
| I.3 | Proof of static strength | 73 |
| I.4 | Proof of fatigue strength | 74 |
| I.5 | Final selection of hook | 74 |
| Annex J (normative) | Information to be provided by the hook manufacturer | 75 |
| Annex K (informative) | Guidance on cold forming by proof loading | 76 |
| Annex L (informative) | Selection of a suitable set of crane standards for a given application | 77 |
| Annex ZA (informative) | Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC | 79 |
| Bibliography | | 80 |

European foreword

This document (EN 13001-3-5:2016) has been prepared by Technical Committee CEN/TC 147 “Crane — Safety”, the secretariat of which is held by BSI.

This document supersedes CEN/TS 13001-3-5:2010.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2017, and conflicting national standards shall be withdrawn at the latest by February 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

The major changes in this standard compared to CEN/TS 13001-3-5 are in 4.1, 4.2, 6.5, Clause 7 and Annex K (renumbered Annex J). A new Annex C has been added. Annexes E and F have been removed. New hook sizes were added to Annexes A and B.

This European Standard is one part of the EN 13001 series. The other parts are as follows:

- *Part 1: General principles and requirements*
- *Part 2: Load actions*
- *Part 3-1: Limit states and proof of competence of steel structures*
- *Part 3-2: Limit states and proof of competence of wire ropes in reeving systems*
- *Part 3-3: Limit states and proof of competence of wheel/rail contacts*
- *Part 3-4: Limit states and proof of competence of machinery - Bearings¹*
- *Part 3-6: Limit states and proof of competence of machinery - Hydraulic cylinders²*

For the relationship with other European Standards for cranes, see Annex L.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

¹ Currently at Enquiry stage.

² Currently at Enquiry stage.

Introduction

This European Standard has been prepared to provide a means for the mechanical design and theoretical verification of cranes to conform to essential health and safety requirements. This European Standard also establishes interfaces between the user (purchaser) and the designer, as well as between the designer and the component manufacturer, in order to form a basis for selecting cranes and components.

This European Standard is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this standard.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines.

1 Scope

This European Standard is to be used together with EN 13001-1 and EN 13001-2 and, as such, they specify general conditions, requirements and methods to prevent by design and theoretical verification, mechanical hazards in crane hooks.

This European Standard covers the following parts of hooks and types of hooks:

- bodies of any type of hooks made of steel forgings;
- machined shanks of hooks with a thread/nut suspension.

Principles of this European Standard can be applied to machined shanks of hooks in general. However, stress concentration factors relevant to designs not given in this standard would have to be determined and applied.

NOTE 1 Cast hooks and plate hooks, which are those, assembled of one or several parallel parts of rolled steel plates, are not covered in this European Standard.

The following is a list of significant hazardous situations and hazardous events that could result in risks to persons during normal use and foreseeable misuse. Clauses 4 to 8 of this document are necessary to reduce or eliminate the risks associated with the following hazards:

- a) exceeding the limits of strength (yield, ultimate, fatigue);
- b) exceeding temperature limits of material.

The requirements of this European Standard are stated in the main body of the document and are applicable to forged hook designs in general.

The commonly used hook body and shank designs listed in Annexes A, B and F are only examples and should not be referred to as requirements of this European Standard. Annex I gives guidance for the selection of a hook size, where a hook body is in accordance with Annex A or B. The selection of hook form is not limited to those shown in Annexes A and B.

This European Standard is applicable to cranes, which are manufactured after the date of approval of this European Standard by CEN, and serves as a reference base for product standards of particular crane types.

NOTE 2 This part of EN 13001 deals only with the limit state method in accordance with EN 13001-1.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10025-3, *Hot rolled products of structural steels - Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels*

EN 10083-3, *Steels for quenching and tempering - Part 3: Technical delivery conditions for alloy steels*

EN 10204, *Metallic products - Types of inspection documents*

EN 10222-4, *Steel forgings for pressure purposes - Part 4: Weldable fine grain steels with high proof strength*

- EN 10228-1, *Non-destructive testing of steel forgings - Part 1: Magnetic particle inspection*
- EN 10228-2, *Non-destructive testing of steel forgings - Part 2: Penetrant testing*
- EN 10228-3, *Non-destructive testing of steel forgings - Part 3: Ultrasonic testing of ferritic or martensitic steel forgings*
- EN 10250-1, *Open die steel forgings for general engineering purposes - Part 1: General requirements*
- EN 10250-2, *Open die steel forgings for general engineering purposes - Part 2: Non-alloy quality and special steels*
- EN 10250-3, *Open die steel forgings for general engineering purposes - Part 3: Alloy special steels*
- EN 10254, *Steel closed die forgings - General technical delivery conditions*
- EN 13001-1, *Cranes - General design - Part 1: General principles and requirements*
- EN 13001-2, *Crane safety - General design - Part 2: Load actions*
- EN 13001-3-2, *Cranes - General design - Part 3-2: Limit states and proof of competence of wire ropes in reeving systems*
- EN ISO 148-1, *Metallic materials - Charpy pendulum impact test - Part 1: Test method (ISO 148-1)*
- EN ISO 642, *Steel - Hardenability test by end quenching (Jominy test) (ISO 642)*
- EN ISO 643, *Steels - Micrographic determination of the apparent grain size (ISO 643)*
- EN ISO 898-2, *Mechanical properties of fasteners made of carbon steel and alloy steel - Part 2: Nuts with specified property classes - Coarse thread and fine pitch thread (ISO 898-2)*
- EN ISO 4287, *Geometrical product specifications (GPS) - Surface texture: Profile method - Terms, definitions and surface texture parameters (ISO 4287)*
- EN ISO 6892-1, *Metallic materials - Tensile testing - Part 1: Method of test at room temperature (ISO 6892-1)*
- EN ISO 12100:2010, *Safety of machinery - General principles for design - Risk assessment and risk reduction (ISO 12100:2010)*
- ISO 965-1, *ISO general purpose metric screw threads — Tolerances — Part 1: Principles and basic data*
- ISO 4306-1:2007, *Cranes — Vocabulary — Part 1: General*