Soouna,

Delivery requirements for surface condition of hot-rolled steel plates, wide flats and sections - Part 2: Plate and wide flats

Delivery requirements for surface condition of hotrolled steel plates, wide flats and sections - Part 2: Plate and wide flats



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 10163-	This Estonian standard EVS-EN 10163-
2:2005 sisaldab Euroopa standardi EN	2:2005 consists of the English text of the
10163-2:2004 ingliskeelset teksti.	European standard EN 10163-2:2004.
Käesolev dokument on jõustatud 25.01.2005 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.	This document is endorsed on 25.01.2005 with the notification being published in the official publication of the Estonian national standardisation organisation.
Standard on kättesaadav Eesti standardiorganisatsioonist.	The standard is available from Estonian standardisation organisation.

This Dout 0 in addition to Dout 4 of this
This Part 2 in addition to Part 1 of this
European Standard specifies the delivery
requirements which apply to the surface
condition of hot-rolled plates and surface
condition of the faces of wide flats with
thicknesses of 3 mm <= t <= 400 mm.
Ô,
-2
9

ICS 77.140.50

Võtmesõnad: delivery condition, hot rolled products, iron and steel products, metal plates, quality classes, steel, surface condition, wide flats 62 TZC

Hinnagrupp E

EUROPEAN STANDARD NORME EUROPÉENNE **EUROPÄISCHE NORM**

EN 10163-2

December 2004

ICS 77.140.50

Supersedes EN 10163-2:1991

English version

Delivery requirements for surface condition of hot-rolled steel plates, wide flats and sections - Part 2: Plate and wide flats

Conditions de livraison relatives à l'état de surface des tôles, larges plats et profilés en acier laminés à chaud -Partie 2: Tôles et larges plats

Lieferbedingungen für die Oberflächenbeschaffenheit von warmgewalzten Stahlerzeugnissen (Blech, Breitflachstahl und Profile) - Teil 2: Blech und Breitflachstahl

This European Standard was approved by CEN on 4 November 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	0,	Page
Forew	ord	3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	General	4
5	Classification	4
6 6.1 6.2 6.2.1 6.2.2 6.3 6.3.1 6.3.2 6.3.3	Requirements Depth and affected area of discontinuities Repair requirements Class A Class B Repair procedures General Grinding Welding	5 5 6 6 6 7
Annex	A (informative) Classes and subclasses for surface conditions with their respective requirements	

Foreword

This document (EN 10163-2:2004) has been prepared by Technical Committee ECISS/TC 10 "Structural steels – Grades and qualities", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2005, and conflicting national standards shall be withdrawn at the latest by June 2005.

This document supersedes EN 10163-2:1991, Delivery requirements for surface condition of hot-rolled steel plates, wide flats and sections – Part 2: Plates and wide flats.

This series of standards consists of the following parts, under the general title *Delivery requirements* for surface condition of hot-rolled steel plates, wide flats and sections:

- Part 1: General requirements
- Part 3: Sections.

During the 5 year review of EN 10163-2:1991 the members of ECISS/TC 10 agreed to revise EN 10163-2:1991. It was asked to bring the text in line with ECISS DOCS N 809 "Iron and steel standardization – Model for a product standard". Also the range of dimensions from EN 10025-2, which is increased from 250 mm to 400 mm is incorporated in this new edition.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

1 Scope

In addition to EN 10163-1 this document specifies the delivery requirements which apply to the surface condition of hot-rolled plates and surface condition of the faces of wide flats with thicknesses of $3 \text{ mm} \le t \le 400 \text{ mm}$.

NOTE For plates with a thickness > 400 mm special agreements should be made at the time of the order.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10029, Hot rolled steel plates 3 mm thick or above - Tolerances on dimensions, shape and mass.

EN 10051, Continuously hot-rolled uncoated plate, sheet and strip of non-alloy and alloy steels - Tolerances on dimensions and shape.

EN 10163-1:2004, Delivery requirements for surface condition of hot-rolled steel plates, wide flats and sections – Part 1: General requirements.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

imperfections for flat products

surface discontinuities other than cracks, shell and seams with a depth and/or area equal to or less than a specified limiting value

3.2

defects for flat products

surface discontinuities with a depth and/or area greater than a specified limiting value and all cracks, shell and seams irrespective of their depth or/and area

4 General

In addition to the conditions stated in EN 10163-1, it applies that if the purchaser needs to be sure that all discontinuities visible to the naked eye have been identified, assessed and where necessary repaired before delivery, products should be ordered descaled (see Clause 4 of EN 10163-1:2004).

5 Classification

The surface requirements and repair conditions are subdivided into 2 classes and each class is further subdivided into 3 subclasses:

Class A The surface condition shall comply with the requirements of 6.2.1 and 6.3.2.2. The remaining thickness of the affected area under discontinuities and of repaired ground areas may be less than the minimum thickness as specified in the appropriate tolerance standard.