Continuously organic coated (coil coated) steel flat products - Technical delivery conditions



FESTI STANDARDI FESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 10169:2010 sisaldab Euroopa standardi EN 10169:2010 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 31.10.2010 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 13.10.2010.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 10169:2010 consists of the English text of the European standard EN 10169:2010.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.10.2010 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 13.10.2010.

The standard is available from Estonian standardisation organisation.

ICS 25.220.60, 77.140.50

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EN 10169

EUROPÄISCHE NORM

October 2010

ICS 25.220.60; 77.140.50

Supersedes EN 10169-1:2003, EN 10169-2:2006, EN 10169-3:2003

English Version

Continuously organic coated (coil coated) steel flat products - Technical delivery conditions

Produits plats en acier revêtus en continu de matières organiques ('prélaqués') - Conditions techniques de livraison

Kontinuierlich organisch beschichtete (bandbeschichtete) Flacherzeugnisse aus Stahl - Technische Lieferbedingungen

This European Standard was approved by CEN on 7 August 2010.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont		'age
_	ord	
Forewo		
1	Scope	
2	Normative references	
3	Terms and definitions	
4	Designation	
5	Information to be supplied by the purchaser	
5.1	Mandatory information	
5.2	Options	
6	Requirements	
6.1	General	
6.1.1	Steel substrates	
6.1.2	Organic coatings	14
6.1.3	Manufacturing process	
6.2	General coating properties	
6.2.1	General	
6.2.2	Coating thickness and tolerances	
6.2.3	Appearance	
6.2.4	Adhesive strength after cupping or bending	
6.2.5	Coating hardness	
6.2.6	Other coating and performance properties	
6.3	Special coating properties	
6.3.1	General	
6.3.2	Product flexibility	18
6.3.3	Durability	
6.4	Freedom of defects	
7	Inspection	
7.1	Types of inspection and inspection documents	
7.2	Test units	
7.3	Type and number of tests	
7.4	Sampling	
7.5	Test methods	
7.5.1	General	
7.5.2	Coating thickness	
7.5.3	Colour and colour difference	
7.5.4	Gloss	
7.5.5	Adhesive strength/flexibility	
7.5.6	Inspection on defects	
7.5.7	Coating hardness	
7.5.8	Testing on durability	
7.6	Retests	
8	Marking	
9	Packing and dispatch	
10	Storage	
	A (informative) Types of ambience	
	B (informative) Coating materials	
	C (informative) Types of atmosphere (see also EN ISO 12944-2)	
	D (informative) Outdoor exposure sites	
	E (informative) Storage	
BIDIIOC	raphy	36

Foreword

This document (EN 10169:2010) has been prepared by Technical Committee ECISS/TC 109 "Surface coated flat products - Qualities, dimensions, tolerances and specific tests", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2011, and conflicting national standards shall be withdrawn at the latest by April 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 10169-1:2003, EN 10169-2:2006, EN 10169-3:2003.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, oration oangalan out of the out o Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard specifies requirements for continuously organic coated (coil coated) steel flat products. It particularly specifies the performance requirements.

The products covered are wide strip, sheet cut from wide strip, slit wide strip, strip rolled in widths less than 600 mm and cut lengths (from sheet or strip).

NOTE This document is not applicable to continuously organic coated flat products made of:

- tinmill products.
- electrical steels.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10020:2000, Definition and classification of grades of steel

EN 10021:2006, General technical delivery requirements for steel and steel products

EN 10025-1, Hot-rolled products of structural steels — Part 1: General technical delivery conditions

EN 10025-2, Hot-rolled products of structural steels — Part 2: Technical delivery conditions for non-alloy structural steels

EN 10048, Hot rolled narrow steel strip — Tolerances on dimensions and shape

EN 10051, Continuously hot-rolled uncoated plate, sheet and strip of non-alloy and alloy steels — Tolerances on dimensions and shape

EN 10079:2007, Definition of steel products

EN 10111, Continuously hot rolled low carbon steel sheet and strip for cold forming — Technical delivery conditions

EN 10130, Cold rolled low carbon steel flat products for cold forming — Technical delivery conditions

EN 10131, Cold rolled uncoated and zinc or zinc-nickel electrolytically coated low carbon and high yield strength steel flat products for cold forming —Tolerances on dimensions and shape

EN 10139, Cold rolled uncoated mild steel narrow strip for cold forming — Technical delivery conditions

EN 10140, Cold rolled narrow steel strip — Tolerances on dimensions and shape

EN 10143, Continuously hot-dip coated steel sheet and strip — Tolerances on dimensions and shape

EN 10152, Electrolytically zinc coated cold rolled steel flat products for cold forming — Technical delivery conditions

EN 10204:2004, Metallic products — Types of inspection documents

EN 10268, Cold rolled steel flat products with high yield strength for cold forming — Technical delivery conditions

prEN 10338:2007, Hot rolled and cold rolled non-coated flat products of multiphase steels for cold forming — Technical delivery conditions

EN 10346, Continuously hot-dip coated steel flat products — Technical delivery conditions

EN 13523-0, Coil coated metals — Test methods — Part 0: General introduction and list of test methods

EN 13523-1, Coil coated metals — Test methods — Part 1: Film thickness

EN 13523-2. Coil coated metals — Test methods — Part 2: Specular gloss

EN 13523-3, Coil coated metals — Test methods — Part 3: Colour difference — Instrumental comparison

EN 13523-4, Coil coated metals — Test methods — Part 4: Pencil hardness

EN 13523-5. Coil coated metals — Test methods — Part 5: Resistance to rapid deformation (impact test)

EN 13523-6, Coil coated metals — Test methods — Part 6: Adhesion after indentation (cupping test)

EN 13523-7, Coil coated metals — Test methods — Part 7: Resistance to cracking on bending (T-bend test)

EN 13523-8, Coil coated metals — Test methods — Part 8: Resistance to salt spray (fog)

EN 13523-9, Coil coated metals — Test methods — Part 9: Resistance to water immersion

EN 13523-10, Coil coated metals — Test methods — Part 10: Resistance to fluorescent UV light and water condensation

EN 13523-11, Coil coated metals — Test methods — Part 11: Resistance to solvents (rubbing test)

EN 13523-12, Coil coated metals — Test methods — Part 12: Resistance to scratching

EN 13523-14, Coil coated metals — Test methods – Part 14: Chalking (Helmen method)

EN 13523-15, Coil coated metals — Test methods — Part 15: Metamerism

EN 13523-18, Coil coated metals — Test methods — Part 18: Resistance to staining

EN 13523-19, Coil coated metals — Test methods — Part 19: Panel design and method of atmospheric exposure testing

EN 13523-21, Coil coated metals — Test methods — Part 21: Evaluation of outdoor exposure panels

EN 13523-22, Coil coated metals — Test methods — Part 22: Colour difference — Visual comparison

EN 13523-23, Coil coated metals — Test methods — Part 23: Colour stability in humid atmospheres containing sulphur dioxide

EN 13523-24, Coil coated metals — Test methods—— Part 24: Resistance to blocking and pressure marking

EN 13523-25, Coil coated metals — Test methods — Part 25: Resistance to humidity

EN 13523-26, Coil coated metals — Test methods — Part 26: Resistance to condensation of water

EN 13523-27, Coil coated metals — Test methods — Part 27: Resistance to humid poultice (Cataplasm test)

EN ISO 2815, Paints and varnishes — Buchholz indentation test (ISO 2815:2003)

EN ISO 4618:2006, Paints and varnishes — Terms and definitions (ISO 4618:2006)

EN ISO 4628-2, Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 2: Assessment of degree of blistering (ISO 4628-2:2003)

EN ISO 4628-4, Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity and size of defects, and of intensity of uniform changes in appearance — Part 4: Assessment of degree of cracking (ISO 4628-4:2003)

EN ISO 4628-5, Paints and varnishes — Evaluation of degradation of coatings — Designation of quantity an size of defects, and of intensity of uniform changes in appearance — Part 5: Assessment of the degree of flaking (ISO 4628-5:2003)

EN ISO 8044:1999, Corrosion of metals and alloys — Basic terms and definitions (ISO 8044:1999)

EN ISO 9227, Corrosion tests in artificial atmospheres — Salt spray tests (ISO 9227:2006)

EN ISO 12944-2:1998, Paints and varnishes — Corrosion protection of steel structures by protective paint systems — Part 2: Classification of environments (ISO 12944-2:1998)

ISO 4997, Cold-reduced carbon steel sheet of structural quality

3 Terms and definitions

For the purpose of this document, the terms and definitions given in EN 10020:2000, EN 10021:2006, EN 10079:2007, EN 10204:2004, EN ISO 4618:2006, EN ISO 8044:1999, EN ISO 12944-2:1998 and the following apply.

3.1

accessibility

ease of access to the steel components for the purpose of inspection and maintenance without any work over and above that concerned with routine inspection

3.2

ambience

environmental conditions which prevail in the interior of the building

- NOTE 1 These conditions determine the corrosivity category of the ambience and include different parameters such as the air temperature, the relative humidity, the operating conditions in the building (e.g. use of aggressive chemical products, refrigerated areas).
- NOTE 2 It should be noted that the atmosphere surrounding the building can influence the ambience.
- NOTE 3 Annex A gives an example of classification of types of ambience.

3.3

building interior application

application in buildings for which the concerned construction products (i.e. components of the building fabric) are submitted to the influence of interior ambiences without significant exposure of any side of the product to the influence of exterior atmospheres

NOTE 1 Building products include, for example: liner trays, ribbed profiles for roofing and walling, curved profiles, brake-pressed profiles, interior wall panels for partitions, ceiling panels, suspended frames (for suspended ceilings), factory foamed (or mineral wool) sandwich panels for cold rooms or rooms with controlled ambience, interior door frames, interior metal doors, interior metal windows.