Milling cutters for high speed machining -Safety requirements

ed.n. Ochocologico of the second seco Milling cutters for high speed machining - Safety requirements



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN ISO 15641.2002 sisaldab Euroopa standardi EN ISO 15641:2001 ingliskeelset teksti. This Estonian standard EVS-EN ISO 15641:2002 consists of the English text of the European standard EN ISO 15641:2001.

Käesolev dokument on jõustatud 14.03.2002 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

This document is endorsed on 14.03.2002 with the notification being published in the official publication of the Estonian national standardisation organisation.

Standard on kättesaadav Eesti standardiorganisatsioonist.

The standard is available from Estonian standardisation organisation.

Käsitlusala:

This standard deals with the principle hazards arising from use of milling cutters, e.g. milling cutters according to ISO 3855, used for high speed machining (chip removal machining at increased peripheral speeds) on metal working machine tools and prescribes safety requirements.

It specifies design methods, centrifugal force test procedures, operational limits and the provision of information that will lead to minimisation or elimination of these hazards.

Scope:

This standard deals with the principle hazards arising from use of milling cutters, e.g. milling cutters according to ISO 3855, used for high speed machining (chip removal machining at increased peripheral speeds) on metal working machine tools and prescribes safety requirements.

It specifies design methods, centrifugal force test procedures, operational limits and the provision of information that will lead to minimisation or elimination of these hazards.

ICS 25.100.20

Võtmesõnad: forming machines, metal working, metalworking machinery, pr, safety, safety design, safety devices, safety engineering, safety measures, safety requirements, specification (approval), specifications, tool tests, type testing, user information, workplace safety

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 15641

September 2001

100.20

English version

Milling cutters for high-speed machining

Safety requirements (ISO 15641: 2001)

Fraises pour usinage à grande vitesse - Prescriptions de sécurité (ISO 15641: 2001)

Fräswerkzeuge für die Hochgeschwindigkeitsbearbeitung - Sicherheitstechnische Anforderungen (ISO 15641: 2001)

This European Standard was approved by CEN on 2001-03-07.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, the Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, ain, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and the United Kingdom.

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Management Centre: rue de Stassart 36, B-1050 Brussels

Contents

Foreword	3
Introduction	3
1 Scope	4
2 Normative references	
3 Terms and definitions	
3.1 Tool classification terms	
3.1.1 solid or one-piece cutter	
3.1.2 composite cutter	
3.1.3 complex cutter	
3.2 Types of fixing	6
3.2 Types of fixing	6
3.2.2 separable	6
3.2.3 friction lock	6
3.2.4 form lock	6
3.3 Terms for the designation of geometric parameters	6
3.3.1 maximum diameter of tool D	6
3.3.2 critical diameter <i>d</i> for bending	8
3.3.1 maximum diameter of tool D	8
3.4 Terms for the designation of mechanical parameters	8
3.4.1 mass of milling cutter $m_{\rm w}$	8
3.4.2 component masses m_t	8
3.5 Terms for the designation of load parameters	8
3.5.1 maximum rotational speed n_{max}	۵ ه
3.5.2 rotational speed for test	δ
4.1 Effects which generate hazards 4.1.1 Primary hazards 4.1.2 Handling hazards 4.2.1 Rody follows	8
4.1 Effects which generate hazards	8
4.1.1 Primary hazards	8
4.1.2 Handling hazards	8
4.2 Modes of cutter failure	9
4.2.1 Body failure	9
4.2.2 Failure of cutting element fixing	, 9
4.2.1 Body failure	 9
5 Safety requirements and/or measures	
5.1 Providing safety by design	9
5.2 Importance of balance	9
5.3. Integrity of manufacturing	10
5.4 Centrifugal force type testing.	
5.4.1 General requirements	
5.4.2 Testing of solid, one-piece or composite cutters	
5.4.3 Testing of complex cutters	
5.4.4 Duration of rotational speed for test	H
6 Marking of milling cutters	11
7 Documentation and information for use	11
Annex A (informative) Indications for design relative to hazards	12
A.1 Indications for design relative to hazards	
A.2 Total tool mass or tool component masses	
A.3 Unbalance	
A.4 Tool design	
Annex B (informative) Explanatory notes to the scope	
Annex D (inition hauve) Explanatory notes to the scope	

Foreword

The text of EN ISO 15641:2001 has been prepared by Technical Committee CEN/TC 143 "Machine tools – Safety", the secretariat of which is held by SNV, in collaboration with Technical Committee ISO/TC 29 "Small tools".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2002, and conflicting national standards shall be withdrawn at the latest by March 2002.

The annexes A and B are informative.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

This standard is intended to assist designers, manufacturers and suppliers of milling cutters to satisfy their obligations in respect of high speed machining applications. It defines requirements for design, confirmation testing and information for use that manufacturers and suppliers are to provide.

The prime objective is to ensure that milling cutters, employed for high speed machining, will be able to safely withstand the quadratic increase in centrifugal force resulting from their application at increased rotational speed.

It is based upon a collaborative German research project established to investigate the suitability of milling cutters for use in high speed machining operations.

This standard deals only with the tool and is not sufficient alone to ensure the safety. The safety of machinery is dealt with by other specific safety standards.

This standard takes account of cutting conditions only by requiring the manufacturer to provide application information.

Informative annex A provides guidance for reduction of hazards by design and informative annex B explains the scope limits.

1 Scope


This standard deals with the principle hazards arising from use of milling cutters, e.g. milling cutters according to ISO 3855, used for high speed machining (chip removal machining at increased peripheral speeds) on metal working machine tools and prescribes safety requirements.

It specifies design methods, centrifugal force test procedures, operational limits and the provision of information that will lead to minimisation or elimination of these hazards.

The standard is applicable to milling cutters which are intended for operation at speeds in accordance with figures 1 and 2.

These figures respectively define the rotational speed limits and peripheral speed limits for specific cutter diameters.


NOTE A detailed explanation is provided in annex B.



a Maximum diameter of tool D in mm

Figure 1 - Rotational speed n vs maximum diameter of tool D

b Rotational speed n in min⁻¹



- a Maximum diameter of tool D in mm
- b Velocity at D (speed v_D at maximum diameter of tool D) in

Figure 2 - Velocity at D (speed v_D) vs maximum diameter of tool D

2 Normative references

This European Standard incorporates by dated or undated reference provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN 1070

Safety of machinery - Terminology

ISO 1940-1:1986

Mechanical vibration – Balance quality requirements of rigid rotors – Part 1: Determination of permissible residual unbalance

ISO 3002-1

Basic quantities in cutting and grinding – Part 1: Geometry of the active part of cutting tools – General terms, reference systems, tool and working angles, chip breakers

ISO 3855

Milling cutters - Nomenclature