

AUTOLAADURID PINNASETEEDELE. OHUTUSNÕUDED JA  
VASTAVUSKONTROLL. OSA 2: PÖÖRDMEHHANISMIGA  
TELESKOOPLAADURID

Rough-terrain trucks - Safety requirements and  
verification - Part 2: Slewing variable-reach trucks

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 1459-2:2015 sisaldab Euroopa standardi EN 1459-2:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 1459-2:2015 consists of the English text of the European standard EN 1459-2:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 16.09.2015.	Date of Availability of the European standard is 16.09.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 53.060

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

## Rough-terrain trucks - Safety requirements and verification - Part 2: Slewing variable-reach trucks

Chariots tout-terrain - Prescriptions de sécurité et vérification - Partie 2 : Chariots à portée variable rotatifs

Geländegängige Stapler - Sicherheitstechnische Anforderungen und Verifizierung - Teil 2: Schwenkbare Stapler mit veränderlicher Reichweite

This European Standard was approved by CEN on 17 July 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

<b>Contents</b>	<b>Page</b>
<b>European foreword</b> .....	<b>4</b>
<b>Introduction</b> .....	<b>5</b>
<b>1 Scope</b> .....	<b>6</b>
<b>2 Normative references</b> .....	<b>7</b>
<b>3 Terms and definitions</b> .....	<b>9</b>
<b>4 Safety requirements and/or protective measures</b> .....	<b>14</b>
4.1 General.....	14
4.2 Starting/moving .....	15
4.3 Brakes.....	16
4.4 Electrical and electronic systems.....	16
4.5 Controls.....	17
4.6 Power systems and accessories .....	23
4.7 Stabilizing devices .....	24
4.8 Design requirements for maintenance purposes.....	26
4.9 Systems for lifting, tilting, reaching and slewing.....	27
4.10 Operator's station .....	29
4.11 Operator access.....	35
4.12 Protective measures and devices .....	36
4.13 Stability requirements .....	38
4.14 Visibility.....	38
4.15 Lighting.....	38
4.16 Fire protection .....	38
4.17 Retrieval, transportation and lifting.....	38
4.18 Noise .....	39
4.19 Electromagnetic compatibility .....	40
4.20 Elastic and rigid body stability / Structural and stability calculations .....	40
<b>5 Verification of requirements and safety measures</b> .....	<b>43</b>
5.1 General.....	43
5.2 Functional verification.....	43
5.3 Structural verification .....	44
5.4 Load holding verification .....	45
5.5 Maximum load lowering speed verification.....	45
<b>6 Information for use</b> .....	<b>45</b>
6.1 Signals and warning.....	45
6.2 Instruction handbook.....	47
6.3 Marking.....	51
6.4 Load chart .....	51
<b>Annex A (informative) List of significant hazards</b> .....	<b>54</b>
<b>Annex B (informative) Consistency of motions</b> .....	<b>60</b>
<b>Annex C (normative) Rules for the construction and layout of pedals</b> .....	<b>61</b>
C.1 Definitions .....	61
C.2 Requirements.....	61

<b>C.3</b>	<b>Design and manufacture .....</b>	<b>62</b>
<b>Annex D</b>	<b>(informative) Regular and occasional loads .....</b>	<b>64</b>
<b>D.1</b>	<b>General .....</b>	<b>64</b>
<b>D.2</b>	<b>Regular loads.....</b>	<b>64</b>
<b>D.3</b>	<b>Occasional loads.....</b>	<b>64</b>
<b>Annex ZA</b>	<b>(informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2006/42/EC .....</b>	<b>66</b>
<b>Bibliography</b>	<b>.....</b>	<b>67</b>

## European foreword

This document (EN 1459-2:2015) has been prepared by Technical Committee CEN/TC 150 “Industrial trucks - Safety”, the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2016, and conflicting national standards shall be withdrawn at the latest by March 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive, see informative Annex ZA, which is an integral part of this document.

EN 1459, *Rough-terrain trucks — Safety requirements and verification*, consists of the following parts:

- *Part 1: Variable-reach trucks*
- *Part 2: Slewing variable-reach trucks*
- *Part 3: Interface between the variable-reach truck and the work platform*
- *Part 4: Additional requirements for variable reach trucks handling suspended loads*
- *Part 5: Additional requirements for attachments and attachment interface*
- *Part 6: Risk assessment methodology and control system performance level determination (CEN/TR)*
- *Part 7: Test method and determination of noise emission (in development)*

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

## Introduction

This European Standard covers general safety requirements and the means for verification of these requirements for slewing rough-terrain variable-reach trucks.

For the purpose of this European Standard, slewing rough-terrain variable-reach trucks are primarily designed to transport and place loads to elevated work areas and can be driven on unimproved terrain.

Trucks may also be equipped with a variety of attachments, e.g., mower, sweeper.

All quantities are in SI units, and this includes metric units.

Acknowledging that, at the time of publication, the requirements included in this European Standard do not represent the state of the art, a transition period of 18 months is permitted after the date of publication, such that manufacturers can develop their products sufficiently to meet the requirements of this European Standard.

This document is a type C standard as stated in EN ISO 12100.

The machinery concerned and the extent to which hazards, hazardous situations and hazardous events are covered are indicated in the scope of this document.

When provisions of this type C standard are different from those which are stated in type A or B standards, the provisions of this type C standard take precedence over the provisions of the other standards, for machines that have been designed and built according to the provisions of this type C standard.

## 1 Scope

This European Standard specifies the general safety requirements of slewing variable-reach rough-terrain trucks (here-after referred to as trucks), consisting of a lower chassis with a slewing upper structure equipped with a telescopic lifting means (pivoted boom), on which a load handling device (e.g. carriage and fork arms) is typically fitted.

Fork arms are covered by this European Standard and considered to be parts of the truck.

This European Standard deals with all significant hazards, hazardous situations and events relevant to the trucks when they are used as intended and under conditions of misuse which are reasonably foreseeable by the manufacturer (see Annex A).

This European Standard does not apply to:

- variable-reach rough terrain trucks covered by prEN 1459-1 (non-slewing);
- industrial variable-reach trucks (covered by prEN ISO 3691-2);
- lorry-mounted variable-reach trucks;
- variable reach trucks fitted with tilting or elevating operator position;
- mobile cranes (covered by EN 13000);
- machines designed primarily for earth moving, such as loaders and dozers, even if their buckets and blades are replaced with forks (see EN 474 series);
- trucks designed primarily with variable length load suspension elements (e.g., chain, ropes) from which the load may swing freely in all directions;
- trucks designed primarily for container handling;
- trucks on tracks;
- attachments (prEN 1459-5).

This European Standard does not address hazards linked to:

- hybrid power systems;
- gas power system;
- trucks equipped with gasoline engine;
- battery power system;
- tractor specific devices (e.g. PTO).

This European Standard does not address hazards which may occur when:

- a) handling suspended loads which may swing freely (additional requirements are given in prEN 1459-4);
- b) using trucks on public roads;
- c) operating in potentially explosive atmospheres;



- d) operating underground;
- e) when towing trailers;
- f) fitted with a personnel work platform (additional requirements are given in EN 1459-3).

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 842:1996+A1:2008, *Safety of machinery – Visual danger signals – General requirements, design and testing*

EN 1175-2:1998+A1:2010, *Safety of industrial trucks – Electrical requirements – Part 2: General requirements of internal combustion engine powered trucks*

EN 12053:2001+A1:2008, *Safety of industrial trucks – Test methods for measuring noise emissions*

EN 12895:2015, *Industrial trucks – Electromagnetic compatibility*

EN 13059:2001+A1:2008, *Safety of industrial trucks – Test methods for measuring vibration*

EN 13309:2010, *Construction machinery – Electromagnetic compatibility of machines with internal power supply*

EN 60529:1991, *Degrees of protection provided by enclosures (IP Code) (IEC 60529)*

EN 62061:2005, *Safety of machinery – Functional safety of safety-related electrical, electronic and programmable electronic control systems (IEC 62061:2003)*

EN ISO 2860:2008, *Earth-moving machinery – Minimum access dimensions (ISO 2860:1992)*

EN ISO 2867:2011, *Earth-moving machinery – Access systems (ISO 2867:2011)*

EN ISO 3164:2013, *Earth-moving machinery – Laboratory evaluations of protective structures – Specifications for deflection-limiting volume (ISO 3164:2013)*

EN ISO 3411:2007, *Earth-moving machinery – Physical dimensions of operators and minimum operator space envelope (ISO 3411:2007)*

EN ISO 3449:2008, *Earth-moving machinery – Falling-object protective structures – Laboratory tests and performance requirements (ISO 3449:2005)*

EN ISO 3457:2008, *Earth-moving machinery – Guards – Definitions and requirements (ISO 3457:2003)*

EN ISO 3471:2008, *Earth-moving machinery – Roll-over protective structures – Laboratory tests and performance requirements (ISO 3471:2008)*

EN ISO 4413:2010, *Hydraulic fluid power – General rules and safety requirements for systems and their components (ISO 4413:2010)*

EN ISO 4414:2010, *Pneumatic fluid power – General rules and safety requirements for systems and their components (ISO 4414:2010)*

EN ISO 5353:1998, *Earth-moving machinery, and tractors and machinery for agriculture and forestry — Seat index point (ISO 5353:1995)*

EN ISO 6682:2008, *Earth-moving machinery — Zones of comfort and reach for controls (ISO 6682:1986, including Amd 1:1989)*

EN ISO 6683:2008, *Earth-moving machinery — Seat belts and seat belt anchorages — Performance requirements and tests (ISO 6683:2005)*

EN ISO 7096:2008, *Earth-moving machinery — Laboratory evaluation of operator seat vibration (ISO 7096:2000)*

EN ISO 12100:2010, *Safety of machinery — General principles for design — Risk assessment and risk reduction (ISO 12100:2010)*

EN ISO 13732-1:2008, *Ergonomics of the thermal environment — Methods for the assessment of human responses to contact with surfaces — Part 1: Hot surfaces (ISO 13732-1:2006)*

EN ISO 13849-1:2008, *Safety of machinery — Safety-related parts of control systems — Part 1: General principles for design (ISO 13849-1:2006)*

EN ISO 13850:2008, *Safety of machinery — Emergency stop — Principles for design (ISO 13850:2006)*

EN ISO 13857:2008, *Safety of machinery — Safety distances to prevent hazard zones being reached by upper and lower limbs (ISO 13857:2008)*

ISO 3795:1989, *Road vehicles, and tractors and machinery for agriculture and forestry — Determination of burning behaviour of interior materials*

ISO 4305:2014, *Mobile cranes — Determination of stability*

ISO 5053-1:2014, *Industrial trucks - Terminology and classification - Part 1: Types of industrial trucks*

ISO 6011:2003, *Earth-moving machinery — Visual display of machine operation*

ISO 6016:2008, *Earth-moving machinery — Methods of measuring the masses of whole machines, their equipment and components*

ISO 6292:2008, *Powered industrial trucks and tractors — Brake performance and component strength*

ISO 7000:2014, *Graphical symbols for use on equipment — Registered symbols*

ISO 9533:2010, *Earth-moving machinery — Machine-mounted audible travel alarms and forward horns — Test methods and performance criteria*

ISO 10263-2:2009, *Earth-moving machinery — Operator enclosure environment — Part 2: Air filter element test method*

ISO 10263-3:2009, *Earth-moving machinery — Operator enclosure environment — Part 3: Pressurization test method*

ISO 10263-4:2009, *Earth-moving machinery — Operator enclosure environment — Part 4: Heating, ventilating and air conditioning (HVAC) test method and performance*

ISO 10896-1:2012, *Rough-terrain trucks — Safety requirements and verification — Part 1: Variable-reach trucks*

ISO 11112:1995, *Earth-moving machinery — Operator's seat — Dimensions and requirements*

ISO 11862:1993, *Earth-moving machinery — Auxiliary starting aid electrical connector*

ISO 12508:1994, *Earth-moving machinery — Operator station and maintenance areas — Bluntness of edges*

ISO 12509:2004, *Earth-moving machinery — Lighting, signalling and marking lights, and reflex-reflector devices*

ISO 13333:1994, *Earth-moving machinery — Dumper body support and operator's cab tilt support devices*

ISO 15817:2012, *Earth-moving machinery — Safety requirements for remote operator control systems*

ISO/DIS 15818:2014, *Earth-moving machinery — Lifting and tying-down attachment points — Performance requirements*

ISO 21507:2010, *Earth-moving machinery — Performance requirements for non-metallic fuel tanks*

ISO 22915-10:2008, *Industrial trucks — Verification of stability — Part 10: Additional stability test for trucks operating in the special condition of stacking with load laterally displaced by powered devices*

ISO 22915-20:2008, *Industrial trucks — Verification of stability — Part 20: Additional stability test for trucks operating in the special condition of offset load, offset by utilization*

ISO 22915-24:2015, *Industrial trucks — Verification of stability — Part 24: Slewing variable-reach rough-terrain trucks*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 12100:2010 and ISO 5053-1:2014 and the following apply.

#### 3.1

##### **slewing rough terrain variable reach truck**

rough terrain variable reach truck with an upper structure which can rotate around a vertical axis of the chassis in a circular motion greater than 5° either side of the longitudinal axis of the truck

[SOURCE: ISO 5053-1:2014, 3.22]

#### 3.2

##### **actual capacity (Q)**

maximum load, established by the manufacturer based on component strength and truck stability, that the truck can carry, lift and stack to a specified height, at a specified standard load centre distance and reach, in normal operating conditions

Note 1 to entry: The actual capacity depends on the configuration of the truck in terms of such variables as:

- lift height;
- reach of the boom (measured from the centre of slewing of the rotating upper structure);