Wash basins - Connecting dimensions



# **EESTI STANDARDI EESSÕNA**

#### NATIONAL FOREWORD

| See Eesti standard EVS-EN 31:2011+A1:2014 sisaldab Euroopa standardi EN 31:2011+A1:2014 inglisekeelset teksti.      | This Estonian standard EVS-EN 31:2011+A1:2014 consists of the English text of the European standard EN 31:2011+A1:2014.            |
|---|--|
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.  | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
| Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 30.04.2014. | Date of Availability of the European standard is 30.04.2014.   |
| Standard on kättesaadav Eesti Standardikeskusest.   | The standard is available from the Estonian Centre for Standardisation.  |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.140.70

#### Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

#### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

# EUROPEAN STANDARD NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

EN 31:2011+A1

April 2014

ICS 91.140.70 Supersedes EN 31:2011

#### **English Version**

# Wash basins - Connecting dimensions

Lavabos - Cotes de raccordement

Waschbecken - Anschlussmaße

This European Standard was approved by CEN on 29 July 2011 and includes Amendment 1 approved by CEN on 10 March 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

| General  | onر            | <b>tents</b> Pag   |
|--|----------------|--|
| Scope  |                |  |
| Normative references   | orew           |  |
| Tap holes  |                |  |
| General  |                |  |
| Connecting dimensions of waste outlet hole(s) with integral overflow                               | .1<br>.2<br>.3 | General  Connecting dimensions of wash basins with one central tap hole  Connecting dimensions of wash basins with side tap hole(s)  |
| nex A (informative) Example of gauge for measuring the connecting dimensions of waste outlet holes | .1<br>.2       | Connecting dimensions of waste outlet hole(s) with integral overflow   |
| nex A (informative) Example of gauge for measuring the connecting dimensions of waste outlet holes |                | Fixing dimensions of wall-hung wash basins1  |
| outlet holes   | nne            |  |
|  |                | Series of the se |
|  |                |  |

## **Foreword**

This document (EN 31:2011+A1:2014) has been prepared by Technical Committee CEN/TC 163 "Sanitary appliances", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2014, and conflicting national standards shall be withdrawn at the latest by October 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes A EN 31:2011 A.

This document includes Amendment 1 approved by CEN on 2014-03-10.

The start and finish of text introduced or altered by amendment is indicated in the text by tags [A].

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, a, L Switze Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

# 1 Scope

This European Standard specifies the connecting dimensions of wash basins in accordance with EN 14688 regardless of materials used for their manufacture.

NOTE 1 Other connecting dimensions are permitted, e.g. special designs of wash basins, if the manufacturer supplies or recommends the appropriate fitting.

NOTE 2 The shape of the appliance in the figures is for illustration only; it in no way prejudices the final shape of the appliance, which is left to the initiative of the manufacturer.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14688, Sanitary appliances - Wash basins - Functional requirements and test methods

# 3 Tap holes

#### 3.1 General

The connecting dimensions for tap holes are requirements for wash basins where it is intended to fit a tap.

## 3.2 Connecting dimensions of wash basins with one central tap hole

The connecting dimensions of wash basins with one central tap hole shall comply with Table 1.

Table 1 — Connecting dimensions of wash basins with one central tap hole (Figure 1)

| Designation  | Symbol                | <b>Dimensions</b><br>mm |
|--|-----------------------|-------------------------|
| Diameter of the central tap hole (intended to accommodate a mixer tap)   | <sub>d2</sub> a       | 35 <sup>+2</sup> _1     |
| Horizontal distance between the centre line of the central tap hole and the edge of the bowl   | 91                    | ≤ 80                    |
| Distance from the centre line of the central tap hole to the back wall   | <i>g</i> <sub>3</sub> | ≥ 55                    |
| Radius of a cylinder having the same centre line as the central tap hole at a depth 0 mm to 5 mm from the lower plane of the central tap hole    | <i>r</i> <sub>1</sub> | ≥ 25                    |
| Radius of a cylinder having the same centre line as the central tap hole at a depth of minimum 5 mm from the lower plane of the central tap hole | r <sub>2</sub>        | ≥ 30                    |
| Radius of a flat plane circular surface on the tap platform having the same centre as the central tap hole and intended to accommodate the tap   | r <sub>3</sub>        | ≥ 32                    |