

**Intelligent transport systems - Automatic vehicle and equipment identification - Intermodal goods transport architecture and terminology (ISO 17261:2012)**

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 17261:2012 sisaldab Euroopa standardi EN ISO 17261:2012 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 17261:2012 consists of the English text of the European standard EN ISO 17261:2012.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 01.09.2012.	Date of Availability of the European standard is 01.09.2012.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 03.220.01, 35.240.60

### Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:  
Aru 10, 10317 Tallinn, Eesti; [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

### The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:  
Aru 10, 10317 Tallinn, Estonia; [www.evs.ee](http://www.evs.ee); phone 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

English Version

**Intelligent transport systems - Automatic vehicle and equipment  
identification - Intermodal goods transport architecture and  
terminology (ISO 17261:2012)**

Systèmes intelligents de transport - Identification  
automatique des véhicules et des équipements -  
Architecture et terminologie du transport intermodal des  
marchandises (ISO 17261:2012)

Intelligente Transportsysteme - Automatische Fahrzeug-  
und Ausstattungsidifizierung - Intermodaler  
Gütertransport Architektur und Begriffsbestimmung (ISO  
17261:2012)

This European Standard was approved by CEN on 31 August 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Foreword

This document (EN ISO 17261:2012) has been prepared by Technical Committee CEN/TC 278 "Road transport and traffic telematics", the secretariat of which is held by NEN, in collaboration with Technical Committee ISO/TC 204 "Intelligent transport systems".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2013, and conflicting national standards shall be withdrawn at the latest by March 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN ISO/TS 17261:2005.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

### Endorsement notice

The text of ISO 17261:2012 has been approved by CEN as a EN ISO 17261:2012 without any modification.

# Contents

Page

Foreword .....	iv
Introduction .....	v
1 Scope .....	1
2 Normative references .....	1
3 Terms and definitions .....	2
4 Requirements .....	8
4.1 General requirements .....	8
4.2 Conceptual architecture .....	9
4.3 Logical definition .....	13
4.4 Functional architecture .....	15
4.5 Application architecture .....	15
4.6 Information architecture .....	18
4.7 Object interactions .....	19
4.8 System security architecture .....	20
4.9 Resilience issues .....	20
4.10 Performance issues .....	21
4.11 Disaster recovery .....	21
4.12 Migration issues .....	21
4.13 System specification .....	21
4.14 Implementation architecture .....	21
Annex A (informative) Architectural views of logistic and distribution systems .....	22
Bibliography .....	30

## Introduction

This International Standard prescribes the overall parameters within which subsidiary International Standards are constructed. The architecture description defined in this International Standard is a consistent extension to ISO 14814 (AVI reference architectures and terminology).

ISO 14814 provides an architecture context for AVI/AEI for road transport. This International Standard extends this architecture context to include intermodal and multimodal movements.

This International Standard is part of a series of International Standards defining AVI/AEI in the Intelligent Transport Systems/Road Transport and Traffic Telematics (ITS/RTTT) environment. The following documents have been issued from ISO TC 204 to form a family of International Standards for the sector:

ISO 14814	AVI/AEI Reference architectures and terminology;
ISO 14816	AVI/AEI Numbering and data structures;
ISO 14815	AVI/AEI System specification;
ISO 17261	AVI/AEI Intermodal goods transport reference architectures and terminology;
ISO 17262	AVI/AEI Intermodal goods transport: Numbering and data structures;
ISO 17263	AVI/AEI Intermodal goods transport: System parameters;
ISO 17264	AVI/AEI Intermodal goods transport: Interface requirements;

An AVI/AEI interaction in an ITS/RTTT environment comprises an identification of On-Board Equipment (OBE) by a reader/interrogator and can transfer additional data.

The data component in an ITS/RTTT environment provides the basis for unambiguous identification of the OBE, and may also share a medium for a bi-directional interactive exchange of data between the host and OBE and to other equipment (such as smart cards etc.).

The principles of data presentation determined in ISO 17262 have been adopted to provide an interoperable architecture within an International Standard framework. The use of Abstract Syntax Notation One (ASN.1) PER is therefore an integral part of the data architecture determined in this International Standard.

The numbering and data structure are capable of operation both by read/write devices, and by read only devices where there is no requirement (and sometimes no possibility) to write to the OBE.

A key feature of the structure is to provide interoperability of data constructs.

Within the ITS/RTTT sector, applications can range from simple vehicle and equipment identification to complex international systems.

The reference architecture model and the data construct schemes described in this family of International Standards/Technical Specifications extend the approved AVI conceptual architecture to provide a comprehensive conceptual and logical system architecture to describe the relationships and functionality for a wide range of media so that the currency of the International Standard remains good for both existing and future technologies. This International Standard recognises that there are existing AVI/AEI applications and provides a means of supporting such data constructs within this International Standard.

In many cases it is necessary or desirable to use one air carrier frequency and protocol, but this is not always possible or even desirable in all situations.

In accordance with the resolutions of ISO TC 204 and CEN TC 278 the use of Abstract Syntax Notation One (ASN.1) from ISO 8824 as a data definition structure is adopted. Its usage provides maximum interoperability and conformance to existing ITS/RTTT and related International Standards and Technical Specifications.

# Intelligent transport systems — Automatic vehicle and equipment identification — Intermodal goods transport architecture and terminology

## 1 Scope

This International Standard describes the conceptual and logical architecture for automatic vehicle and equipment identification (AVI/AEI) and supporting services in an intermodal/multimodal environment.

It presents a high level view of AEI intermodal and multimodal system architecture, and describes the key sub systems, their associated interfaces and interactions and how they fit into system wide functions such as management, security and information flow.

This International Standard identifies the context of intermodal/multimodal AEI within the overall AVI/AEI context and key external inter-dependencies and interfaces to the intermodal/multimodal sector IT infrastructure. These include interfaces to the external and internal users of the intermodal/multimodal system services and their associated IT systems, interfaces to intermodal/multimodal management systems, existing intermodal/multimodal networks and system operations, and specifically interfaces to item identification and the domain of JTC 1/SC 31, item logistics International Standards. As an architecture it is designed to be complementary and interlocking to that domain.

This International Standard is intended to be complementary and consistent with the work of ISO/TC 104, Freight containers.

It extends the conceptual and communication AVI architecture determined in ISO 14814 and is neither frequency nor air interface protocol specific. It provides maximum interoperability, has a high population capability, and provides the possibility of upwards migration to more capable systems.

It does not include the air interface nor any implementation aspect, only the reference architectures. Subsequent International Standards define data structures for general AVI/AEI and for specific sectors of application.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 8824-1, *Information technology — Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 8824-2, *Information technology — Abstract Syntax Notation One (ASN.1): Information object specification*

ISO/IEC 8824-3, *Information technology — Abstract Syntax Notation One (ASN.1): Constraint specification*

ISO/IEC 8824-4, *Information technology — Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications*

ISO/IEC 8825-2:1996, *Information technology — ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)*

ISO 14813-6, *Intelligent transport systems — Reference model architecture(s) for the ITS sector — Part 6: Data presentation in ASN.1*

ISO 14816, *Road transport and traffic telematics — Automatic vehicle and equipment identification — Numbering and data structure*

ISO 17262, *Intelligent transport systems — Automatic vehicle and equipment identification — Numbering and data structures*

ISO 17263, *Intelligent transport systems — Automatic vehicle and equipment identification — System parameters*

ISO 14817, *Transport information and control systems — Requirements for an ITS/TICS central Data Registry and ITS/TICS Data Dictionaries*

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 8824-1, ISO 8824-2, ISO 8824-3, ISO 8824-4, ISO 14816 and the following apply.

#### 3.1

##### **address**

data element designating the originating source or destination of data being transmitted

#### 3.2

##### **Automatic Equipment Identification**

##### **AEI**

process of identifying equipment or entities that uses the surface transportation infrastructures by means of OBE's combined with the unambiguous data structure defined in these International Standards

NOTE Within this series of International Standards, "Equipment" indicates large equipment that is carried in, or forms an integral part of, a trailer or trailer mounted unit.

#### 3.3

##### **air interface**

conductor-free medium between an OBE and the reader/interrogator through which the linking of the OBE to the reader /interrogator is achieved by means of electro-magnetic signals

#### 3.4

##### **application identifier**

one item of a data element construct (usually the first octet) that uniquely identifies the domain of an ITS/RTTT information exchange at an explicitly defined reference point, usually at reference points "Alpha", "Beta" or "Zeta"

NOTE 1 This octet identifies that the message is a specific RTTT message.

NOTE 2 See Figure 5.

#### 3.5

##### **ASN.1**

##### **Abstract Syntax Notation One**

International Standard for representing data types and structures

NOTE The encoding rules for this abstract syntax notation are defined in ISO 8825-2.

#### 3.6

##### **Automatic Vehicle Identification**

##### **AVI**

process of identifying vehicles using OBE combined with the unambiguous data structure defined in these International Standards

#### 3.7

##### **AVI/AEI system operator**

commercial operator of an AVI/AEI/RTTT system that uses OBE(s) for the purposes defined in this International Standard

#### 3.8

##### **bi-directional dialogue**

two way communications between fixed equipment and OBE(s)