

Secondary cells and batteries containing alkaline or other non-acid electrolytes - Sealed nickel-metal hydride prismatic rechargeable single cells

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 62675:2014 sisaldab Euroopa standardi EN 62675:2014 inglisekeelset teksti.	This Estonian standard EVS-EN 62675:2014 consists of the English text of the European standard EN 62675:2014.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 07.11.2014.	Date of Availability of the European standard is 07.11.2014.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 29.220.99

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

English Version

Secondary cells and batteries containing alkaline or other non-acid electrolytes - Sealed nickel-metal hydride prismatic rechargeable single cells
(IEC 62675:2014)

Accumulateurs alcalins et autres accumulateurs à électrolyte non acide - Éléments individuels parallélépipédiques rechargeables étanches au nickel-métal hydrure
(CEI 62675:2014)

Akkumulatoren und Batterien mit alkalischem oder anderen nichtsäurehaltigen Elektrolyten - Prismatische wiederaufladbare gasdichte Nickel-Metallhydrid-Einzelle für industrielle Anwendungen
(IEC 62675:2014)

This European Standard was approved by CENELEC on 2014-10-01. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 21A/550/FDIS, future edition 1 of IEC 62675, prepared by SC 21A "Secondary cells and batteries containing alkaline or other non-acid electrolytes", of IEC TC 21, "Secondary cells and batteries", was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62675:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-07-01
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-10-01

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 62675:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60051 Series	NOTE	Harmonised as EN 60051 Series.
IEC 61434	NOTE	Harmonised as EN 61434.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60050-482	2004	International Electrotechnical Vocabulary- (IEV) -- Part 482: Primary and secondary cells and batteries		-

CONTENTS

FOREWORD	4
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Parameter measurement tolerances	7
5 Designation and marking	7
5.1 Cell designation	7
5.2 Cell termination	8
5.3 Marking	8
5.4 Safety recommendations	8
6 Dimensions	8
7 Electrical tests	10
7.1 General	10
7.2 Charging procedure for test purposes	10
7.3 Discharge performance	10
7.3.1 General	10
7.3.2 Discharge performance at 20 °C	10
7.3.3 Discharge performance at +5 °C	11
7.3.4 Discharge performance at –18 °C	11
7.3.5 High rate current test	12
7.4 Charge retention	12
7.5 Endurance	13
7.5.1 Endurance in cycles	13
7.5.2 Permanent charge endurance	13
7.6 Charge acceptance at constant voltage	14
7.7 Overcharge	14
7.8 Vent plug operation	14
7.9 Safety device operation	14
7.10 Gas leakage test	15
7.11 Storage	15
8 Mechanical tests	15
9 Physical appearance	15
10 Conditions for approval and acceptance	15
10.1 Type approval	15
10.2 Batch acceptance	16
Bibliography	17
Figure 1 – Example of a sealed prismatic cell in steel container with two terminals and four lugs	8
Figure 2 – Example of a sealed prismatic cell in plastic container with two terminals	9
Table 1 – Dimensions for sealed nickel-metal hydride prismatic cells in steel containers	9
Table 2 – Dimensions for sealed nickel-metal hydride prismatic cells in plastic containers	9

Table 3 – Measurement tolerances in millimetres (valid for widths and lengths)	10
Table 4 – Discharge performance at 20 °C	11
Table 5 – Discharge performance at +5 °C	11
Table 6 – Discharge performance at –18 °C	12
Table 7 – High currents values	12
Table 8 – Endurance in cycles	13
Table 9 – Sequence of tests for type approval	16
Table 10 – Recommended test sequence for batch acceptance	16