

Cable networks for television signals, sound signals and interactive services - Part 14: Optical transmission systems using RFoG technology

EVS

EESTI STANDARDI EESSÖNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 60728-14:2014 sisaldab Euroopa standardi EN 60728-14:2014 inglisekeelset teksti.	This Estonian standard EVS-EN 60728-14:2014 consists of the English text of the European standard EN 60728-14:2014.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 23.05.2014.	Date of Availability of the European standard is 23.05.2014.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 33.060.40, 33.160, 33.180

Standardite reproduutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine üksköik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

May 2014

ICS 33.060.40; 33.160; 33.180

English Version

Cable networks for television signals, sound signals and
interactive services - Part 14: Optical transmission systems
using RFoG technology
(IEC 60728-14:2014)

Réseaux de distribution par câbles pour signaux de
télévision, signaux de radiodiffusion sonore et services
interactifs - Partie 14: Systèmes de transmission optique
appliquant la technologie RFoG
(CEI 60728-14:2014)

Kabelnetze für Fernsehsignale, Tonsignale und interaktive
Dienste - Teil 14: Optische Übertragungssysteme mit
RFoG-Technik
(IEC 60728-14:2014)

This European Standard was approved by CENELEC on 2014-04-11. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 100/2248/FDIS, future edition 1 of IEC 60728-14, prepared by Technical Area 5 "Cable networks for television signals, sound signals and interactive services" of IEC/TC 100 "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60728-14:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2015-01-11
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-04-11

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60728-14:2014 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068 Series	NOTE	Harmonized as EN 60068 Series (not modified).
IEC 60169-24	NOTE	Harmonized as EN 60169-24.
IEC 60728-5	NOTE	Harmonized as EN 60728-5.
IEC 60793-2-50	NOTE	Harmonized as EN 60793-2-50.
IEC 60825-2	NOTE	Harmonized as EN 60825-2.
IEC 61281-1:1999	NOTE	Harmonized as EN 61281-1:1999 (not modified).
IEC 61280-2-2	NOTE	Harmonized as EN 61280-2-2.
IEC 61280-4-2	NOTE	Harmonized as EN 61280-4-2.
IEC 61290-1-1	NOTE	Harmonized as EN 61290-1-1.
IEC 61290-1-2	NOTE	Harmonized as EN 61290-1-2.
IEC 61290-6-1	NOTE	Harmonized as EN 61290-6-1.
IEC 61291-4	NOTE	Harmonized as EN 61291-4.
IEC 80416 Series	NOTE	Harmonized as EN 80416 Series (not modified).

EVS

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here:
www.cenelec.eu

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-1	1988	Environmental testing - Part 1: General and guidance	EN 60068-1	1994 ¹⁾
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	-	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	-
IEC 60068-2-6	2007	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	2008
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-27	-	Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock	EN 60068-2-27	-
IEC 60068-2-30	-	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	-
IEC 60068-2-31	-	Environmental testing - Part 2-31: Tests - Test Ec: Rough handling shocks, primarily for equipment- type specimens	EN 60068-2-31	-
IEC 60068-2-40	-	Basic environmental testing procedures - Part 2: Tests - Test Z/AM: Combined cold/low air pressure tests	EN 60068-2-40	-
IEC 60529	-	Degrees of protection provided by enclosures (IP Code)	EN 60529	-
IEC 60728-1	-	Cable networks for television signals, sound signals and interactive services - Part 1: System performance of forward paths	EN 60728-1	-

¹⁾ Superseded by EN 60068-1:2014 (IEC 60068-1:2013).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60728-2	-	Cable networks for television signals, sound signals and interactive services - Part 2: Electromagnetic compatibility for equipment	EN 50083-2	-
IEC 60728-3	-	Cable networks for television signals, sound signals and interactive services - Part 3: Active wideband equipment for cable networks	EN 60728-3	-
IEC 60728-6	2011	Cable networks for television signals, sound signals and interactive services - Part 6: Optical equipment	EN 60728-6	2011
IEC 60728-10	2014	Cable networks for television signals, sound signals and interactive services - Part 10: System performance of return paths	EN 60728-10	2014
IEC 60728-11	-	Cable networks for television signals, sound signals and interactive services - Part 11: Safety	EN 60728-11	-
IEC 60728-13	2010	Cable networks for television signals, sound signals and interactive services - Part 13: Optical systems for broadcast signal transmissions	EN 60728-13	2010
IEC 60728-13-1	2012	Cable networks for television signals, sound signals and interactive services - Part 13-1: Bandwidth expansion for broadcast signal over FTTH system	EN 60728-13-1	2012
IEC 60793-2-50	2012	Optical fibres - Part 2-50: Product specifications - Sectional specification for class B single-mode fibres	EN 60793-2-50	2013
IEC 60794-3-11	2010	Optical fibre cables - Part 3-11: Outdoor cables - Product specification for duct, directly buried and lashed aerial single-mode optical fibre telecommunication cables	EN 60794-3-11	2010
IEC 60825-1	-	Safety of laser products - Part 1: Equipment classification and requirements	EN 60825-1	-
IEC 61169-2	-	Radio-frequency connectors - Part 2: Sectional specification - Radio frequency coaxial connectors of type 9,52	EN 61169-2	-
IEC 61169-24	-	Radio-frequency connectors - Part 24: Sectional specification - Radio frequency coaxial connectors with screw coupling, typically for use in 75 ohm cable networks (type F)	EN 61169-24	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 61280-1-1	-	Fibre optic communication subsystem basic test procedures - Part 1-1: Test procedures for general communication subsystems - Transmitter output optical power measurement for single-mode optical fibre cable	EN 61280-1-1	-
IEC 61280-1-3	-	Fibre optic communication subsystem test procedures - Part 1-3: General communication subsystems - Central wavelength and spectral width measurement	EN 61280-1-3	-
IEC 61754-4	-	Fibre optic interconnecting devices and passive components - Fibre optic connector interfaces - Part 4: Type SC connector family	EN 61754-4	-
IEC/TR 61931	1998	Fibre optic - Terminology	-	-
IEEE 802.3	2008	IEEE Standard for Information technology - Telecommunications and information exchange between systems - Local and metropolitan area networks - Specific requirements - Part-3: Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications	-	-
IEEE 802.3av	2009	IEEE Standard for Information technology - Local and metropolitan area networks - Specific requirements - Part 3: CSMA/CD Access Method and Physical Layer Specifications - Amendment 1: Physical Layer Specifications and Management Parameters for 10 Gb/s Passive Optical Networks	-	-

EVS

CONTENTS

FOREWORD	5
INTRODUCTION	7
1 Scope	8
2 Normative references	8
3 Terms, definitions, symbols and abbreviations	10
3.1 Terms and definitions	10
3.2 Symbols	16
3.3 Abbreviations	16
4 System reference model	17
5 RFoG ONU reference architecture	18
6 Method of measurements	19
6.1 Optical power	19
6.2 Centroidal wavelength and spectral width under modulation	19
6.3 Optical wavelength	20
6.4 Linewidth and chirping of transmitters with single mode lasers	20
6.5 Optical modulation index	20
6.6 Reference output level of an optical receiver	20
6.7 Noise parameters of optical transmitters and optical receivers	20
6.8 Relative intensity noise (<i>RIN</i>), optical modulation index and equivalent input noise current (EINC)	20
6.9 Carrier level and carrier-to-noise ratio	20
6.10 Noise power ratio (<i>NPR</i>)	20
6.11 Carrier-to-noise ratio defined by optical signal	21
6.12 Carrier-to-crosstalk ratio (CCR)	21
7 System performance requirements	21
7.1 Digital data system	21
7.1.1 ODN	21
7.1.2 Performance allocation	21
7.2 Forward path and return path frequency split	22
8 RFoG equipment specifications	22
8.1 General specifications	22
8.1.1 Safety	22
8.1.2 Electromagnetic compatibility (EMC)	22
8.1.3 Environmental conditions	22
8.1.4 Marking	23
8.2 R-ONU	23
8.2.1 Indicators	23
8.2.2 R-ONU forward path receiver specifications	23
8.2.3 Return path performance of R-ONU	25
8.2.4 Remote control functions	29
8.3 Headend specifications	34
8.3.1 Headend forward path specifications	34
8.3.2 Headend return path specifications: R-RRX	34

Annex A (informative) Implementation notes	36
Annex B (informative) System loss specification	38
B.1 General	38
B.2 Forward path considerations	38
B.3 Return path considerations	39
Annex C (informative) Optical beat interference	42
C.1 General	42
C.2 Operating conditions of ODN	42
C.3 Operating conditions of optical receiver at the headend system	42
C.4 Operating conditions of CMTS	43
C.5 Environmental conditions	43
C.6 Relation between optical transmission loss and OMI	43
C.7 Design margin of ODN	44
C.8 Example of system design	45
C.9 Method of measurement of OBI	46
C.9.1 Purpose	46
C.9.2 Measurement setup	46
C.9.3 Example of measurement conditions	46
C.9.4 Procedure	47
C.9.5 Presentation of results	47
C.10 Method of measurement of OBI (measurement with CW signals)	47
C.10.1 Purpose	47
C.10.2 Measurement setup	47
C.10.3 Procedure	48
Annex D (normative) Optional remote control manager	49
Annex E (informative) Outdoor housings for R-ONU protection	50
Annex F (informative) Effect of off-state optical power on C/N ratio of transmission signal	51
Bibliography	53
 Figure 1 – Optical system reference model for RFoG	18
Figure 2 – Principle schematics of R-ONU	19
Figure 3 – Measurement of optical wavelength using WDM coupler	20
Figure 4 – R-ONU turn-on and turn-off diagram	29
Figure 5 – Example of the remote control system configuration	30
Figure 6 – Data format	31
Figure 7 – Structure of data packet	31
Figure 8 – Control transfer process	32
Figure 9 – Timing of data transmission	32
Figure A.1 – Placement of attenuators when system loss is too low	37
Figure B.1 – Performance allocation of the return path transmission system	39
Figure B.2 – Section C/N specification for SDU and MDU in-house wiring	41
Figure C.1 – Optical transmission loss and OMI	44
Figure C.2 – ODN design margin	44
Figure C.3 – Setup used for the measurement of OBI	46

Figure C.4 – Setup used for the measurement of OBI (CW method).....	48
Table 1 – ODN Specifications	21
Table 2 – RF frequencies	22
Table 3 – Classification of R-ONU optical receivers	24
Table 4 – Data publication requirements for R-ONU optical receivers.....	24
Table 5 – Recommendations for R-ONU optical receivers	24
Table 6 – Performance requirements for R-ONU optical receivers.....	25
Table 7 – Classes of optical return path transmitters	25
Table 8 – Data publication requirements for optical return path transmitters	26
Table 9 – Performance requirements for optical parameters and interfaces.....	26
Table 10 – Electrical properties requirements for R-ONU optical return path transmitters	27
Table 11 – R-ONU turn-on and turn-off specifications	27
Table 12 – Remote control items	30
Table 13 – Fundamental specification of data communication	31
Table 14 – Content of data packets	31
Table 15 – R-ONU address	32
Table 16 – Recommendation for timing of data transmission.....	33
Table 17 – Remote control command codes	33
Table 18 – Specification of modulation for the remote control signal	34
Table 19 – Data publication requirements for return path optical receivers	35
Table 20 – Performance requirements for optical return path receivers	35
Table C.1 – Operating conditions related to ODN parameters	42
Table C.2 – Operating conditions related to ODN parameters	43
Table C.3 – Environmental conditions for system evaluation	43
Table C.4 – Factors affecting the transmission loss of ODN.....	45
Table C.5 – System design example 1.....	45
Table C.6 – System design example 2.....	45
Table C.7 – Example of list of measurement conditions	46
Table C.8 – Presentation of OBI measurement results	47
Table C.9 – Presentation of OBI measurement results	48
Table D.1 – Performance requirements for the FSK transmitter	49

INTRODUCTION

Standards and other deliverables of the IEC 60728 series deal with cable networks including equipment and associated methods of measurement for headend reception, processing and distribution of television and sound signals and for processing, interfacing and transmitting all kinds of data signals for interactive services using all applicable transmission media. These signals are typically transmitted in networks by frequency-multiplexing techniques.

- regional and local broadband cable networks,
- extended satellite and terrestrial television distribution systems,
- individual satellite and terrestrial television receiving systems,

and all kinds of equipment, systems and installations used in such cable networks, distribution and receiving systems.

The extent of this standardization work is from the antennas and/or special signal source inputs to the headend or other interface points to the network up to the terminal input of the customer premises equipment.

The standardization work will consider coexistence with users of the RF spectrum in wired and wireless transmission systems.

The standardization of any user terminals (i.e., tuners, receivers, decoders, multimedia terminals, etc.) as well as of any coaxial, balanced and optical cables and accessories thereof is excluded.

The Annexes provide the following information.

- | | |
|---------|--|
| Annex A | describes implementation notes with design consideration based on this standard |
| Annex B | describes the system loss specification |
| Annex C | describes multiple CMTS operation |
| Annex D | contains specifications for an optional remote control system |
| Annex E | gives a design guideline of housings for R-ONU protection |
| Annex F | contains information on the effect of off-state optical power on <i>C/N</i> ratio of transmission signal |

EVS