

OPC unified architecture - Part 100: Device Interface

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 62541-100:2015 sisaldab Euroopa standardi EN 62541-100:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 62541-100:2015 consists of the English text of the European standard EN 62541-100:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 15.05.2015.	Date of Availability of the European standard is 15.05.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 25.040.40, 35.100

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 25.040.40; 35.100

English Version

**OPC unified architecture - Part 100: Device Interface
(IEC 62541-100:2015)**

Architecture unifiée OPC - Partie 100: Interface d'appareils
(IEC 62541-100:2015)

OPC Unified Architecture - Teil 100: Geräteschnittstelle
(IEC 62541-100:2015)

This European Standard was approved by CENELEC on 2015-04-29. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of document 65E/372/CDV, future edition 1 of IEC 62541-100, prepared by SC 65E "Devices and integration in enterprise systems", of IEC/TC 65 "Industrial-process measurement, control and automation" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62541-100:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-01-29
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-04-29

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

Endorsement notice

The text of the International Standard IEC 62541-100:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 61131	NOTE	Harmonized in EN 61131 series (not modified).
IEC 61499-1:2012	NOTE	Harmonized as EN 61499-1:2013 (not modified).
IEC 61784	NOTE	Harmonized in EN 61784 series (not modified).
IEC 62591	NOTE	Harmonized as EN 62591.
IEC 62769	NOTE	Harmonized in EN 62769 series ¹⁾ (not modified).

1) At draft stage.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC/TR 62541-1	-	OPC unified architecture - Part 1: Overview and concepts	CLC/TR 62541-1	-
IEC 62541-3	-	OPC unified architecture - Part 3: Address Space Model	EN 62541-3	-
IEC 62541-4	-	OPC unified architecture - Part 4: Services	EN 62541-4	-
IEC 62541-5	-	OPC unified architecture - Part 5: Information Model	EN 62541-5	-
IEC 62541-6	-	OPC unified architecture - Part 6: Mappings	EN 62541-6	-
IEC 62541-7	-	OPC unified architecture - Part 7: Profiles	EN 62541-7	-
IEC 62541-8	-	OPC Unified Architecture - Part 8: Data Access	EN 62541-8	-

CONTENTS

FOREWORD.....	6
1 Scope.....	8
2 Reference documents	8
3 Terms, definitions, abbreviations and used data types	8
3.1 Terms and definitions	8
3.2 Abbreviations	10
3.3 Used data types	10
4 Fundamentals.....	10
4.1 OPC UA.....	10
4.2 Conventions used in this document.....	11
4.2.1 Conventions for Node descriptions	11
4.2.2 NodeIds and BrowseNames	12
5 Device model.....	13
5.1 General.....	13
5.2 TopologyElementType.....	14
5.3 FunctionalGroupType	16
5.4 Identification FunctionalGroup	18
5.5 UIElement Type	19
5.6 DeviceType.....	19
5.7 Device support information	22
5.7.1 General	22
5.7.2 Device Type Image	23
5.7.3 Documentation.....	23
5.7.4 Protocol support files	23
5.7.5 Images	24
5.8 DeviceSet entry point	24
5.9 ProtocolType.....	25
5.10 BlockType.....	26
5.11 Configurable components.....	28
5.11.1 General pattern.....	28
5.11.2 ConfigurableObjectType.....	28
6 Device vommunication model.....	29
6.1 General.....	29
6.2 Network	30
6.3 ConnectionPoint.....	31
6.4 ConnectsTo and ConnectsToParent ReferenceTypes.....	33
6.5 NetworkSet Object (mandatory).....	34
7 Device integration host model	35
7.1 General.....	35
7.2 DeviceTopology Object	36
7.3 Online/Offline.....	37
7.3.1 General	37
7.3.2 IsOnline ReferenceType.....	38
8 AddIn Capabilities	39
8.1 Overview.....	39

8.2	Offline-Online data transfer	40
8.2.1	Definition	40
8.2.2	TransferServices Type	40
8.2.3	TransferServices Object	41
8.2.4	TransferToDevice Method	41
8.2.5	TransferFromDevice Method	42
8.2.6	FetchTransferResultData Method	43
8.3	Locking	45
8.3.1	Overview	45
8.3.2	LockingServices Type	45
8.3.3	LockingServices Object	47
8.3.4	MaxInactiveLockTime Property	47
8.3.5	InitLock Method	48
8.3.6	ExitLock Method	48
8.3.7	RenewLock Method	49
8.3.8	BreakLock Method	49
9	Specialized topology elements	50
9.1	General	50
9.2	Block Devices (BlockOriented DeviceType)	50
9.3	Modular Devices	51
10	Profiles	52
10.1	General	52
10.2	Device Server Facets	52
10.3	Device Client Facets	53
Annex A (normative)	Namespace and mappings	55
Bibliography		56
Figure 1	– Device model overview	13
Figure 2	– Components of the TopologyElementType	14
Figure 3	– FunctionalGroupType	16
Figure 4	– Analyser Device use for FunctionalGroups (UA Companion ADI)	17
Figure 5	– PLCopen use for FunctionalGroups (UA Companion PLCopen)	18
Figure 6	– Example of an Identification FunctionalGroup	19
Figure 7	– DeviceType	20
Figure 8	– Integration of support information within a DeviceType	22
Figure 9	– Standard entry point for Devices	25
Figure 10	– Example of a ProtocolType hierarchy with instances that represent specific communication profiles	26
Figure 11	– BlockType hierarchy	27
Figure 12	– Configurable component pattern	28
Figure 13	– ConfigurableObjectType	29
Figure 14	– Initial example of a communication topology	30
Figure 15	– NetworkType	30
Figure 16	– Example of ConnectionPointType hierarchy	31
Figure 17	– ConnectionPointType	32
Figure 18	– ConnectionPoint usage	33

Figure 19 – Type hierarchy for ConnectsTo and ConnectsToParent References	33
Figure 20 – Example with ConnectsTo and ConnectsToParent References	34
Figure 21 – Example of an automation system.....	35
Figure 22 – Example of a Device topology	36
Figure 23 – Online component for access to device data	37
Figure 24 – Type hierarchy for <i>IsOnline Reference</i>	39
Figure 25 – TransferServicesType.....	40
Figure 26 – TransferServices	41
Figure 27 – LockingServicesType.....	46
Figure 28 – LockingServices	47
Figure 29 – Block-oriented Device structure example.....	50
Figure 30 – Modular Device structure example	51
Table 1 – DataTypes defined in IEC 62541-3.....	10
Table 2 – Type definition table	11
Table 3 – Examples of DataTypes	12
Table 4 – TopologyElementType definition	15
Table 5 – ParameterSet definition	15
Table 6 – MethodSet definition.....	15
Table 7 – FunctionalGroupType definition.....	16
Table 8 – UIElementType definition.....	19
Table 9 – DeviceType definition	20
Table 10 – DeviceHealth values	22
Table 11 – DeviceTypeImage definition	23
Table 12 – Documentation definition	23
Table 13 – ProtocolSupport definition	23
Table 14 – ImageSet definition.....	24
Table 15 – DeviceSet definition	25
Table 16 – ProtocolType definition	26
Table 17 – BlockType definition	27
Table 18 – ConfigurableObjectType definition.....	29
Table 19 – NetworkType definition	31
Table 20 – ConnectionPointType definition.....	32
Table 21 – ConnectsTo ReferenceType.....	34
Table 22 – ConnectsToParent ReferenceType.....	34
Table 23 – NetworkSet definition.....	34
Table 24 – DeviceTopology definition	37
Table 25 – <i>IsOnline ReferenceType</i>	39
Table 26 – TransferServicesType definition	40
Table 27 – TransferToDevice Method arguments	42
Table 28 – TransferToDevice Method AddressSpace definition	42
Table 29 – TransferFromDevice Method arguments	42
Table 30 – TransferFromDevice Method AddressSpace definition	43

Table 31 – FetchTransferResultData Method Arguments.....	44
Table 32 – FetchTransferResultData Method AddressSpace definition	44
Table 33 – FetchResultData Type structure	44
Table 34 – TransferResultError DataType structure	44
Table 35 – TransferResultData DataType structure.....	45
Table 36 – LockingServicesType definition	46
Table 37 – MaxInactiveLockTime Property definition.....	47
Table 38 – InitLock Method Arguments.....	48
Table 39 – InitLock Method AddressSpace definition	48
Table 40 – ExitLock Method Arguments.....	49
Table 41 – ExitLock Method AddressSpace definition	49
Table 42 – RenewLock Method Arguments	49
Table 43 – RenewLock Method AddressSpace definition.....	49
Table 44 – BreakLock Method Arguments.....	50
Table 45 – BreakLock Method AddressSpace definition	50
Table 46 – BaseDevice_Server_Facet definition	52
Table 47 – DeviceIdentification_Server_Facet definition	52
Table 48 – BlockDevice_Server_Facet definition	52
Table 49 – Locking_Server_Facet definition	52
Table 50 – DeviceCommunication_Server_Facet definition	53
Table 51 – DeviceIntegrationHost_Server_Facet definition	53
Table 52 – BaseDevice_Client_Facet definition	53
Table 53 – DeviceIdentification_Client_Facet definition	53
Table 54 – BlockDevice_Client_Facet definition.....	54
Table 55 – Locking_Client_Facet definition.....	54
Table 56 – DeviceCommunication_Client_Facet definition	54
Table 57 – DeviceIntegrationHost_Client_Facet definition.....	54