
**Information technology — Volume and file
structure of write-once and rewritable
media using non-sequential recording for
information interchange —**

Part 3:
Volume structure

*Technologies de l'information — Structure de volume et de fichier de
moyens d'écriture unique et de réécriture utilisant un enregistrement non
séquentiel pour l'échange d'information —*

Partie 3: Structure de volume

Contents	Page
Section 1 - General	1
1 Scope.....	1
2 Parts references	1
3 Part interface	1
3.1 Input.....	1
3.2 Output	2
4 Conformance.....	2
4.1 Conformance of a medium.....	2
4.2 Conformance of an information processing system.....	2
5 Definitions.....	2
5.1 anchor point	2
5.2 Cyclic Redundancy Check (CRC)	2
5.3 extent	2
5.4 logical block	2
5.5 logical sector	3
5.6 logical volume	3
5.7 partition.....	3
6 Notation	3
7 Basic types.....	3
7.1 Extent Descriptor.....	3
7.1.1 Extent Length (RBP 0)	3
7.1.2 Extent Location (RBP 4)	3
7.2 Descriptor tag.....	3
7.2.1 Tag Identifier (RBP 0)	3
7.2.2 Descriptor Version (RBP 2)	4
7.2.3 Tag Checksum (RBP 4)	4
7.2.4 Reserved (RBP 5).....	4
7.2.5 Tag Serial Number (RBP 6)	4
7.2.6 Descriptor CRC (RBP 8).....	4
7.2.7 Descriptor CRC Length (RBP 10)	4
7.2.8 Tag Location (RBP 12)	4

© ISO/IEC 1995

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office * Case Postale 56 * CH-1211 Genève 20 * Switzerland

Printed in Switzerland

Section 2 - Requirements for the medium for volume structure	5
8 Volume structure	5
8.1 Arrangement of information on a volume	5
8.1.1 Sector numbers	5
8.1.2 Logical sector	5
8.2 Volume space	5
8.3 Volume descriptors	5
8.4 Volume Descriptor Sequence	5
8.4.1 Contents of a Volume Descriptor Sequence	5
8.4.2 Recording of the Volume Descriptor Sequence	6
8.4.3 Prevailing descriptors	7
8.4.4 Recording of descriptors	7
8.5 Allocation of the volume space	7
8.6 Volume set	8
8.7 Partition	8
8.8 Logical volume	8
8.8.1 Logical blocks	8
8.8.2 Logical volume integrity	8
9 Volume recognition structures	9
9.1 NSR Descriptor	9
9.1.1 Structure Type (BP 0)	9
9.1.2 Standard Identifier (BP 1)	9
9.1.3 Structure Version (BP 6)	9
9.1.4 Reserved (BP 7)	9
9.1.5 Structure Data (BP 8)	9
10 Volume data structures	9
10.1 Primary Volume Descriptor	9
10.1.1 Descriptor Tag (BP 0)	10
10.1.2 Volume Descriptor Sequence Number (BP 16)	10
10.1.3 Primary Volume Descriptor Number (BP 20)	10
10.1.4 Volume Identifier (BP 24)	10
10.1.5 Volume Sequence Number (BP 56)	10
10.1.6 Maximum Volume Sequence Number (BP 58)	10
10.1.7 Interchange Level (BP 60)	10
10.1.8 Maximum Interchange Level (BP 62)	10
10.1.9 Character Set List (BP 64)	10
10.1.10 Maximum Character Set List (BP 68)	11
10.1.11 Volume Set Identifier (BP 72)	11
10.1.12 Descriptor Character Set (BP 200)	11
10.1.13 Explanatory Character Set (BP 264)	11
10.1.14 Volume Abstract (BP 328)	11
10.1.15 Volume Copyright Notice (BP 336)	11
10.1.16 Application Identifier (BP 344)	11
10.1.17 Recording Date and Time (BP 376)	11
10.1.18 Implementation Identifier (BP 388)	11
10.1.19 Implementation Use (BP 420)	11
10.1.20 Predecessor Volume Descriptor Sequence Location (BP 484)	11
10.1.21 Flags (BP 488)	11
10.1.22 Reserved (BP 490)	12
10.2 Anchor Volume Descriptor Pointer	12

10.2.1 Descriptor Tag (BP 0)	12
10.2.2 Main Volume Descriptor Sequence Extent (BP 16)	12
10.2.3 Reserve Volume Descriptor Sequence Extent (BP 24)	12
10.2.4 Reserved (BP 32)	12
10.3 Volume Descriptor Pointer	12
10.3.1 Descriptor Tag (BP 0)	12
10.3.2 Volume Descriptor Sequence Number (BP 16)	13
10.3.3 Next Volume Descriptor Sequence Extent (BP 20)	13
10.3.4 Reserved (BP 28)	13
10.4 Implementation Use Volume Descriptor	13
10.4.1 Descriptor Tag (BP 0)	13
10.4.2 Volume Descriptor Sequence Number (BP 16)	13
10.4.3 Implementation Identifier (BP 20)	13
10.4.4 Implementation Use (BP 52)	13
10.5 Partition Descriptor	13
10.5.1 Descriptor Tag (BP 0)	14
10.5.2 Volume Descriptor Sequence Number (BP 16)	14
10.5.3 Partition Flags (BP 20)	14
10.5.4 Partition Number (BP 22)	14
10.5.5 Partition Contents (BP 24)	14
10.5.6 Partition Contents Use (BP 56)	14
10.5.7 Access Type (BP 184)	14
10.5.8 Partition Starting Location (BP 188)	15
10.5.9 Partition Length (BP 192)	15
10.5.10 Implementation Identifier (BP 196)	15
10.5.11 Implementation Use (BP 228)	15
10.5.12 Reserved (BP 356)	15
10.6 Logical Volume Descriptor	15
10.6.1 Descriptor Tag (BP 0)	15
10.6.2 Volume Descriptor Sequence Number (BP 16)	16
10.6.3 Descriptor Character Set (BP 20)	16
10.6.4 Logical Volume Identifier (BP 84)	16
10.6.5 Logical Block Size (BP 212)	16
10.6.6 Domain Identifier (BP 216)	16
10.6.7 Logical Volume Contents Use (BP 248)	16
10.6.8 Map Table Length (=MT_L) (BP 264)	16
10.6.9 Number of Partition Maps (=N_PM) (BP 268)	16
10.6.10 Implementation Identifier (BP 272)	16
10.6.11 Implementation Use (BP 304)	16
10.6.12 Integrity Sequence Extent (BP 432)	16
10.6.13 Partition Maps (BP 440)	16
10.7 Partition maps	16
10.7.1 Generic partition map	16
10.7.2 Type 1 Partition Map	17
10.7.3 Type 2 Partition Map	17
10.8 Unallocated Space Descriptor	18
10.8.1 Descriptor Tag (BP 0)	18
10.8.2 Volume Descriptor Sequence Number (BP 16)	18
10.8.3 Number of Allocation Descriptors (=N_AD) (BP 20)	18
10.8.4 Allocation Descriptors (BP 24)	18
10.9 Terminating Descriptor	18

10.9.1 Descriptor Tag (BP 0)	19
10.9.2 Reserved (BP 16)	19
10.10 Logical Volume Integrity Descriptor	19
10.10.1 Descriptor Tag (BP 0)	19
10.10.2 Recording Date (BP 16)	19
10.10.3 Integrity Type (BP 28).....	19
10.10.4 Next Integrity Extent (BP 32).....	19
10.10.5 Logical Volume Contents Use (BP 40)	19
10.10.6 Number of Partitions (=N_P) (BP 72).....	20
10.10.7 Length of Implementation Use (=L_IU) (BP 76).....	20
10.10.8 Free Space Table (BP 80).....	20
10.10.9 Size Table (BP N_P×4+80)	20
10.10.10 Implementation Use (BP N_P×8+80).....	20
11 Levels of medium interchange.....	20
11.1 Level 1	20
11.2 Level 2	20
11.3 Level 3	20
Section 3 - Requirements for systems for volume structure.....	21
12 Requirements for the description of systems.....	21
13 Requirements for an originating system	21
13.1 General	21
13.2 Mandatory access by user	21
13.2.1 Descriptors.....	21
13.3 Optional access by user	22
13.3.1 Descriptors.....	22
13.3.2 Multivolume volume sets.....	22
14 Requirements for a receiving system	22
14.1 General	22
14.2 Mandatory access by user	23
14.2.1 Descriptors.....	23

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialised system for worldwide standardisation. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organisation to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organisations, governmental and non-governmental, in liaison with ISO and IEC, also take part in this work.

In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication of an International Standard requires approval by at least 75% of the national bodies casting a vote.

International Standard ISO/IEC 13346-3 was prepared by the European Association for Standardizing Information and Communication Systems, ECMA, (as Standard ECMA-167) and was adopted, under a special “fast-track procedure”, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by National Bodies of ISO and IEC.

Introduction

ISO/IEC 13346 is a volume and file structure standard for interchanging files and as such, it is a peer to existing volume and file structure standards such as ISO 9293 and ISO 9660. It is rather different from those standards in at least two important ways. Firstly, it offers much more functionality, mainly because of user needs for increased character set support and for more powerful file system features. Secondly, it acknowledges the separate concerns of booting, volume structure and file system structure. Rather than bundling these different functions together, ISO/IEC 13346 carefully segregates these functions into separate parts and describes in detail how those parts fit together. It is expected that future volume and file structure standards will fit into this framework, rather than building other distinct and incompatible formats.

ISO/IEC 13346 is published in five Parts. Part 1 - general - specifies references, definitions, notations and basic structures used in the other four Parts. Part 2 - volume and boot block recognition - specifies formats and system requirements for recognising the volume structures on a medium and booting from a medium. Part 3 - volume structure - specifies how to record various volume-related entities such as volumes, volume sets and logical volumes. Part 4 - file structure - specifies how to record and interpret files, both file data and file attributes, and file hierarchies within logical volumes. Part 5 - record structure - specifies how to record and interpret file data encoded as records.

This document is a preview generated by EVS

This page intentionally left blank

Information technology - Volume and file structure of write-once and rewritable media using non-sequential recording for information interchange -

Part 3: Volume structure

Section 1 : General

1 Scope

ISO/IEC 13346 specifies a format and associated system requirements for volume and boot block recognition, volume structure, file structure and record structure for the interchange of information on media between users of information processing systems.

The media shall be recorded as if the recording of sectors may be done in any order.

NOTE 1 - The medium is not restricted to being of only one type; the type of medium may be either write once, or read only, or rewritable, or a combination of these types.

ISO/IEC 13346 consists of the following five Parts:

Part 1: General

Part 2: Volume and Boot Block Recognition

Part 3: Volume Structure

Part 4: File Structure

Part 5: Record Structure

Annex A - ICB Strategies, is part of ISO/IEC 13346-4.

This Part of ISO/IEC 13346 specifies a format and associated system requirements for volume structure by specifying:

- the attributes of a volume and the descriptors recorded on it;
- the relationship among volumes of a volume set;
- the attributes of a partition of a volume;
- the attributes of a logical volume and the descriptors recorded on it;
- levels of medium interchange;
- requirements for the processes which are provided within information processing systems, to enable information to be interchanged between different systems; for this purpose, it specifies the functions to be provided within systems which are intended to originate or receive media which conform to this Part of ISO/IEC 13346.

2 Parts references

The first digit of a reference within ISO/IEC 13346 identifies the Part, e.g. 2/5 refers to clause 5 in ISO/IEC 13346-2, and figure 4/3 refers to figure 3 in ISO/IEC 13346-4.

3 Part interface

This clause specifies the interface of this Part of ISO/IEC 13346 to other standards or Parts.

3.1 Input

This Part of ISO/IEC 13346 requires the specification of the following by another standard or Part.

- A standard for recording (see 1/5.10).
- The size of a logical sector (see 3/8.1.2) of a volume.
- If the volume is recorded according to ISO/IEC 13346-2, a volume recognition sequence specified by ISO/IEC 13346-2 shall contain the descriptor described in 3/9.1 recorded at least once.