

**Petroleum and natural gas industries - Site-specific
assessment of mobile offshore units - Part 1: Jack-ups
(ISO 19905-1:2012)**

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN ISO 19905-1:2012 sisaldab Euroopa standardi EN ISO 19905-1:2012 ingliskeelset teksti.	This Estonian standard EVS-EN ISO 19905-1:2012 consists of the English text of the European standard EN ISO 19905-1:2012.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 01.08.2012.	Date of Availability of the European standard is 01.08.2012.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 75.180.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:
Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:
Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

ICS 75.180.10

English Version

**Petroleum and natural gas industries - Site-specific assessment
of mobile offshore units - Part 1: Jack-ups (ISO 19905-1:2012)**

Industries du pétrole et du gaz naturel - Évaluation
spécifique au site d'unités mobiles en mer - Partie 1:
Plates-formes auto-élevatrices (ISO 19905-1:2012)

Erdöl- und Erdgasindustrie - Beurteilung von mobilen
Offshore Einheiten bezüglich ihres Einsatzgebietes - Teil 1:
Hubinseln (ISO 19905-1:2012)

This European Standard was approved by CEN on 16 June 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 19905-1:2012) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2013, and conflicting national standards shall be withdrawn at the latest by February 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 19905-1:2012 has been approved by CEN as a EN ISO 19905-1:2012 without any modification.

Contents

Page

Foreword	v
Introduction	vii
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Symbols and abbreviated terms	13
4.1 Symbols	13
4.2 Abbreviated terms	14
5 Overall considerations	15
5.1 General	15
5.2 Assessment approach	16
5.3 Selection of limit states	18
5.4 Determination of assessment situations	18
5.5 Exposure levels	20
5.6 Analytical tools	23
6 Data to assemble for each site	24
6.1 Applicability	24
6.2 Jack-up data	24
6.3 Site and operational data	24
6.4 Metocean data	24
6.5 Geophysical and geotechnical data	25
6.6 Earthquake data	26
7 Actions	26
7.1 Applicability	26
7.2 General	26
7.3 Metocean actions	27
7.4 Functional actions	28
7.5 Displacement dependent effects	28
7.6 Dynamic effects	28
7.7 Earthquakes	28
7.8 Other actions	28
8 Structural modelling	28
8.1 Applicability	28
8.2 Overall considerations	28
8.3 Modelling the leg	29
8.4 Modelling the hull	30
8.5 Modelling the leg-to-hull connection	30
8.6 Modelling the spudcan and foundation	31
8.7 Mass modelling	32
8.8 Application of actions	32
9 Foundations	35
9.1 Applicability	35
9.2 General	35
9.3 Geotechnical analysis of independent leg foundations	36
9.4 Other considerations	39
10 Structural response	41
10.1 Applicability	41

10.2	General considerations	41
10.3	Types of analyses and associated methods	41
10.4	Common parameters	42
10.5	Storm analysis	44
10.6	Fatigue analysis	47
10.7	Earthquake analysis	47
10.8	Accidental situations	47
10.9	Alternative analysis methods	48
11	Long-term applications	48
11.1	Applicability	48
11.2	Assessment data	48
11.3	Special requirements	49
11.4	Survey requirements	50
12	Structural strength	50
12.1	Applicability	50
12.2	Classification of member cross-sections	51
12.3	Section properties of non-circular prismatic members	52
12.4	Effects of axial force on bending moment	53
12.5	Strength of tubular members	53
12.6	Strength of non-circular prismatic members	53
12.7	Assessment of joints	53
13	Acceptance criteria	54
13.1	Applicability	54
13.2	General formulation of the assessment check	55
13.3	Leg strength assessment	55
13.4	Spudcan strength assessment	56
13.5	Holding system strength assessment	56
13.6	Hull elevation assessment	56
13.7	Leg length reserve assessment	56
13.8	Overturning stability assessment	57
13.9	Foundation integrity assessment	57
13.10	Interaction with adjacent infrastructure	58
13.11	Temperatures	59
Annex A	(informative) Additional information and guidance	60
Annex B	(normative) Summary of partial action and partial resistance factors	238
Annex C	(informative) Additional information on structural modelling and response analysis	240
Annex D	(informative) Foundations — Recommendations for the acquisition of site-specific geotechnical data	250
Annex E	(informative) Foundations — Additional information and alternative approaches	256
Annex F	(informative) Informative annex on Clause A.12 — Structural strength	269
Annex G	(informative) Contents list for typical site-specific assessment report	283
Annex H	(informative) Regional information	290
Bibliography		299

Introduction

The series of International Standards applicable to types of offshore structure, ISO 19900 to ISO 19906, addresses design requirements and assessments for all offshore structures used by the petroleum and natural gas industries worldwide. Through their application, the intention is to achieve reliability levels appropriate for manned and unmanned offshore structures, whatever the type of structure and the nature or combination of the materials used.

It is important to recognize that structural integrity is an overall concept comprising models for describing actions, structural analyses, design or assessment rules, safety elements, workmanship, quality control procedures and national requirements, all of which are mutually dependent. The modification of one aspect of design or assessment in isolation can disturb the balance of reliability inherent in the overall concept or structural system. The implications involved in modifications, therefore, need to be considered in relation to the overall reliability of offshore structural systems.

The series of International Standards applicable to the various types of offshore structure is intended to provide a wide latitude in the choice of structural configurations, materials and techniques, without hindering innovation. Sound engineering judgement is therefore necessary in the use of these International Standards.

This part of ISO 19905, which has been developed from SNAME Technical & Research Bulletin 5-5A^[7], states the general principles and basic requirements for the site-specific assessment of mobile jack-ups; it is intended to be used for assessment and not for design.

NOTE For the exposure level 1(L1) assessment and, where appropriate, the exposure level 2 (L2) assessment prior to evacuation being effected, this part of ISO 19905 requires the use of 50 year independent or 100 year joint probability metocean extremes, together with associated partial action factors. It is based on extensive benchmarking and best practice in the international community.

Site-specific assessment is normally carried out when an existing jack-up unit is to be installed at a specific site. The assessment is not intended to provide a full evaluation of the jack-up; it assumes that aspects not addressed herein have been addressed using other practices and standards at the design stage. In some instances, the original design of all or part of the structure could be in accordance with other standards in the ISO 19900 series, and in some cases, different practices or standards could have been applied.

The purpose of the site assessment is to demonstrate the adequacy of the jack-up and its foundations for the assessment situations and defined limit states, taking into account the consequences of failure. It is important that the results of a site-specific assessment be appropriately recorded and communicated to those persons required to know or act on the conclusions and recommendations. Alternative approaches to the site-specific assessment can be used, provided that they have been shown to give a level of structural reliability equivalent, or superior, to that implicit in this part of ISO 19905.

Annex A provides background to and guidance on the use of this part of ISO 19905. The clause numbering in Annex A is the same as in the normative text in order to facilitate cross-referencing. ISO/TR 19905-2 provides additional background to some clauses and a detailed sample 'go-by' calculation.

Annex B summarizes the partial factors. Supplementary information is presented in Annexes C to H.

To meet certain needs of industry for linking software to specific elements in this part of ISO 19905, a special numbering system has been permitted for figures, tables, equations and bibliographic references.

In International Standards, the following verbal forms are used:

- “shall” and “shall not” are used to indicate requirements strictly to be followed in order to conform to the document and from which no deviation is permitted;

- “should” and “should not” are used to indicate that, among several possibilities, one is recommended as particularly suitable, without mentioning or excluding others, or that a certain course of action is preferred but not necessarily required, or that (in the negative form) a certain possibility or course of action is deprecated but not prohibited;
- “may” is used to indicate a course of action permissible within the limits of the document;
- “can” and “cannot” are used for statements of possibility and capability, whether material, physical or causal.

Petroleum and natural gas industries — Site-specific assessment of mobile offshore units —

Part 1: Jack-ups

1 Scope

This part of ISO 19905 specifies requirements and guidance for the site-specific assessment of independent leg jack-up units for use in the petroleum and natural gas industries. It addresses

- a) manned non-evacuated, manned evacuated and unmanned jack-ups;
- b) the installed phase at a specific site.

To ensure acceptable reliability, the provisions of this part of ISO 19905 form an integrated approach, which is used in its entirety for the site-specific assessment of a jack-up.

This part of ISO 19905 does not apply specifically to mobile offshore drilling units operating in regions subject to sea ice and icebergs. When assessing a jack-up operating in such areas, it is intended that the assessor supplement the provisions of this part of ISO 19905 with the provisions relating to ice actions and procedures for ice management contained in ISO 19906.

This part of ISO 19905 does not address design, transportation to and from site, or installation and removal from site. However, it is advisable that the assumptions used in the assessment be checked against the as-installed configuration.

To ensure that the design of the jack-up is sound and the structure is adequately maintained, this part of ISO 19905 is applicable only to independent leg jack-ups that either

- hold a valid classification society certification from a recognized classification society (RCS) throughout the duration of the operation at the specific site subject to assessment; or
- have been verified by an independent competent body to be structurally fit for purpose for elevated situations and are subject to periodic inspection, both to the standards of an RCS.

NOTE 1 An RCS is an International Association of Classification Societies (IACS) member body, meeting the RCS definition given in 3.52.

Jack-ups that do not comply with this requirement are assessed according to the provisions of ISO 19902, supplemented by methodologies from this part of ISO 19905, where applicable.

NOTE 2 Future revisions of this part of ISO 19905 can be expanded to cover mat-supported jack-ups.

NOTE 3 Well conductors are a safety-critical element for jack-up operations. However, the integrity of well conductors is not part of the site-specific assessment process for jack-ups and is, therefore, not addressed in this part of ISO 19905. Annex A provides references to other publications addressing this topic.

NOTE 4 RCS rules and the IMO MODU code provide guidance for the design of jack-ups.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 19900, *Petroleum and natural gas industries — General requirements for offshore structures*

ISO 19901-1, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 1: Metocean design and operating conditions*

ISO 19901-2, *Petroleum and natural gas industries — Specific requirements for offshore structures — Part 2: Seismic design procedures and criteria*

ISO 19902, *Petroleum and natural gas industries — Fixed steel offshore structures*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 19900, ISO 19901-1, ISO 19901-2 and ISO 19902, and the following apply.³⁾

3.1

abnormal wave crest

wave crest with probability of typically 10^{-3} to 10^{-4} per annum

3.2

accidental situation

exceptional situation of the structure

EXAMPLE Impact; fire; explosion; local failure; loss of intended differential pressure (e.g. buoyancy).

3.3

action

external load applied to the structure (direct action) or an imposed deformation or acceleration (indirect action)

EXAMPLE An imposed deformation can be caused by fabrication tolerances, settlement, temperature change or moisture variation.

NOTE An earthquake typically generates imposed accelerations.

[ISO 19900:2002, definition 2.1]

3.4

assessment

site-specific assessment

evaluation of the stability and structural integrity of a jack-up and, where applicable, its seabed restraint or support against the actions determined in accordance with the requirements of this part of ISO 19905

NOTE An assessment can be limited to an evaluation of the components or members of the structure which, when removed or damaged, could cause failure of the whole structure, or a significant part of it.

3.5

assessment situation

jack-up configuration together with the environmental loading to be assessed

NOTE 1 For discussion on configuration, see 5.4.1.

NOTE 2 The assessment situations are checked against the acceptance criteria of this part of ISO 19905 to demonstrate that the relevant limit states are not exceeded.

³⁾ Other terms and definitions relevant for the use of this part of ISO 19905 are also found in ISO 19901-4 and ISO 19906.