AND STREET TIMES **Dentistry - Base polymers - Part 2: Orthodontic base** polymers (ISO 20795-2:2013)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

	This Estonian standard EVS-EN ISO 20795-2:2013	
sisaldab Euroopa standardi EN ISO 20795-2:2013	consists of the English text of the European standard	
ingliskeelset teksti.	EN ISO 20795-2:2013.	
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.	
·	Date of Availability of the European standard is 06.03.2013.	
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.	

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 11.060.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; <u>www.evs.ee</u>; telefon 605 5050; e-post <u>info@evs.ee</u>

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 20795-2

NORME EUROPÉENNE EUROPÄISCHE NORM

March 2013

ICS 11.060.10

Supersedes EN ISO 20795-2:2010

English Version

Dentistry - Base polymers - Part 2: Orthodontic base polymers (ISO 20795-2:2013)

Médecine bucco-dentaire - Polymères de base - Partie 2: Polymères pour base orthodontique (ISO 20795-2:2013)

Zahnheilkunde - Kunststoffe - Teil 2: Kieferorthopädische Kunststoffe (ISO 20795-2:2013)

This European Standard was approved by CEN on 5 February 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 20795-2:2013) has been prepared by Technical Committee ISO/TC 106 "Dentistry" in collaboration with Technical Committee CEN/TC 55 "Dentistry" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2013, and conflicting national standards shall be withdrawn at the latest by September 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 20795-2:2010.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 20795-2:2013 has been approved by CEN as EN ISO 20795-2:2013 without any modification.

Co	ntent	S	Page
For	eword		iv
Intr	oductio	n	v
1	Scop	e	1
2	Norn	native references	1
3	Tern	ns and definitions	1
4	Class	sification	2
5		uirements	
	5.1	Unpolymerized material	2
	5.2	Polymerized material	
6	-	pling	
7	Prep 7.1	aration of specimen plates and test specimens Laboratory environment	
	7.1	Procedures	
	7.3	Special equipment	
8	Test	methods	
	8.1 8.2	Inspection for compliance determination Colour	
	8.3	Polishability, freedom from porosity, ultimate flexural strength, and flexural modulus.	
	8.4	Fracture toughness with a modified bending test	10
	8.5	Residual methyl methacrylate monomer	
	8.6 8.7	Plasticiser(s), where applicable	
9		nirements for labelling, marking, packaging, and instructions supplied	20
,		anufacturer	26
	9.1	Packaging	
	9.2	Marking of outer packages and containers	
	9.3	Manufacturer's instructions	
	-	ormative) HPLC method for determination of MMA content	
Bib	liograph	ıy	31
		y	

Introduction

Polymeric materials based on methacrylates have been widely used in the construction of both active and passive removable orthodontic appliances for many years. These removable appliances are mainly used in the orthodontic treatment of children. The method of preparing the polymeric part of the orthodontic appliance has several potential problems. Depending on the polymerization process and polymer/monomer mixing ratio, the polymer part of the removable orthodontic appliance may be weaker than if conventional flasking and heat systems of polymerization were used. There may be a greater risk that an appliance will have more residual substances such as monomers than a conventional heat-cured denture base polymer. In addition, a high monomer content of the polymer/monomer mix may cause increased contraction on polymerization.

itat.

It it is a to ISO 10. Specific qualitative and quantitative requirements for freedom from biological hazard are not included in this part of ISO 20795, but it is recommended that, in assessing possible biological or toxicological hazards, reference be made to ISO 10993-1 and ISO 7405.

Dentistry — Base polymers —

Part 2:

Orthodontic base polymers

1 Scope

This part of ISO 20795 is applicable to orthodontic base polymers and copolymers used in the construction of both active and passive orthodontic appliances and specifies their requirements. It also specifies test methods to be used in determining compliance with these requirements. It further specifies requirements with respect to packaging and marking the products and to the instructions to be supplied for use of these materials.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1942, Dentistry — Vocabulary

ISO 3696, Water for analytical laboratory use — Specification and test methods

ISO 7491, Dental materials — Determination of colour stability

ISO 8601, Data elements and interchange formats — Information interchange — Representation of dates and times

ISO 20795-1:2008, Dentistry — Base polymers — Part 1: Denture base polymers

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1942 and the following apply.

3.1

autopolymerizable materials

products having polymerization initiated by chemical means and not requiring application of temperatures above 65 °C to complete the polymerization

3.2

build up technique

spray on technique

gradual addition of increments of powder and liquid on the master cast until the desired shape is attained

3.3

immediate container

container that is in direct contact with the (orthodontic) base materials

3.4

light activated polymers

products having polymerization initiated by the application of energy from an external radiation source, such as visible light