Gravity drainage systems inside buildings - Part 2: Sanitary pipework, layout and calculation

Gravity drainage systems inside buildings - Part 2: Sanitary pipework, layout and calculation



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 12056-2:2000 sisaldab Euroopa standardi EN 12056-2:2000 ingliskeelset teksti.

Käesolev dokument on jõustatud 15.11.2000 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 12056-2:2000 consists of the English text of the European standard EN 12056-2:2000.

This document is endorsed on 15.11.2000 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

Käsitlusala:

This European Standard applies to waste water drainage systems which operate under gravity. It is applicable for drainage systems inside dwellings, commercial, institutional and industrial buildings. This second part of the standard sets out principles which shall be followed for both layout and hydraulic calculation.

Scope:

This European Standard applies to waste water drainage systems which operate under gravity. It is applicable for drainage systems inside dwellings, commercial, institutional and industrial buildings. This second part of the standard sets out principles which shall be followed for both layout and hydraulic calculation.

ICS 91.140.80

Võtmesõnad:

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN 12056-2

June 2000

ICS 91.140.80

English version

Gravity drainage systems inside buildings

Part 2: Sanitary pipework, layout and calculation

Réseaux d'évacuation gravitaire à l'intérieur des bâtiments – Partie 2: Systèmes pour les eaux usées, conception et calculs

Schwerkraftentwässerungsanlagen innerhalb von Gebäuden – Teil 2: Schmutzwasseranlagen, Planung und Berechnung

This European Standard was approved by CEN on 1999-10-27.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, the Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and the United Kingdom.

CEN

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

Foreword	5
1 Scope	5
2 Normative references	6
3 Definitions	7
3.1 General 3.1.1 Waste water 3.1.2 Domestic waste water 3.1.3 Trade effluent 3.1.4 Grey water 3.1.5 Black water 3.1.6 Rainwater 3.1.7 Flood level 3.1.8 Drainage system 3.1.9 Combined system 3.1.10 Separate system	7 7 7 7 7 7 7 7 7
3.2Pipes and fittings 3.2.1 Sanitary pipework 3.2.2 Nominal diameter (DN) 3.2.3 Internal diameter (\(\alpha\)) 3.2.4 External diameter (\(\alpha\)) 3.2.5 Minimum internal diameter (\(\alpha\) min) 3.2.6 Branch discharge pipe 3.2.7 Square entry 3.2.8 Swept entry 3.2.9 Connection bend 3.2.10 Discharge stack 3.2.11 Stack offset 3.2.12 Drain 3.2.13 Filling degree 3.3Ventilating pipework	7 7 7 8 8 8 8 8 8 8 8 8
3.3Ventilating pipework 3.3.1 Ventilating pipe 3.3.2 Branch ventilating pipe 3.3.3 Stack vent 3.3.4 Ventilating stack 3.3.5 Air admittance valve	8 8 8 8 8
3.4Appliances 3.4.1 Domestic sanitary appliances 3.4.2 Non-domestic sanitary appliances 3.4.3 Floor gully 3.4.4 Trap 3.4.5 Depth of water seal (H)	8 8 9 9 9
3.5Calculation 3.5.1 Discharge unit (DU) 3.5.2 Frequency factor (K) 3.5.3 Waste water flow rate (Q _{ww})	9 9 9 9

3.5.4 Continuous flow rate (Q_c) 3.5.5 Pumped water flow rate (Q_p) 3.5.6 Total flow rate (Q_{tot}) 3.5.7 Hydraulic capacity (Q_{tot}) 3.5.8 Air flow rate (Q_a)	9 9 9 9
4 System configurations	10
4.1 General	10
4.2System types	10
 4.3Configurations 4.3.1 Primary ventilated system configurations 4.3.2 Secondary ventilated system configurations 4.3.3 Unventilated discharge branch configurations 4.3.4 Ventilated discharge branch configurations 	10 11 12 13 14
5 Layout rules	15
5.1 Compliance with European Standards	15
5.2Protection against flooding	15
5.3Odour	15
5.4Trap seal	15
5.5Reduction of nominal diameter	15
5.6 Ventilation	15
5.7Air admittance valves	15
6 Calculation	16
6.1 General	16
6.2Basic data 6.2.1 Pipe diameter 6.2.2 Discharge units 6.2.3 Discharge from non-domestic sanitary appliances	16 16 16 17 17 17 18 18 18
6.3Calculation of flowrate 6.3.1 Waste water flowrate (Q_{ww}) 6.3.2 Frequency factor (K) 6.3.3 Total flowrate (Q_{tot}) 6.3.4 Calculation rules	18 18 18 18 18
 6.4Layout of branches 6.4.1 Unventilated discharge branches 6.4.2 Ventilated discharge branches 6.4.3 Air admittance valves for branches 	19 19 21 24

Page 4

EN 12056-2 : 2000

 6.5Layout of discharge stacks 6.5.1 Primary ventilated discharge stacks 6.5.2 Secondary ventilated discharge stacks 6.5.3 Air admittance valves for stacks 6.5.4 Ventilating pipework 	24 24 25 25 25
6.6Layout of drains 6.6.1 General	25 25
Annex A (informative)	26
A.1 National and local regulations and practice	26
Annex B (informative)	31
B.1 Capacities of drains	31
B.2 Values of waste water flow rates	32
Annex C (informative)	33
C.1 Calculation example	33
C.2 Data and parameters	33
C.3 Sum of discharge units	33
C.4 Calculation of the stack size	34
Annex C (informative) C.1 Calculation example C.2 Data and parameters C.3 Sum of discharge units C.4 Calculation of the stack size C.5 Calculation of the drain sizes Annex D (informative) D.1 European Standards of commonly used products and additional European Standards in the field of waste water systems	34
Annex D (informative)	36
D.1 European Standards of commonly used products and additional European Standards in the field of waste water systems	36
	36

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 165 "Waste water engineering", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2000, and conflicting national standards shall be withdrawn at the latest by June 2001.

This is the second part in a series of the following five parts:

Part 1: General and performance requirements

Part 2: Sanitary pipework, layout and calculation

Part 3: Roof drainage, layout and calculation

Part 4: Waste water lifting plants, layout and calculation

Part 5: Installation and testing of drainage systems,

instructions for operation, maintenance and use

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard applies to waste water drainage systems which operate under gravity. It is applicable for drainage systems inside dwellings, commercial, institutional and industrial buildings.

Differences in plumbing within Europe have led to a variety of systems being developed. Some of the major systems in use are described but this standard has not attempted to detail the intricacies of each system. Detailed information additional to that contained in this Standard may be obtained by referring to the technical documents listed in Annex A.

This second part of the standard sets out principles which shall be followed for both layout and calculation. It makes limited provision for drainage systems conveying trade effluent and also makes limited provision for fluids removed by pumps.

All drawings in the standard are given as examples and are not intended to exclude any other system configuration.

Page 6 EN 12056-2:2000

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of publication referred to applies.

EN 12056-1: Gravity drainage systems inside buildings

> General and performance requirements Part 1:

EN 12056-3: Gravity drainage systems inside buildings

> Part 3: Roof drainage, layout and calculation

EN 12056-4: Gravity drainage systems inside buildings

> Waste water lifting plants, layout and calculation Part 4:

EN 12056-5 Gravity drainage systems inside buildings

Part 5: Installation and testing,

instructions for operation, maintenance and use

EN 752 Drain and Sewer Systems outside Buildings

Air Adn. prEN 12380 Ventilating Pipework - Air Admittance Valve Systems (AVS)