Soil quality - Gas chromatographic determination of volatile aromatic and halogenated hydrocarbons and ati selected ethers - Static headspace method (ISO 22155:2011)



EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

sisaldab Euroopa standardi EN ISO 22155:2013	3
ingliskeelset teksti.	EN ISO 22155:2013.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
·	Date of Availability of the European standard is 20.02.2013.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 13.080.10

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

EUROPEAN STANDARD

EN ISO 22155

NORME EUROPÉENNE EUROPÄISCHE NORM

February 2013

ICS 13.080.10

English Version

Soil quality - Gas chromatographic determination of volatile aromatic and halogenated hydrocarbons and selected ethers - Static headspace method (ISO 22155:2011)

Qualité du sol - Dosage des hydrocarbures aromatiques et halogénés volatils et de certains éthers par chromatographie en phase gazeuse - Méthode par espace de tête statique (ISO 22155:2011) Bodenbeschaffenheit - Gaschromatographische Bestimmung flüchtiger aromatischer Kohlenwasserstoffe, Halogenkohlenwasserstoffe und ausgewählter Ether -Statisches Dampfraum-Verfahren (ISO 22155:2011)

This European Standard was approved by CEN on 5 February 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of ISO 22155:2011 has been prepared by Technical Committee ISO/TC 190 "Soil quality" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 22155:2013 by Technical Committee CEN/TC 345 "Characterization of soils" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2013, and conflicting national standards shall be withdrawn at the latest by August 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 22155:2011 has been approved by CEN as EN ISO 22155:2013 without any modification.

Contents Page Forewordiv 1 Scope......1 2 Normative references......1 Principle2 3 4 5 Apparatus 5 6 Sampling, preservation and sample pretreatment......6 6.1 Sampling using vials prefilled with methanol6 6.2 Sampling using coring tube method......7 6.3 Procedure.......7 7.1 7.2 Extraction 7 7.3 Headspace analysis7 Gas chromatographic analysis.......8 7.4 Calculation10 8 Calculation of the concentration of a volatile compound in the water sample10 8.1 Calculation of the concentration of a volatile compound in the soil sample......11 8.2 9 10 Precision11 11 Test report......11 Annex A (informative) Relative retention times with respect to ethylbenzene-D10 of volatile Annex B (normative) Check on internal standards14 Annex C (informative) Validation (general)15 Annex D (informative) Validation for the pathway soil/human......18

Bibliography......21

-00

Soil quality — Gas chromatographic determination of volatile aromatic and halogenated hydrocarbons and selected ethers — Static headspace method

1 Scope

This International Standard specifies a static headspace method for quantitative gas chromatographic determination of volatile aromatic and halogenated hydrocarbons and selected aliphatic ethers in soil.

This International Standard is applicable to all types of soil.

The limit of determination is dependent on the detection system used and the quality of the methanol grade used for the extraction of the soil sample.

Under the conditions specified in this International Standard, the following limits of determination apply (expressed on the basis of dry matter):

Typical limit of determination when using gas chromatography/flame ionization detection (GC/FID):

- volatile aromatic hydrocarbons: 0,2 mg/kg;
- aliphatic ethers as methyl tert-butyl ether (MTBE) and tert-amyl methyl ether (TAME): 0,5 mg/kg.

Typical limit of determination when using gas chromatography/electron capture detection (GC/ECD):

volatile halogenated hydrocarbons: 0,01 mg/kg to 0,2 mg/kg.

Lower limits of determination can be achieved for some compounds by using mass spectrometry (MS) with selected ion detection (see Annex D).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 10381-1:2002, Soil quality — Sampling — Part 1: Guidance on the design of sampling programmes

ISO 10381-2, Soil quality — Sampling — Part 2: Guidance on sampling techniques

ISO 11465, Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method

ISO 15680, Water quality — Gas-chromatographic determination of a number of monocyclic aromatic hydrocarbons, naphthalene and several chlorinated compounds using purge-and-trap and theral desorption

ISO 18512, Soil quality — Guidance on long and short term storage of soil samples

ISO 22892, Soil quality — Guidelines for the identification of target compounds by gas chromatography and mass spectrometry

3 Principle

Test samples are taken from an untreated field-moist soil sample. To prevent losses of the volatiles, samples are taken in as undisturbed a way as possible in the field with a tube corer or by adding methanol immediately in the field.

The test sample is extracted with methanol. An aliquot of the methanol extract is transferred into a headspace vial with a defined amount of water and sealed. The temperature of the vials is stabilized in a thermostatic system to a temperature within the range 50 °C to 80 °C to achieve specified equilibrium conditions. Gas chromatographic analysis of the volatile compounds in gaseous phase in equilibrium with the water in the vials is carried out by using headspace injection and an appropriate capillary column. Volatile organic compounds are detected with appropriate detectors, such as a mass spectrometry detector (MS), flame ionization detector (FID), electron capture detector (ECD), photo ionization detector (PID) or electrolytic conductivity detector (ELCD).

Identification and quantification are made by comparison of retention times and peak heights (or peak areas), comparing to the internal standard added.

When using non-specific detectors, such as FID and ECD, the confirmation of the identity of the detected compounds and their concentrations should be done by repeating the gas chromatographic analysis using a column of different polarity. When using gas chromatography/mass spectrometry (GC/MS), the identity confirmation and the quantification can be done in a single run.

4 Reagents

All reagents shall be of recognized analytical grade. Verify whether the reagents are applicable for this specific purpose and free of interfering compounds.

4.1 Water, free of volatile organic contaminants, showing negligible interferences in comparison with the smallest concentration to be determined. A sufficient amount of water from the same batch should be available to complete each batch of analyses, including all preparations.

4.2 Internal standard compounds

4.2.1 For the determination of volatile aromatic hydrocarbons, preferably two internal standards shall be selected. They shall not interfere with compounds present in the methanol extract.

Examples of suitable internal standards are:

- toluene-D8 (CAS-RN¹⁾ 2037-26-5);
- ethylbenzene-D10 (CAS-RN 25837-05-2);
- 2-bromofluorobenzene (CAS-RN 1072-85-1).
- **4.2.2** For the determination of volatile halogenated hydrocarbons, preferably two internal standards shall be selected. They shall not interfere with compounds present in the methanol extract.

-

¹⁾ CAS-RN: Chemical Abstracts System Registry Number