

Geotechnical investigation and testing - Sampling methods and groundwater measurements - Part 1: Technical principles for execution

Geotechnical investigation and testing - Sampling
methods and groundwater measurements - Part 1:
Technical principles for execution

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

| | |
|--|---|
| <p>Käesolev Eesti standard EVS-EN ISO 22475-1:2006 sisaldab Euroopa standardi EN ISO 22475-1:2006 ingliskeelset teksti.</p> <p>Käesolev dokument on jõustatud 24.11.2006 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p> | <p>This Estonian standard EVS-EN ISO 22475-1:2006 consists of the English text of the European standard EN ISO 22475-1:2006.</p> <p>This document is endorsed on 24.11.2006 with the notification being published in the official publication of the Estonian national standardisation organisation.</p> <p>The standard is available from Estonian standardisation organisation.</p> |
|--|---|

| | |
|---|---|
| <p>Käsitlusala:</p> <p>This part of ISO 22475 deals with the technical principles of sampling of soil, rock and groundwater, and with groundwater measurements, in the context of geotechnical investigation and testing, as described in EN 1997-1 and EN 1997-2.</p> | <p>Scope:</p> <p>This part of ISO 22475 deals with the technical principles of sampling of soil, rock and groundwater, and with groundwater measurements, in the context of geotechnical investigation and testing, as described in EN 1997-1 and EN 1997-2.</p> |
|---|---|

ICS 93.020

Võtmesõnad:

ICS 93.020

English Version

**Geotechnical investigation and testing - Sampling methods and
groundwater measurements - Part 1: Technical principles for
execution (ISO 22475-1:2006)**

Reconnaissance et essais géotechniques - Méthodes de
prélèvement et mesurages piézométriques - Partie 1:
Principes techniques des travaux (ISO 22475-1:2006)

Geotechnische Erkundung und Untersuchung -
Probenentnahmeverfahren und Grundwassermessungen -
Teil 1: Technische Grundlagen der Ausführung (ISO 22475-
1:2006)

This European Standard was approved by CEN on 30 December 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Foreword

This document (EN ISO 22475-1:2006) has been prepared by Technical Committee CEN/TC 341 "Geotechnical Investigation and Testing", the secretariat of which is held by ELOT, in collaboration with Technical Committee ISO/TC 182 "Geotechnics".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2007, and conflicting national standards shall be withdrawn at the latest by March 2007.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

**Geotechnical investigation and testing —
Sampling methods and groundwater
measurements —**

**Part 1:
Technical principles for execution**

*Reconnaissance et essais géotechniques — Méthodes de prélèvement
et mesurages piézométriques —*

Partie 1: Principes techniques des travaux



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

| | |
|--|-----------|
| Foreword..... | vii |
| Introduction..... | viii |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions..... | 2 |
| 3.1 Site investigation methods | 2 |
| 3.2 Drilling rigs and equipment | 3 |
| 3.3 Sampling..... | 3 |
| 3.4 Groundwater measurements | 8 |
| 4 Drilling rigs and ancillary equipment..... | 10 |
| 4.1 General..... | 10 |
| 4.2 Requirements for the drilling rigs and equipment | 10 |
| 4.3 Equipment scope | 10 |
| 5 General requirements prior to sampling and groundwater measurements | 11 |
| 5.1 General..... | 11 |
| 5.2 Selection of techniques and methods | 11 |
| 5.3 Requirements for ground investigation sites and points..... | 11 |
| 5.4 Preliminary information needed before starting sampling and groundwater measurements..... | 12 |
| 5.5 Backfilling and site abandonment | 13 |
| 5.6 Safety and special requirements..... | 13 |
| 6 Soil sampling methods..... | 13 |
| 6.1 General..... | 13 |
| 6.2 Categories of soil sampling methods..... | 13 |
| 6.3 Sampling by drilling (continuous sampling)..... | 14 |
| 6.4 Sampling using samplers | 20 |
| 6.5 Block sampling | 27 |
| 7 Rock sampling methods | 29 |
| 7.1 General..... | 29 |
| 7.2 Categories for rock sampling methods | 29 |
| 7.3 Sampling by drilling..... | 32 |
| 7.4 Block sampling | 33 |
| 7.5 Integral sampling | 33 |
| 8 Groundwater sampling methods for geotechnical purposes | 33 |
| 8.1 General..... | 33 |
| 8.2 Equipment | 34 |
| 8.3 Techniques of groundwater sampling..... | 34 |
| 9 Groundwater measuring stations and piezometers | 35 |
| 9.1 General..... | 35 |
| 9.2 Piezometers | 36 |
| 9.3 Installation of piezometers | 40 |
| 9.4 Maintenance | 43 |
| 9.5 Decommissioning | 44 |
| 10 Groundwater measurements | 44 |
| 10.1 Calibration | 44 |
| 10.2 Performance of the measurements..... | 44 |

| | | |
|------------------------------|--|------------|
| 11 | Handling, transport and storage of samples | 45 |
| 11.1 | General | 45 |
| 11.2 | Preservation materials and sample containers | 46 |
| 11.3 | Handling of samples | 46 |
| 11.4 | Labelling of samples | 47 |
| 11.5 | Transport of samples | 47 |
| 11.6 | Preparation of storage and shipping containers | 49 |
| 11.7 | Storage of samples | 50 |
| 12 | Report | 50 |
| 12.1 | Field report | 50 |
| 12.2 | Report of the results | 56 |
| Annex A (informative) | Example of a form for the preliminary information on the intended sampling and groundwater measurements | 58 |
| Annex B (informative) | Field reports | 60 |
| Annex C (informative) | Drilling and sampling equipment for soil and rock | 69 |
| Annex D (informative) | Vacuum bottles for groundwater sampling | 115 |
| Annex E (informative) | Protective measures of piezometers | 117 |
| Bibliography | | 119 |

Figures

| | | |
|--------------------|---|-----------|
| Figure 1 | Definitions of the diameters D_1, D_2, D_3 and D_4 | 5 |
| Figure 2 | Application of fracture state terms for rock cores | 6 |
| Figure 3 | Lengths of core run and sample | 7 |
| Figure 4 | Examples of open-tube samplers (OS) for recovering samples from boreholes | 24 |
| Figure 5 | Schematic thin-walled stationary piston sampler (PS) for sampling from borehole bottom | 26 |
| Figure 6 | Examples of open systems | 36 |
| Figure 7 | Examples of closed systems | 38 |
| Figure 8 | Closed system with filter pack and sealing in a borehole | 42 |
| Figure 9 | Examples of sealing and securing samples | 48 |
| Figure 10 | Example of the configuration of an open groundwater measuring system | 55 |
| Figure C.1 | Drill rods and casing | 69 |
| Figure C.2 | Drill rods taper threaded “Y” series | 72 |
| Figure C.3 | Drill rods taper threaded “J” series | 72 |
| Figure C.4 | Corebarrels “metric” series, according to ISO 3552-1 | 77 |
| Figure C.5 | Corebarrels “W” series, according to ISO 3551-1 | 79 |
| Figure C.6 | Corebarrels “W” series, according to ISO 3551-1 | 80 |
| Figure C.7 | Wireline corebarrel assembly | 81 |
| Figure C.8 | Geotechnical wireline corebarrel (inner and outer tube assembly) | 83 |
| Figure C.9 | Water-well casing with flush butt joints, according to BS 879 | 85 |
| Figure C.10 | Water-well casing with screwed and socketed joints, according to BS 879 | 85 |
| Figure C.11 | Three-cone milled tooth rock bit | 88 |

| | |
|--|-----|
| Figure C.12 — Tungsten carbide button bit | 88 |
| Figure C.13 — Typical corebarrel lifters | 90 |
| Figure C.14 — Typical sampler retainers | 91 |
| Figure C.15 — Thin wall sampler (Shelby tube) | 92 |
| Figure C.16 — Hydraulic piston sampler..... | 93 |
| Figure C.17 — Stationary piston sampler with a 50-mm diameter liner — Sampling category A..... | 94 |
| Figure C.18 — Stationary piston sampler with a 50-mm liner — Parts | 96 |
| Figure C.19 — Stationary piston sampler with a 50-mm diameter liner — Sampling categories A and B | 97 |
| Figure C.20 — U100 Sampler | 98 |
| Figure C.21 — Standard penetration test (SPT) samplers..... | 99 |
| Figure C.22 — Typical automatic trip hammer | 100 |
| Figure C.23 — Window and windowless samplers | 101 |
| Figure C.24 — Clay cutter and shell (bailer) | 102 |
| Figure C.25 — Sectional shell | 103 |
| Figure C.26 — Chisels and stubber | 104 |
| Figure C.27 — Continuous flight auger | 105 |
| Figure C.28 — Augers with diameters between 36 mm and 100 mm — Sampling category C | 106 |
| Figure C.29 — Hollow stem auger..... | 107 |
| Figure C.30 — Examples of sampling from trial pits | 108 |
| Figure C.31 — Recovering samples from trial pits — Example | 109 |
| Figure C.32 — Example for a thin-walled open-tube sampler..... | 110 |
| Figure C.33 — Example for a thick-walled open-tube sampler | 111 |
| Figure C.34 — Example of sampling from borehole bottom using a large sampler (Sherbrooke block sampler)..... | 112 |
| Figure C.35 — Method of sampling using a Laval sampler..... | 114 |
| Figure D.1 — Equipment for vacuum bottle sampling..... | 116 |
| Figure E.1 — Example of termination of an open piezometer above ground level..... | 117 |
| Figure E.2 — Example of termination of an open piezometer below ground level..... | 118 |

Tables

| | |
|---|----|
| Table 1 — Quality classes of soil samples for laboratory testing and sampling categories to be used | 14 |
| Table 2 — Sampling by drilling in soils | 16 |
| Table 3 — Soil sampling using samplers | 21 |
| Table 4 — Examples on sampling methods with respect to the sampling category in different soils | 28 |
| Table 5 — Soil sampling using samplers | 31 |
| Table C.1 — Drill rods and casing “W”-series according to ISO 3551-1 | 70 |
| Table C.2 — Drill rods and casing “metric” series according to ISO 3552-1 | 71 |

| | |
|--|----|
| Table C.3 — Drill rods taper threaded “Y” series | 72 |
| Table C.4 — Drill rods taper threaded “J” series..... | 72 |
| Table C.5 — Corebarrels “W” series, according to ISO 3551-1..... | 73 |
| Table C.6 — Corebarrels “metric” series, according to ISO 3552-1 | 74 |
| Table C.7 — Air flush corebarrels | 75 |
| Table C.8 — Drill rods and casing | 76 |
| Table C.9 — Corebarrels “metric” series, according to ISO 3552-1 | 78 |
| Table C.10 — Wireline drill rod dimensions | 82 |
| Table C.11 — Wireline corebarrel dimensions..... | 82 |
| Table C.12 — Geotechnical wireline corebarrel drill pipe dimensions..... | 84 |
| Table C.13 — Geotechnical wireline corebarrel dimensions..... | 84 |
| Table C.14 — Dimensions of water-well casings with flush butt joints | 85 |
| Table C.15 — Dimensions of water-well casings with screwed and socketed joints | 85 |
| Table C.16 — Bit selection chart | 86 |
| Table C.17 — Core bit profiles — Diamond set, impregnated, TC and PCD..... | 87 |
| Table C.18 — Three-cone milled tooth rock bit..... | 88 |
| Table C.19 — Tungsten carbide button bit..... | 89 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 22475-1 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 341, *Geotechnical investigation and testing*, in collaboration with Technical Committee ISO/TC 182, *Geotechnics*, Subcommittee SC 1, *Geotechnical investigation and testing*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 22475-1 consists of the following parts, under the general title *Geotechnical investigation and testing — Sampling methods and groundwater measurements*:

- *Part 1: Technical principles for execution*
- *Part 2: Qualification criteria for enterprises and personnel*
- *Part 3: Conformity assessment of enterprises and personnel by third party*

Introduction

ISO 22475-1 specifies the technical principles for the execution of sampling and groundwater measurements for geotechnical purposes.

The quality of these services can be proven by:

- a) a declaration of conformity by a contractor (first party control);
- b) a declaration of conformity by a client (second party control);
- c) a declaration of conformity by a conformity assessment body (third party control).

Every enterprise or individual may decide, if and how they will prove the fulfilment of the technically related criteria: by first, second or third party control because no part of ISO 22475 requires such a declaration.

ISO/TS 22475-2 specifies the qualification criteria for enterprises and personnel that perform sampling and groundwater measurements according to ISO 22475-1.

The conformity assessment by third party control can be made according to the technical principles for execution of sampling and groundwater measurements specified in ISO 22475-1, as indicated in ISO/TS 22475-2, and in the conformity assessment procedure given in ISO/TS 22475-3.

Geotechnical investigation and testing — Sampling methods and groundwater measurements —

Part 1: Technical principles for execution

1 Scope

This part of ISO 22475 deals with the technical principles of sampling of soil, rock and groundwater, and with groundwater measurements, in the context of geotechnical investigation and testing, as described in EN 1997-1 and EN 1997-2.

The aims of such ground investigations are:

- a) to recover soil and rock samples of a quality sufficient to assess the general suitability of a site for geotechnical engineering purposes and to determine the required soil and rock characteristics in the laboratory;
- b) to obtain information on the sequence, thickness and orientation of strata and joint system and faults;
- c) to establish the type, composition and condition of strata;
- d) to obtain information on groundwater conditions and recover water samples for assessment of the interaction of groundwater, soil, rock and construction material.

The quality of a sample is influenced by the geological and hydrogeological conditions, the choice and execution of the drilling and/or the sampling method, handling, transport and storage of the samples.

This part of ISO 22475 does not cover soil sampling for the purposes of agricultural and environmental soil investigation.

NOTE 1 Soil sampling for these purposes is to be found in ISO 10381.

Water sampling for the purposes of quality control, quality characterisation, and identification of sources of pollution of water, including bottom deposits and sludges is not covered.

NOTE 2 Water sampling for these purposes is to be found in ISO 5667.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 791, *Drill rigs — Safety*

EN 996, *Piling equipment — Safety requirement*

EN 1997-1, *Eurocode 7: Geotechnical design — Part 1: General rules*

EN 1997-2, *Eurocode 7: Geotechnical design — Part 2: Design assisted by laboratory testing*

ISO 22476-3, *Geotechnical investigation and testing — Field testing — Part 3: Standard penetration test*

ISO 14688-1, *Geotechnical investigation and testing — Identification and classification of soil — Part 1: Identification and description*

ISO 14689-1, *Geotechnical investigation and testing — Identification and classification of rock — Part 1: Identification and description*

ISO 3551-1, *Rotary core diamond drilling equipment — System A — Part 1: Metric units*

ISO 3552-1, *Rotary core diamond drilling equipment — System B — Part 1: Metric units*

GUM: *Guide to the expression of uncertainty in measurement*, BIPM/IEC/IFCC/ISO/OIML/IUPAC/IUPAP

ISO 10097-1, *Wireline diamond core drilling equipment — System A — Part 1: Metric units*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 1997-1, EN 1997-2, ISO 14688-1 and ISO 14689-1 and the following apply.

NOTE Additional terms and definitions can be found in the books and literature listed in the Bibliography.

3.1 Site investigation methods

3.1.1

trial pit

open excavation constructed to examine the ground conditions *in situ*, recover samples or carry out field testing

3.1.2

shaft

open vertical or steeply inclined excavation, typically more than 5 m deep, constructed to examine the ground conditions *in situ*, recover samples or carry out field testing

3.1.3

heading

adit

small tunnel driven horizontally or with a slight inclination from a shaft or into sloping ground to examine the ground conditions *in situ*, recover samples and carry out field testing

3.1.4

borehole

hole of any predetermined diameter and length formed in any geological formation or man-made material by drilling

NOTE Investigations carried out in such a hole can be to recover rock, soil or water samples from a specified depth or to carry out *in situ* tests and measurements.

3.1.5

drilling

process by which a borehole is produced in any geological formation by rotary, rotary percussive, percussive or thrust methods and in any predetermined direction in relation to the drill rig

3.1.6

small diameter drilling

drilling in the soil with a diameter greater than 30 mm but less than 80 mm