

Soil quality - Determination of selected organotin compounds - Gas-chromatographic method (ISO 23161:2009)

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN ISO 23161:2011 sisaldab Euroopa standardi EN ISO 23161:2011 ingliskeelset teksti.</p> <p>Standard on kinnitatud Eesti Standardikeskuse 31.08.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.</p> <p>Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 10.08.2011.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN ISO 23161:2011 consists of the English text of the European standard EN ISO 23161:2011.</p> <p>This standard is ratified with the order of Estonian Centre for Standardisation dated 31.08.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.</p> <p>Date of Availability of the European standard text 10.08.2011.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

ICS 13.080.10

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation:
Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

ICS 13.080.10

English Version

Soil quality - Determination of selected organotin compounds -
Gas-chromatographic method (ISO 23161:2009)

Qualité du sol - Dosage d'une sélection de composés
organostanniques - Méthode par chromatographie en
phase gazeuse (ISO 23161:2009)

Bodenbeschaffenheit - Bestimmung ausgewählter
Organozinnverbindungen - Gaschromatographisches
Verfahren (ISO 23161:2009)

This European Standard was approved by CEN on 14 July 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

The text of ISO 23161:2009 has been prepared by Technical Committee ISO/TC 190 "Soil quality" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 23161:2011 by Technical Committee CEN/TC 308 "Characterization of sludges" the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2012, and conflicting national standards shall be withdrawn at the latest by February 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 23161:2009 has been approved by CEN as a EN ISO 23161:2011 without any modification.

Contents

Page

Foreword	iv
Introduction.....	v
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Principle.....	2
5 Reagents.....	4
5.1 General	4
5.2 Chemicals.....	4
5.3 Standards	5
5.4 Preparation of reagents and solutions.....	6
5.5 Clean-up	7
6 Apparatus	7
6.1 Requirements for glassware	7
6.2 Sampling apparatus	8
6.3 Additional apparatus	8
7 Procedure	8
7.1 Sampling and sample pretreatment	8
7.2 Sample extraction.....	9
7.3 Clean-up of the extract.....	10
7.4 Determination of dry mass	11
7.5 Measurement	11
8 Calibration	12
9 Recovery rates of the internal standard compounds	12
10 Quantification	13
11 Expression of results	14
12 Precision.....	14
13 Test report.....	14
Annex A (informative) Information about the procedure	15
Annex B (informative) Additional clean-up procedures.....	17
Annex C (informative) Information about typical instrumental conditions	20
Annex D (informative) Information about GC/MS identification.....	31
Annex E (informative) Validation data	33
Bibliography.....	37

Introduction

It is absolutely essential that tests conducted in accordance with this International Standard be carried out by suitably qualified staff.

It can be noted whether, and to what extent, particular problems will require the specification of additional boundary conditions.

Soil quality — Determination of selected organotin compounds — Gas-chromatographic method

WARNING — Persons using this International Standard should be familiar with normal laboratory practice. This International Standard does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

1 Scope

This International Standard specifies a gas-chromatographic method for the identification and quantification of organotin compounds (OTCs) in soils as specified in Table 1. The method is also applicable to samples from sediments, sludges and wastes (soil-like materials). The working range depends on the detection technique used and the amount of sample taken for analysis. The limit of quantification for each compound is about 10 µg/kg.

Table 1 — Organotin compound, which can be determined in accordance with this International Standard

$R_n\text{Sn}^{(4-n)+}$	R	<i>n</i>	Name	Acronym
Organotin cations^a				
BuSn^{3+}	Butyl	1	Monobutyltin cation	MBT
$\text{Bu}_2\text{Sn}^{2+}$	Butyl	2	Dibutyltin cation	DBT
Bu_3Sn^+	Butyl	3	Tributyltin cation	TBT
OcSn^{3+}	Octyl	1	Monooctyltin cation	MOT
$\text{Oc}_2\text{Sn}^{2+}$	Octyl	2	Diocetyl tin cation	DOT
Ph_3Sn^+	Phenyl	3	Triphenyltin cation	TPhT
Cy_3Sn^+	Cyclohexyl	3	Tricyclohexyltin cation	TCyT
Peralkylated organotin				
Bu_4Sn	Butyl	4	Tetrabutyltin	TTBT
^a Organotin compounds are measured after derivatization.				

NOTE When applying this method to the determination of other organotin compounds not specified in the scope, its suitability is proven by proper in-house validation experiments, e.g. methyltin compounds. See Table 2. Methyltin cations are unlikely to evaporate from aqueous solvents, but peralkylated methyltin compounds are volatile and subject to losses (see C.3). Therefore, additional precautions are established.

Table 2 — Methyltin compounds

$R_n\text{Sn}^{(4-n)+}$	R	<i>n</i>	Name	Acronym
MeSn^{3+}	Methyl	1	Monomethyltin cation	MMT
$\text{Me}_2\text{Sn}^{2+}$	Methyl	2	Dimethyltin cation	DMT
Me_3Sn^+	Methyl	3	Trimethyltin cation	TMT

Organotin cations can only be determined in accordance with this International Standard after derivatization. The anionic part bound to the organotin cation is mainly dependent on the chemical environment and is not determined using this method. The peralkylated organotin compounds behave in a completely different way from their parent compounds. Tetraalkylated organotin compounds which are already peralkylated, such as tetrabutyltin, are determined directly without derivatization.

The properties, such as particle size distribution, water content and organic matter content of the solids to be analysed using this International Standard vary widely. Sample pretreatment is designed adequately with respect to both the properties of the organotin compounds and the matrix to be analysed.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

ISO 11465, *Soil quality — Determination of dry matter and water content on a mass basis — Gravimetric method*

ISO 16720, *Soil quality — Pretreatment of samples by freeze-drying for subsequent analysis*

ISO 22892, *Soil quality — Guidelines for the identification of target compounds by gas chromatography and mass spectrometry*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

organotin compound

substance containing 1 to 4 Sn-C bonds

NOTE The number of Sn-C bonds is a measure for the degree of substitution.

3.2

organotin cation

part of the organotin compound (3.1) that contains all Sn-C bonds and is formally charged

3.3

organotin cation derivatives

non-dissociated tetrasubstituted organotin compounds which are produced by derivatization

3.4

solid

soil, sediment, sludge and waste (soil-like material)

4 Principle

For the ionic and the non-ionic organotin compounds (see Table 1), a different sample pretreatment and sample preparation are necessary. For the determination of organotin cations, laboratory samples are pretreated by freeze drying and grinding. This procedure enables homogeneity of the sample to be achieved. The determination of non-ionic TTBT cannot be carried out with freeze-dried materials due to evaporation losses, thus, it shall be determined in the field-moist sample. Organotin cations can only be determined after derivatization, whereas TTBT is already peralkylated and can be determined without derivatization (see the flowchart in Figure 1).