

Passive filter units for electromagnetic interference suppression - Part 3: Passive filter units for which safety tests are appropriate

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 60939-3:2015 sisaldab Euroopa standardi EN 60939-3:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 60939-3:2015 consists of the English text of the European standard EN 60939-3:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 20.11.2015.	Date of Availability of the European standard is 20.11.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 31.160

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

ICS 31.160

English Version

**Passive filter units for electromagnetic interference suppression -
Part 3: Passive filter units for which safety tests are appropriate
(IEC 60939-3:2015)**

Filtres passifs d'antiparasitage - Partie 3: Filtres passifs
pour lesquels des essais de sécurité sont appropriés
(IEC 60939-3:2015)

Passive Filter für die Unterdrückung von
elektromagnetischen Störungen - Teil 3: Filter, für die
Sicherheitsprüfungen vorgeschrieben sind
(IEC 60939-3:2015)

This European Standard was approved by CENELEC on 2015-09-16. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of document 40/2387/FDIS, future edition 1 of IEC 60939-3, prepared by IEC/TC 40 "Capacitors and resistors for electronic equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60939-3:2015.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2016-06-16
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2018-09-16

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60939-3:2015 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60068-2-13	NOTE	Harmonized as EN 60068-2-13.
IEC 60068-2-27	NOTE	Harmonized as EN 60068-2-27.
IEC 60085	NOTE	Harmonized as EN 60085.
IEC 60335-1	NOTE	Harmonized as EN 60335-1.
IEC 60384-9	NOTE	Harmonized as EN 60384-9.
IEC 60947-1	NOTE	Harmonized as EN 60947-1.
IEC 60990	NOTE	Harmonized as EN 60990.
IEC 61112	NOTE	Harmonized as EN 61112.
IEC 62109-1	NOTE	Harmonized as EN 62109-1.

Annex ZA

(normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 When an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60027-1	-	Letter symbols to be used in electrical technology - Part 1: General	-	-
IEC 60050	series	International Electrotechnical Vocabulary (IEV)	-	-
IEC 60060-1	2010	High-voltage test techniques - Part 1: General definitions and test requirements	EN 60060-1	2010
IEC 60062	-	Marking codes for resistors and capacitors	EN 60062	-
IEC 60068-1	2013	Environmental testing - Part 1: General and guidance	EN 60068-1	2014
IEC 60068-2-1	-	Environmental testing - Part 2-1: Tests - Test A: Cold	EN 60068-2-1	-
IEC 60068-2-2	-	Environmental testing - Part 2-2: Tests - Test B: Dry heat	EN 60068-2-2	-
IEC 60068-2-6	-	Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)	EN 60068-2-6	-
IEC 60068-2-14	-	Environmental testing - Part 2-14: Tests - Test N: Change of temperature	EN 60068-2-14	-
IEC 60068-2-17	-	Basic environmental testing procedures - Part 2-17: Tests - Test Q: Sealing	EN 60068-2-17	-
IEC 60068-2-20	2008	Environmental testing - Part 2-20: Tests - Test T: Test methods for solderability and resistance to soldering heat of devices with leads	EN 60068-2-20	2008
IEC 60068-2-21	-	Environmental testing - Part 2-21: Tests - Test U: Robustness of terminations and integral mounting devices	EN 60068-2-21	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-30	2005	Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60068-2-45	1980	Basic environmental testing procedures - Part 2-45: Tests - Test XA and guidance: Immersion in cleaning solvents	EN 60068-2-45	1992
IEC 60068-2-78	-	Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state	EN 60068-2-78	-
IEC 60294	-	Measurement of the dimensions of a cylindrical component with axial terminations	EN 60294	-
IEC 60384-14	2013	Fixed capacitors for use in electronic equipment - Part 14: Sectional specification - Fixed capacitors for electromagnetic interference suppression and connection to the supply mains	EN 60384-14	2013
IEC 60664-1	2007	Insulation coordination for equipment within low-voltage systems - Part 1: Principles, requirements and tests	EN 60664-1	2007
IEC 60695-11-5	-	Fire hazard testing - Part 11-5: Test flames - Needle-flame test method - Apparatus, confirmatory test arrangement and guidance	EN 60695-11-5	-
IEC 60695-11-10	-	Fire hazard testing - Part 11-10: Test flames - 50 W horizontal and vertical flame test methods	EN 60695-11-10	-
IEC 60938-1 + A1	1999 2006	Fixed inductors for electromagnetic interference suppression - Part 1: Generic specification	EN 60938-1 + A1	1999 2007
IEC 60938-2	-	Fixed inductors for electromagnetic interference suppression - Part 2: Sectional specification	EN 60938-2	-
IEC 60939-1	-	Passive filter units for electromagnetic interference suppression - Part 1: Generic specification	EN 60939-1	-
IEC 60940	-	Guidance information on the application of capacitors, resistors, inductors and complete filter units for electromagnetic interference suppression	EN 60940	-
IEC 61140	-	Protection against electric shock - Common aspects for installation and equipment	EN 61140	-
ISO 80000-1	-	Quantities and units - Part 1: General	EN ISO 80000-1	-
CISPR 17	-	Methods of measurement of the suppression characteristics of passive EMC filtering devices	EN 55017	-

CONTENTS

FOREWORD.....	7
1 General.....	9
1.1 Scope.....	9
1.2 Normative references.....	9
1.3 Information to be given in a detail specification.....	11
1.3.1 General.....	11
1.3.2 Outline drawing and dimensions.....	11
1.3.3 Mounting.....	11
1.3.4 Ratings and characteristics.....	12
1.3.5 Marking.....	12
1.4 Terms and definitions.....	12
1.5 Marking.....	17
1.5.1 General.....	17
1.5.2 Coding.....	18
1.5.3 Marking details.....	18
1.5.4 Marking of filters.....	18
1.5.5 Marking of packaging.....	18
1.5.6 Additional marking.....	18
1.6 Components.....	18
1.7 Overcurrent protective devices.....	18
1.8 Wiring and Insulation.....	19
1.8.1 General.....	19
1.8.2 Sleeving, tubing and wire insulation.....	19
1.8.3 Properties of insulation material.....	19
1.9 Protective Bonding Conductors.....	19
1.10 Corrosion.....	20
2 Preferred ratings and characteristics.....	20
2.1 Preferred characteristics.....	20
2.1.1 General.....	20
2.1.2 Preferred climatic categories.....	20
2.2 Preferred values of ratings.....	20
2.2.1 Rated voltage (U_R).....	20
2.2.2 Rated temperature.....	20
2.2.3 Passive flammability.....	20
3 Test plan for safety tests.....	21
3.1 Structurally similar filters.....	21
3.2 Safety approval procedure.....	21
3.2.1 General.....	21
3.2.2 Sampling.....	21
3.2.3 Tests.....	22
3.3 Requalification tests.....	22
4 Test and measurement procedures.....	24
4.1 General.....	24
4.1.1 General.....	24
4.1.2 Standard atmospheric conditions.....	24
4.1.3 Standard atmospheric conditions for testing.....	24
4.1.4 Recovery conditions.....	25

4.1.5	Referee conditions	25
4.1.6	Reference conditions	25
4.1.7	Drying.....	26
4.2	Visual examination and check of dimensions	26
4.2.1	Visual examination.....	26
4.2.2	Dimensions (gauging)	26
4.2.3	Dimensions (detail)	26
4.2.4	Creepage distances and clearances	26
4.3	Inductance measurement	29
4.3.1	General	29
4.3.2	Measuring conditions	29
4.4	Earth inductors incorporated in filters.....	29
4.5	Capacitance.....	29
4.5.1	General	29
4.5.2	Measuring conditions	29
4.6	Insertion loss	30
4.7	Insulation resistance	30
4.7.1	General	30
4.7.2	Measuring voltage.....	30
4.7.3	Application of measuring voltage	31
4.7.4	Mean time to measuring	32
4.7.5	Temperature correction factor	32
4.7.6	Information to be given in a detail specification	32
4.7.7	Requirements	34
4.8	Voltage proof	35
4.8.1	General	35
4.8.2	Test procedure.....	35
4.8.3	Applied voltage	35
4.8.4	Tests	36
4.8.5	Requirements	37
4.8.6	Repetition of the voltage proof test	37
4.8.7	Information to be given in a detail specification	37
4.8.8	Requirements	37
4.9	DC line resistance or voltage drop at rated current.....	37
4.9.1	General	37
4.9.2	DC line resistance.....	37
4.9.3	Voltage drop at rated current.....	37
4.10	Discharge resistance.....	38
4.10.1	General	38
4.10.2	Resistor Test	38
4.11	Robustness of terminations	39
4.11.1	General	39
4.11.2	Test Ua1 – Tensile.....	39
4.11.3	Test Ub – Bending	39
4.11.4	Test Uc – Torsion.....	39
4.11.5	Test Ud – Torque	39
4.11.6	Visual examination.....	41
4.12	Resistance to soldering heat	41
4.12.1	Applicability of the test	41

4.12.2	Pre-measurement	41
4.12.3	Test conditions	41
4.12.4	Test severity	41
4.12.5	Intermediate inspection, measurements and requirements	41
4.13	Solderability (for performance only)	41
4.13.1	General	41
4.13.2	Test method.....	42
4.13.3	Test conditions	42
4.13.4	Requirements	42
4.13.5	Final measurements and requirements	42
4.14	Rapid change of temperature (for performance only).....	42
4.14.1	Pre-measurements.....	42
4.14.2	Test method.....	43
4.14.3	Final inspection.....	43
4.15	Vibration (for performance only)	43
4.15.1	Pre-measurements.....	43
4.15.2	Test method.....	43
4.15.3	Test conditions	43
4.15.4	Intermediate inspection	43
4.15.5	Final Inspection	43
4.16	Shock (for performance only).....	43
4.16.1	Pre measurements	43
4.16.2	Test method.....	44
4.16.3	Test conditions	44
4.16.4	Final Inspection	44
4.17	Container sealing (for performance only)	44
4.17.1	General	44
4.17.2	Test conditions	44
4.17.3	Requirements	44
4.18	Climatic sequence.....	44
4.18.1	General	44
4.18.2	Initial measurements	44
4.18.3	Dry heat.....	45
4.18.4	Damp heat, cyclic.....	45
4.18.5	Cold.....	45
4.18.6	Low air pressure	45
4.18.7	Damp heat, cyclic, remaining cycles	46
4.18.8	Final inspection, measurements and requirements.....	46
4.19	Damp heat, steady state.....	46
4.19.1	Pre-measurements.....	46
4.19.2	Test method.....	46
4.19.3	Test conditions	46
4.19.4	Final inspection, measurements and requirements.....	47
4.20	Temperature rise.....	47
4.20.1	General	47
4.20.2	Test method.....	47
4.20.3	Test description	48
4.20.4	Requirements	49
4.21	Current overload	50

4.21.1	Pre-measurements	50
4.21.2	Test method	50
4.21.3	Final inspection, measurements and requirements	50
4.22	Leakage current	50
4.23	Protective conductor resistance	50
4.24	Impulse voltage	51
4.24.1	General	51
4.24.2	Initial measurements	51
4.24.3	Test conditions	51
4.24.4	Requirements	51
4.25	Endurance	52
4.25.1	General	52
4.25.2	General test conditions	52
4.25.3	Test conditions – current test	52
4.25.4	Test conditions – voltage test, terminations/case	53
4.25.5	Test conditions – voltage test between terminations	53
4.25.6	Test conditions – combined voltage/current tests	54
4.25.7	Final inspection, measurements and requirements	54
4.26	Charge and discharge (for performance only)	54
4.26.1	General	54
4.26.2	Test circuits and wave forms	54
4.26.3	Information given in detail specification	56
4.26.4	Initial measurements	56
4.26.5	Test conditions	57
4.26.6	Final measurements and requirements	57
4.27	Passive flammability	57
4.27.1	General	57
4.27.2	Test method	57
4.28	Active flammability	58
4.29	Solvent resistance of the marking	58
4.29.1	General	58
4.29.2	Test description	58
4.29.3	Requirements after test	59
4.30	Component solvent resistance (for performance only)	59
4.30.1	General	59
4.30.2	Initial measurements	59
4.30.3	Test description	59
4.30.4	Final measurements	59
Annex A (informative)	Calculation of leakage current	60
A.1	General	60
A.2	Calculation of leakage current for 1-line filters	60
A.3	Calculation of leakage current for 2-line filters	61
A.4	Calculation of leakage current for 3-line filters	61
A.5	Calculation of leakage current for 4-line filters	63
Annex B (normative)	Test schedule for safety requirements only	64
Annex C (normative)	Circuit for the impulse voltage test	67
Annex D (normative)	Circuit for the endurance test	69
Annex E (normative)	Declaration of design	70

Annex F (informative) Safety and performance tests qualification approval – Assessment level DZ	71
Annex P (informative) Additional components and material standards	73
Bibliography	74
Figure 1 – Asymmetrical and symmetrical test circuit	17
Figure 2 – Examples for the application of Tests A and B of Table 9	33
Figure 3 – Examples for the application of Test C of Table 9	34
Figure 4 – Impulse wave form	51
Figure 5 – Relay circuit	55
Figure 6 – Thyristor circuit	55
Figure 7 – Voltage and current waveforms	56
Figure A.1 – Leakage current for 1-line filters	60
Figure A.2 – Leakage current for 2-line filters	61
Figure A.3 – Leakage current for 3-line filters	62
Figure A.4 – Leakage current for 4-line filters	63
Figure C.1 – Impulse voltage test circuit	67
Figure D.1 – Endurance test circuit	69
Table 1 – Classification of Class X capacitors	13
Table 2 – Classification of Class Y capacitors	14
Table 3 – Tests concerning safety requirements only	23
Table 4 – Lot-by-lot test – Safety tests only approval	24
Table 5 – Standard atmospheric conditions	25
Table 6 – Creepage distances	28
Table 7 – Clearance	29
Table 8 – DC voltage for insulation resistance	31
Table 9 – Measuring points	33
Table 10 – Insulation resistance – Safety tests only	34
Table 11 – Insulation resistance – Safety and performance tests	35
Table 12 – Voltage proof (filter connected to mains)	36
Table 13 – Voltage proof (filter not connected to mains; e.g. d.c. filters)	36
Table 14 – Force for wire terminations	39
Table 15 – Torque	40
Table 16 – Preferred severity	44
Table 17 – Number of cycles	46
Table 18 – Maximum temperatures	49
Table 19 – Measurements and requirements after charge and discharge	57
Table 20 – Categories of flammability	58
Table B.1 – Test schedule for safety requirements only (1 of 3)	64
Table C.1 – Values of C_X , C_T , R_P , R_S , C_P	67
Table C.2 – Values and tolerances of C_X , t_r , t_d	68
Table F.1 – Sampling plan – Assessment level DZ (1 of 2)	71

PASSIVE FILTER UNITS FOR ELECTROMAGNETIC INTERFERENCE SUPPRESSION –

Part 3: Passive filter units for which safety tests are appropriate

1 General

1.1 Scope

This specification covers passive filters used to attenuate unwanted radio-frequency signals (such as noise or interference) generated from electromagnetic sources.

Both single and multi-channel filters within one enclosure or which are built on a printed circuit board forming a compact entity are included within the scope of this specification.

Filters constructed of capacitive elements where the inductance is inherent in the construction of the filter are within the scope of this specification. Similarly, filters constructed of inductive elements where the capacitance is inherent in the construction of the filter are also within the scope of this specification. It is up to the manufacturer to state whether a given component is to be designed as a capacitor, an inductor or a filter. Filters can include also other components like resistors and/or varistors or similar components

This specification applies to passive filter units for electromagnetic interference suppression for which safety tests are appropriate. This implies that filters specified according to this specification will either be connected to mains supplies, when compliance with the mandatory tests of Table 3 is necessary, or used in other circuit positions where the equipment specification prescribes that some or all of these safety tests are required.

This specification applies to passive filter units, which will be connected to an a.c. mains or other supply (d.c. or a.c.) with a nominal voltage not exceeding 1 000 V a.c., with a nominal frequency not exceeding 400 Hz, or 1 500 V d.c.

NOTE For a.c. use, IEC 60384-14 applies to capacitors which will be connected to a.c. mains with a nominal frequency not exceeding 100 Hz.

This specification covers appliance filters (US) but does not cover facility filters, cord-connected filters or direct plug-in filters. These other filters will be covered by another sectional specification.

1.2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 These documents are referenced, in whole, in part or as alternative requirements to the requirements contained in this standard. Their use is specified, where necessary, for the application of the requirements of this standard.

NOTE 2 The list below is a summary of all standards that are referred to within this standard. Appearance of a standard in the list does not mean that the standard or parts of it are applicable. Only those parts that are specifically referenced in this standard are applicable.

IEC 60027-1, *Letters symbols to be used in electrical technology – Part 1: General*