

TECHNICAL SPECIFICATION



**Railway applications – Procedure to determine the performance requirements
for radio systems applied to radio-based train control systems**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

TECHNICAL SPECIFICATION



**Railway applications – Procedure to determine the performance requirements
for radio systems applied to radio-based train control systems**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE

X

ICS 45.060

ISBN 978-2-8322-1519-7

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions.....	8
3.2 Abbreviations.....	9
4 Outline of the process for determining performance requirements	9
5 Definition of preconditions on available spectrum	11
5.1 Environmental conditions	11
5.1.1 General	11
5.1.2 Obstacle.....	11
5.1.3 Climate conditions	12
5.1.4 Electromagnetic interference	12
5.2 Regulatory constraints.....	12
6 Definition of preconditions on railway operation	12
6.1 Railway line conditions	12
6.1.1 General	12
6.1.2 Line maximum speed.....	12
6.1.3 Track conditions	13
6.1.4 Line configurations	13
6.1.5 Station configurations.....	13
6.2 Operational conditions	13
6.2.1 General	13
6.2.2 Minimum design headway.....	13
6.2.3 Maximum number of trains in one control area.....	13
6.3 TC communication requirement.....	14
6.3.1 Maximum tolerable loss of communication	14
6.3.2 Network latency.....	14
6.3.3 TC transmission period	14
6.3.4 TC throughput	14
6.3.5 Control area	14
6.3.6 Maintenance conditions	14
6.4 Required type of transmission.....	14
7 Radio parameters	15
7.1 General.....	15
7.2 Security parameters.....	15
7.3 Transmission parameters.....	15
8 Relationship between preconditions and radio parameters.....	15
8.1 General.....	15
8.2 Environmental conditions	17
8.2.1 Obstacle and radio parameters.....	17
8.2.2 Climate conditions and radio parameters	18
8.2.3 Electromagnetic Interference and radio parameters	19
8.3 Regulatory constraints and radio parameters	20
8.4 Railway line conditions	21

8.4.1	Line maximum speed and radio parameters	21
8.4.2	Track conditions and radio parameters	22
8.4.3	Line configurations and radio parameters	23
8.4.4	Station configuration and radio parameters	24
8.5	Operational conditions	25
8.5.1	Minimum design headway and radio parameters	25
8.5.2	Maximum number of trains in one control area and radio parameters	26
8.6	TC communication requirement	27
8.6.1	Maximum tolerable loss of communication and radio parameters	27
8.6.2	Network latency and radio parameters	28
8.6.3	TC transmission period and radio parameters	29
8.6.4	TC throughput and radio parameters	30
8.6.5	Control area and radio parameters	31
8.6.6	Maintenance conditions and radio parameters	32
8.7	Required type of transmission and radio parameters	32
Annex A (informative)	Additional preconditions	33
A.1	Operational conditions	33
A.1.1	Overlay on existing facilities	33
A.1.2	Signal aspect	33
A.1.3	Block	33
A.2	System conditions	33
A.2.1	General	33
A.2.2	Train localization	33
A.2.3	Continuous control/intermittent control	34
A.2.4	Train protection profile	34
A.2.5	System entry/exit	34
A.2.6	Temporary speed restriction	34
A.2.7	Emergency stop command	34
A.2.8	Interlocking control/route control	34
A.2.9	Level crossing control	34
A.2.10	Couple and split a train	34
A.2.11	Automatic train operation	35
A.3	Relationship between preconditions and radio parameters	35
A.3.1	General	35
A.3.2	Operational conditions	36
A.3.3	System conditions	39
Annex B (informative)	Considerations for in-continuity	46
B.1	Communication in in-continuity	46
B.2	Considerations for in-continuity in radio systems	46
B.2.1	General issues	46
B.2.2	Specific issues related to failure caused by external system factors	46
B.2.3	Specific issues related to failure caused by internal system factors	46
Bibliography	48
Figure 1 – Factors influencing performance requirements		10
Figure 2 – Maximum number of trains in case of divided area		13
Table 1 – List of preconditions and radio parameters		11

Table 2 – Relationship matrix between preconditions and radio parameters	16
Table 3 – Obstacle and radio parameters.....	17
Table 4 – Climate conditions and radio parameters.....	18
Table 5 – Electromagnetic interference and radio parameters	19
Table 6 – Regulatory constraints and radio parameters	20
Table 7 – Line maximum speed and radio parameters	21
Table 8 – Track conditions and radio parameters.....	22
Table 9 – Line configurations and radio parameters.....	23
Table 10 – Station configuration and radio parameters	24
Table 11 – Minimum design headway and radio parameters	25
Table 12 – Maximum number of trains in one control area and radio parameters	26
Table 13 – Maximum tolerable loss of communication and radio parameters.....	27
Table 14 – Network latency and radio parameters.....	28
Table 15 – TC transmission period and radio parameters.....	29
Table 16 – TC throughput and radio parameters	30
Table 17 – Control area and radio parameters	31
Table 18 – Maintenance conditions and radio parameters.....	32
Table 19 – Required type of transmission and radio parameters	32
Table A.1 – Relationship matrix between preconditions and radio parameters	35
Table A.2 – Overlay on existing facilities and radio parameters.....	36
Table A.3 – Signal aspect and radio parameters	37
Table A.4 – Block and radio parameters	38
Table A.5 – Train localization and radio parameters.....	39
Table A.6 – Train protection profile and radio parameters	40
Table A.7 – System entry/exit and radio parameters	41
Table A.8 – Temporary speed restriction and radio parameters.....	42
Table A.9 – Emergency stop command and radio parameters.....	43
Table A.10 – Interlocking control/route control and radio parameters	43
Table A.11 – Level crossing control and radio parameters	44
Table A.12 – Couple and split a train and radio parameters	45

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**RAILWAY APPLICATIONS – PROCEDURE TO DETERMINE
THE PERFORMANCE REQUIREMENTS FOR RADIO SYSTEMS
APPLIED TO RADIO-BASED TRAIN CONTROL SYSTEMS**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

The main task of IEC technical committees is to prepare International Standards. In exceptional circumstances, a technical committee may propose the publication of a technical specification when

- the required support cannot be obtained for the publication of an International Standard, despite repeated efforts, or
- the subject is still under technical development or where, for any other reason, there is the future but no immediate possibility of an agreement on an International Standard.

Technical specifications are subject to review within three years of publication to decide whether they can be transformed into International Standards.

IEC TS 62773, which is a technical specification, has been prepared by IEC technical committee 9: Electrical equipment and systems for railways.

The text of this technical specification is based on the following documents:

Enquiry draft	Report on voting
9/1823/DTS	9/1899/RVC

Full information on the voting for the approval of this technical specification can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- transformed into an International standard,
- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

A bilingual version of this publication may be issued at a later date.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

The purpose of this Technical Specification is to provide a guideline for the rail transport authority and/or the supplier of the radio system to determine performance requirements of the radio system from the conditions of the railway systems using the radio-based train control systems.

This Technical Specification specifies the procedure to determine the performance requirements for radio system applied to the radio-based train control systems. The performance requirements are related to the radio parameters. Each radio parameter needs to be set to an appropriate value to enable data exchange with quality of service that will meet the requirements from the railway system as a whole and particularly the train control functions. Radio parameters are then decided based on the analysis of the conditions of the railway system using the train control system.

RAILWAY APPLICATIONS – PROCEDURE TO DETERMINE THE PERFORMANCE REQUIREMENTS FOR RADIO SYSTEMS APPLIED TO RADIO-BASED TRAIN CONTROL SYSTEMS

1 Scope

The objective of this Technical Specification is to establish a procedure to be used by rail transport authorities and/or radio suppliers to determine the appropriate performance requirements of radio system for a radio-based train control system, consistent with their specific business needs and existing conditions: the Technical Specification itself consists in defining a procedure linking preconditions to some radio parameters. Then, the appropriate performance requirements are deduced by the user of the Technical Specification from the radio parameters.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

None.

3 Terms, definitions and abbreviations

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1.1

capacity

maximum amount of information transmitted and received per unit time on the radio link

3.1.2

data rate

amount of data transmitted over a given period of time (usually expressed in “bits per second” or “bytes per second”)

Note 1 to entry: The minimum data rate needs to take into account the maximum amount of transmitted data per unit time for the train control system.

3.1.3

encryption

method of transmitting information so that third parties cannot decode it

Note 1 to entry: It serves to enhance the secrecy of information transmitted and received within the system.

3.1.4

handover

shift of connection to an adjacent radio base station