
**Surface active agents — Determination
of chloroacetic acid (chloroacetate) in
surfactants —**

**Part 2:
Ionic chromatographic method**

*Agents de surface — Détermination de l'acide chloroacétique
(chloroacétate) dans les agents tensioactifs —*

Partie 2: Méthode par chromatographie ionique



This document is a preview generated by EBS



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Principle	1
4 Reagents	1
4.1 General	1
5 Apparatus	2
6 Procedure	3
6.1 General	3
6.2 Ion chromatographic condition	3
6.3 Calibration	3
6.4 Sampling and analysis	3
7 Results and calculation	4
7.1 General	4
7.2 Content of monochloroacetic acid	4
7.3 Content of dichloroacetic acid	4
8 Precision	4
8.1 Repeatability limit	4
8.2 Reproducible limit	5
9 Test report	5
Annex A (informative) Typical chromatograms	6

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 91, *Surface active agents*.

ISO 17293 consists of the following parts, under the general title *Surface active agents – Determination of chloroacetic acid (chloroacetate) in surfactants*:

- *Part 1: HPLC method*
- *Part 2: Ionic chromatographic method*

Surface active agents — Determination of chloroacetic acid (chloroacetate) in surfactants —

Part 2: Ionic chromatographic method

1 Scope

This part of ISO 17293 specifies a method for the determination of monochloroacetic acid (monochloroacetate) and dichloroacetic acid (dichloroacetate) in surfactants by ion chromatographic method.

The method applies for anionic surfactants such as alkyl (phenyl) ethoxylated carboxylate (AEC) or amphoteric surfactants such as alkyl imidazoline carboxylate, alkyl dimethyl betaine, and fatty acetyl propyl dimethyl betaine.

The limit of detection (LOD) is $\leq 0,01 \mu\text{g/ml}$ for monochloroacetic acid and $\leq 0,05 \mu\text{g/ml}$ for dichloroacetic acid; and the limit of quantification (LOQ) is $\leq 0,1 \mu\text{g/ml}$ for each standard (using a standard solution).

The LOD, at 1 g of sample weight, is $\leq 1 \text{ mg/kg}$ for monochloroacetic acid and $\leq 5 \text{ mg/kg}$ for dichloroacetic acid; and the LOQ is $\leq 10 \text{ mg/kg}$ for each acid.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 607, *Surface active agents and detergents — Methods of sample division*

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

ISO 5725-2, *Accuracy (trueness and precision) of measurement methods and results — Part 2: Basic method for the determination of repeatability and reproducibility of a standard measurement method*

3 Principle

The sample solution is diluted to a proper concentration and flows through an anionic ion exchange column. The monochloroacetic acid (monochloroacetate) and dichloroacetic acid (dichloroacetate) are adsorbed in the column then eluted by the mobile phase and detected by an electrical conductivity detector.

The contents of monochloroacetic acid and dichloroacetic acid in the sample are achieved by the external calibration method.

4 Reagents

4.1 General

During the analysis, use only reagents of recognized analytical grade and the water used shall conform to grade 1 in accordance with ISO 3696, unless otherwise specified.