Õhusõidukite maapealsed teenindusseadmed. Erinõuded. Osa 18: Lämmastiku- või hapnikuseadmed KONSOLIDEERITUD TEKST

Aircraft ground support equipment - Specific requirements en Corelia de la Part 18: Nitrogen or Oxygen units CONSOLIDATED TEXT



#### FESTI STANDARDI FESSÕNA

#### **NATIONAL FOREWORD**

Käesolev Eesti standard EVS-EN 12312-18:2005+A1:2009 sisaldab Euroopa standardi EN 12312-18:2005+A1:2009 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 30.06.2009 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 29.04.2009.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 12312-18:2005+A1:2009 consists of the English text of the European standard EN 12312-18:2005+A1:2009.

This standard is ratified with the order of Estonian Centre for Standardisation dated 30.06.2009 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 29.04.2009.

The standard is available from Estonian standardisation organisation.

**ICS** 49.100

Võtmesõnad:

#### Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

# Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; <a href="www.evs.ee">www.evs.ee</a>; Phone: 605 5050; E-mail: <a href="mailto:info@evs.ee">info@evs.ee</a>

# EUROPEAN STANDARD NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

EN 12312-18:2005+A1

April 2009

ICS 49.100

Supersedes EN 12312-18:2005

#### **English Version**

# Aircraft ground support equipment - Specific requirements - Part 18: Nitrogen or Oxygen units

Matériel au sol pour aéronefs - Exigences particulières - Partie 18: Matériels d'alimentation en azote ou en oxygène

Luftfahrt-Bodengeräte - Besondere Anforderungen - Teil 18: Stickstoffgeräte oder Sauerstoffgeräte

This European Standard was approved by CEN on 28 February 2005 and includes Amendment 1 approved by CEN on 1 March 2009.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

# **Contents**

			Page
Forew	vord		
1	Scope		5
2	Normative references		5
3	Terms and definitions		6
4	List of hazards		6
5	Safety requirements and/or measures		7
5.1	General requirements for nitrogen and oxygen units	S	7
5.2	Pressure vessels		7
5.3	Pressure filling system		7
5.4	Hoses		7
5.5	Special requirements for oxygen units only		8
6	Information for use		8
6.1	Marking		8
6.2	Safety marking		8
6.3	Instructions		
7	Verification of requirements		9
Annex	x A (informative) Examples of nitrogen or oxygen uni	ts	10
Annex	x B (normative) List of hazards in addition to those of	EN 1915-1	12
Annex	x ZA (informative) Relationship between this Europea Requirements of EU Directive 98/37/EC, amended by	n Standard and the Essential y Directive 98/79/EC	13
Annex	x ZB (informative) 🖪 Relationship between this Euro		
	Requirements of EU Directive 2006/42/EC 🔄		
Biblio	graphy		15
			5

### **Foreword**

This document (EN 12312-18:2005+A1:2009) has been prepared by Technical Committee CEN/TC 274 "Aircraft ground support equipment" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2009, and conflicting national standards shall be withdrawn at the latest by December 2009.

This document includes Amendment 1, approved by CEN on 2009-03-01.

This document supersedes EN 12312-18:2005.

The start and finish of text introduced or altered by amendment is indicated in the text by tags [A].

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association and supports essential requirements of EU Directive(s).

For relationship with EU Directives, see informative Annexes ZA and ZB, which are integral parts of this document. (A)

The Parts of EN 12312 — Aircraft ground support equipment — Specific requirements — are:

- Part 1: Passenger stairs
- Part 2: Catering vehicles
- Part 3: Conveyor belt vehicles
- Part 4: Passenger boarding bridges
- Part 5: Aircraft fuelling equipment
- Part 6: Deicers and deicing/antiicing equipment
- Part 7: Aircraft movement equipment
- Part 8: Maintenance stairs and platforms
- Part 9: Container/Pallet loaders
- Part 10: Container/Pallet transfer transporters
- Part 11: Container/Pallet dollies and loose load trailers
- Part 12: Potable water service equipment
- Part 13: Lavatory service equipment
- Part 14: Disabled/Incapacitated passenger boarding equipment
- Part 15: Baggage and equipment tractors
- Part 16: Air start equipment
- Part 17: Air conditioning equipment
- Part 18: Nitrogen or Oxygen units
- Part 19: Aircraft jacks, axle jacks and hydraulic tail stanchions
- Part 20: Ground power equipment

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

# Introduction

This document specifies health and safety requirements, as well as some functional and performance requirements for nitrogen or oxygen units intended to be used for all aircraft types commonly in service in civil air transport.

The minimum essential criteria are considered to be of primary importance in providing safe, serviceable, economical and practical nitrogen or oxygen units. Deviations from the recommended criteria should occur only after careful consideration, extensive testing, risk assessment and thorough service evaluation have shown alternative methods or conditions to be satisfactory.

This document is a Type C standard as stated in A EN ISO 12100 A.

The machinery concerned and the extent to which hazards, hazardous situations and events are covered are indicated in the scope of this document.

When provisions of this Type C standard are different from those which are stated in Type A or B standards, the provisions of this Type C standard take precedence over the provisions of the other standards, for machines that THE RESERVENCE OF THE PARTY OF have been designed and built according to the provisions of this Type C standard.

# 1 Scope

This document specifies the technical requirements to minimise the hazards listed in Clause 4 which can arise during the commissioning, operation and maintenance of nitrogen or oxygen units when carried out in accordance with the specifications given by the manufacturer or his authorised representative. It also takes into account some performance requirements recognised as essential by authorities, aircraft and ground support equipment (GSE), manufacturers as well as airlines and handling agencies.

This document applies to:

- all types of mobile nitrogen units and oxygen units with transportable gas cylinders interchangeable for filling purposes;
- equipment to be carried with other GSE or vehicles, e.g. skid mounted units,

intended for the manual refill of gaseous nitrogen or oxygen on aircraft (Examples see Annex A).

NOTE Generally oxygen units are used under aircraft maintenance conditions, not under commercial servicing conditions.

This document does not establish requirements for noise and vibration.

Noise and vibration are dealt with respectively in EN 1915-4 and EN 1915-3.

This document does not deal with hazards in respect to a standard automotive chassis and from other vehicles on the apron.

This Part of EN 12312 is not applicable to nitrogen or oxygen units which are manufactured before the date of publication of this document by CEN.

A) This part of EN 12312 is intended to be used in conjunction with EN 1915-1, EN 1915-2, EN 1915-3 (for vehicles) and EN 1915-4. (A)

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 837-1, Pressure gauges — Part 1: Bourdon tube pressure gauges — Dimensions, metrology, requirements and testing

EN 849, Transportable gas cylinders — Cylinder valves — Specification and type testing

♠ EN 983 ♠ Safety of machinery — Safety requirements for fluid power systems and their components — Pneumatics

EN 1050:1996, Safety of machinery — Principles for risk assessment

EN 1175-1, Safety of industrial trucks — Electrical requirements — Part 1: General requirements for battery powered trucks

EN 1915-1:2001, Aircraft ground support equipment — General requirements — Part 1: Basic safety requirements

EN 1915-2, Aircraft ground support equipment — General requirements — Part 2: Stability and strength requirements, calculations and test methods

(A) EN 1915-3, Aircraft ground support equipment — General requirements — Part 3: Vibration measurement methods and reduction (A)

EN 1915-4, Aircraft ground support equipment — General requirements — Part 4: Noise measurement methods and reduction (A)

EN 1964-1, Transportable gas cylinders — Specification for the design and construction of refillable transportable seamless steel gas cylinders of water capacities from 0,5 litre up to and including 150 litres — Part 1: Cylinders made of seamless steel with an  $R_m$  value of less than 1100 MPa

EN ISO 12100-1:2003, Safety of machinery — Basic concepts, general principles for design — Part 1: Basic terminology, methodology (ISO 12100-1:2003)

EN ISO 12100-2:2003, Safety of machinery — Basic concepts, general principles for design — Part 2: Technical principles (ISO 12100-2:2003).

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 12100:2003 and EN 1915-1:2001 and the following apply.

#### 3.1

#### nitrogen unit

mobile or transportable ground support equipment (GSE) to replenish aircraft nitrogen systems including tyres

#### 3.2

#### oxygen unit

mobile or transportable ground support equipment (GSE) to replenish aircraft oxygen systems

#### 3.3

#### nitrogen or oxygen truck

self-propelled unit, equipped with ride-on driver accommodation

#### 3.4

#### nitrogen or oxygen cart

towable unit

#### 3.5

#### pedestrian controlled nitrogen or oxygen cart

self- propelled unit without ride-on driver accommodation

#### 3.6

#### skid mounted nitrogen or oxygen unit

unit mounted on a pallet or frame to be loaded on a vehicle by a fork lift truck or crane

#### 3.7

# pressure filling system

means to fill/refill pressurised systems, e.g. oxygen system, tyres, actuators

#### 4 List of hazards

The list of risks and hazards (see Annex B) is based on EN 1050 and contains the hazards and hazardous situations, as far as they are dealt with in this document, identified by risk assessment as significant for nitrogen or oxygen units and which require action to eliminate or reduce risks.