

**Air quality - Determination of the PM10
fraction of suspended particulate matter
- Reference method and field test
procedure to demonstrate reference
equivalence of measurement methods**

Air quality - Determination of the PM10 fraction of
suspended particulate matter - Reference method
and field test procedure to demonstrate reference
equivalence of measurement methods

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN 12341:2001 sisaldab Euroopa standardi EN 12341:1998 ingliskeelset teksti.</p> <p>Käesolev dokument on jõustatud 18.06.2001 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN 12341:2001 consists of the English text of the European standard EN 12341:1998.</p> <p>This document is endorsed on 18.06.2001 with the notification being published in the official publication of the Estonian national standardisation organisation.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

<p>Käsitlusala:</p> <p>This standard specifies the performance of PM10 sampling instruments in order to harmonize the monitoring within the framework of the European Union Council Directive 96/62/EC on ambient air quality assessment and management, and the first daughter directive. In the daughter directive, by convention the ISO thoracic sampling convention has been assimilated to the PM10 fraction.</p>	<p>Scope:</p> <p>This standard specifies the performance of PM10 sampling instruments in order to harmonize the monitoring within the framework of the European Union Council Directive 96/62/EC on ambient air quality assessment and management, and the first daughter directive. In the daughter directive, by convention the ISO thoracic sampling convention has been assimilated to the PM10 fraction.</p>
--	--

ICS 13.040.20

Võtmesõnad: ambient air, pm10 fraction, reference equivalence test procedure, reference method, suspended particulate matter

ICS 13.040.20

Descriptors: Ambient air, quality, suspended particular matter, testing.

English version

Air quality

**Determination of the PM₁₀ fraction of suspended
particulate matter – Reference method and field test
procedure to demonstrate reference equivalence of
measurement methods**

Qualité de l'air – Détermination de la
fraction MP₁₀ de matière particulaire
en suspension – Méthode de
référence et procédure d'essai in situ
pour démontrer l'équivalence à la
référence de méthodes de mesurage

Luftbeschaffenheit – Ermittlung der
PM₁₀-Fraktion von Schwebstaub –
Referenzmethode und Feldprüf-
verfahren zum Nachweis der
Gleichwertigkeit von Meßverfahren
und Referenzmeßmethode

This European Standard was approved by CEN on 1998-11-02.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, the Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and the United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

Contents	Page
Foreword	3
Introduction	3
1 Scope	4
2 Normative references	4
3 Definitions	5
4 Requirements for reference equivalence	6
5 Test method	7
6 Test report	12
Annex A (normative) PM10 sampling convention	14
Annex B (normative) Design criteria for PM10 reference samplers	15
Annex C (normative) Filter and weighing procedures	20
Annex D (informative) Rationale for the designated reference equivalence procedure	21
Annex E (informative) Bibliography	23

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 264 "Air quality", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 1999, and conflicting national standards shall be withdrawn at the latest by May 1999.

Annex A, annex B and annex C are normative annexes and annex D and annex E are informative annexes.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

Introduction

ISO 7708 defines sampling conventions for the particle size fractions to be collected from ambient (and also workplace) atmospheres in order to assess their impact on human health. Conventions are defined for the inhalable, thoracic and respirable suspended particulate matter (SPM) fractions. These conventions represent target specifications for samplers, giving the ideal sampling efficiency as a function of particle aerodynamic diameter.

In general, the sampling efficiency of real samplers will deviate from the target specification, and the SPM mass collected will therefore differ from that which an ideal sampler would collect. In addition, the behaviour of real samplers is influenced by many factors such as wind speed, humidity, temperature, and barometric pressure. The wide range of particle sizes and compositions present in ambient air has led to the development of a diversity of instruments for collection and quantification of the aforementioned SPM fractions.

Obviously, the aforementioned situation calls for standardised test procedures to ensure that the performance of candidate sampling instruments according to pertinent sampling conventions can be established reliably.

1 Scope

This standard specifies the performance of PM10 sampling instruments in order to harmonize the monitoring within the framework of the European Union Council Directive 96/62/EC [1] on ambient air quality assessment and management, and the first daughter directive. In the daughter directive, by convention the ISO thoracic sampling convention has been assimilated to the PM10 fraction (see annex A; [2]).

The standard specifies a test protocol for comparing the results of a candidate PM10 sampler with a reference PM10 one in a field test [3]. Basically, the reference equivalence awarded to a candidate sampler applies only to the range of conditions under which the field tests were carried out. By carrying out the ambient field test in characteristic situations covering a wide range of relevant ambient parameters it is secured that reference equivalence does hold in prevailing conditions within European countries. Reference equivalence will explicitly not be awarded for specific situations (e.g. background only or urban situations only). Above all, the procedure given in this standard is thought to be a practical one, enabling European institutions or industries to assess candidate sampling systems under ambient conditions.

The reference equivalence awarded using the procedures given in this standard, only applies to the process of sampling SPM in ambient air. It does not deal with the equivalence of commonly employed automated methods (e.g. attenuation of α -radiation or the oscillating mass balance method) to analyse the ambient SPM collected on the collection substrate. The limit of detection and the precision of the analytical method are important considerations for the user, but their determination is outside the scope of this standard.

The main arguments for the designated field test procedure are elucidated in D.1.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 45001
General criteria for the operation of testing laboratories

ISO 8756
Air Quality - Handling of temperature, pressure and humidity data

ISO 7708
Air quality - Particle size fraction definitions for health related sampling