

**Ehitusakustika. Hoonete akustilise toimivuse
hindamine elementide akustilise toime põhjal. Osa
4: Heli kandumine väljapoole ruumi**

Building acoustics - Estimation of acoustic performance
of buildings from the performance of elements - Part 4:
Transmission of indoor sound to the outside

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 12354-4:2005 sisaldab Euroopa standardi EN 12354-4:2000 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 16.02.2001 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 20.09.2000.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 12354-4:2005 consists of the English text of the European standard EN 12354-4:2000.

This standard is ratified with the order of Estonian Centre for Standardisation dated 16.02.2001 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 20.09.2000.

The standard is available from Estonian standardisation organisation.

ICS 91.120.20

Võtmesõnad: akustika, ehitus, heli, hooned

Standardite reprodutseerimis- ja levitamiseõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English version

Building acoustics

**Estimation of acoustic performance of buildings from
the performance of elements**

Part 4: Transmission of indoor sound to the outside

Acoustique du bâtiment – Calcul de la performance acoustique des bâtiments à partir de la performance des éléments – Partie 4: Transmission du bruit intérieur à l'extérieur

Bauakustik – Berechnung der akustischen Eigenschaften von Gebäuden aus den Bauteileigenschaften – Teil 4: Schallübertragung von Räumen ins Freie

This European Standard was approved by CEN on 2000-09-09.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, the Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and the United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Management Centre: rue de Stassart 36, B-1050 Brussels

Contents

	Page
Foreword.....	3
1 Scope	4
2 Normative references	4
3 Relevant quantities	4
3.1 Quantities to express building performance	4
3.1.1 Sound power level L_w	4
3.1.2 Directivity correction D_c	4
3.2 Quantities to express element performance	5
3.2.1 Sound reduction index R	5
3.2.2 Element normalized level difference $D_{n,e}$	5
3.2.3 Insertion loss D (of an element)	5
3.2.4 Other relevant data	5
3.3 Other terms and quantities	5
3.3.1 Sound pressure level L_p	5
3.3.2 Total attenuation due to propagation A_{tot}	5
3.3.3 Diffusivity term C_d	5
3.3.4 Inside sound pressure level $L_{p,in}$	5
3.3.5 Substitute point source	6
4 Calculation model	6
4.1 General principles	6
4.2 Determination of substitute point sound sources	7
4.3 Determination of the sound power level for a substitute point source	7
4.4 Determination of the directivity correction for a substitute point source	9
4.5 Limitations	9
5 Accuracy	10
Annex A (normative) List of symbols	11
Annex B (informative) Interior sound field	12
Annex C (informative) Sound reduction index	13
Annex D (informative) Directivity of sound radiation	13
D.1 Plane radiator	13
D.2 Openings	13
Annex E (informative) Simplified model to predict exterior sound pressure levels	14
Annex F (informative) Application of the model to single number ratings	17
F.1 General	17
F.2 Input data	17
F.3 Model for single number ratings	17
F.4 Limitations	18
Annex G (informative) Calculation example	19
G.1 Situation	19
G.2 Results complete model	20
G.2.1 Substitute point sources	20
G.3 Results from simplified model	23

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 126 "Acoustic properties of building products and of buildings", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2001, and conflicting national standards shall be withdrawn at the latest by March 2001.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

This document is the first version of a standard which forms a part of a series of standards specifying calculation models in building acoustics :

Part 1 : *Building Acoustics – Estimation of acoustic performance of buildings from the performance of elements – Part 1 : Airborne sound insulation between rooms.*

Part 2 : *Building Acoustics – Estimation of acoustic performance of buildings from the performance of elements – Part 2 : Impact sound insulation between rooms.*

Part 3 : *Building Acoustics – Estimation of acoustic performance of buildings from the performance of elements – Part 3 : Airborne sound insulation against outdoor sound.*

Part 4 : *Building Acoustics – Estimation of acoustic performance of buildings from the performance of elements – Part 4 : Transmission of indoor sound to the outside.*

Part 5 : *Building Acoustics – Estimation of acoustic performance of buildings from the performance of elements – Part 5 : Noise from technical installations and equipment.*

Part 6 : *Building Acoustics – Estimation of acoustic performance of buildings from the performance of elements – Part 6 : Sound absorption in enclosed spaces.*

The accuracy of this standard alone is difficult to specify since it forms just one link in the chain of inside sound level, sound radiation and sound propagation outdoors, the first and last items of which are not covered by this standard. The accuracy can only be specified after widespread comparisons with field data in combination with other prediction standards, i.e. those for outdoor sound propagation. It is the responsibility of the user (i.e. a person, an organization, the authorities) to address the consequences of the accuracy, inherent for all measurement and prediction methods, by specifying requirements for the input data and/or applying a safety margin to the results or applying some other correction.

Annex A forms an integral part of this part of EN 12354, Annexes B, C, D, E, F, G and H are for information only.

1 Scope

This European Standard describes a calculation model for the sound power level radiated by the envelope of a building due to airborne sound inside that building, primarily by means of measured sound pressure levels inside the building and measured data which characterize the sound transmission by the relevant elements and openings in the building envelope. These sound power levels, together with those of other sound sources in or in front of the building envelope, form the basis for the calculation of the sound pressure level at a chosen distance from a building as a measure for the acoustic performance of buildings.

The prediction of the inside sound pressure level from knowledge of the indoor sound sources is outside the scope of this European Standard.

The prediction of the outdoor sound propagation is outside the scope of this European Standard.

NOTE For simple propagation conditions an approach is given for the estimation of the sound pressure level in informative annex E.

This European Standard describes the principles of the calculation model, lists the relevant quantities and defines its applications and restrictions. It is intended for acoustical experts and provides the framework for the development of application documents and tools for other users in the field of building construction, taking into account local circumstances.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN ISO 140-3, *Acoustics – Measurement of sound insulation in buildings and of building elements – Part 3 : Laboratory measurements of airborne sound insulation of building elements (ISO 140-3:1995).*

EN ISO 140-5, *Acoustics – Measurement of sound insulation in buildings and of building elements – Part 5 : Field measurements of airborne sound insulation of façade elements and façades (ISO 140-5:1998).*

EN 20140-10, *Acoustics – Measurement of sound insulation in buildings and of building elements – Part 10 : Laboratory measurement of airborne sound insulation of small building elements (ISO 140-10:1991).*

EN ISO 7235, *Acoustics – Measurement procedures for ducted silencers – Insertion loss, flow noise and total pressure loss (ISO 7235:1991).*

3 Relevant quantities

The symbols used for the purposes of this European Standard are given in annex A.

3.1 Quantities to express building performance

3.1.1 Sound power level L_w

The sound power level of a substitute point sound source.

3.1.2 Directivity correction D_c

The deviation in decibels of the sound pressure level of a point sound source in a specified direction from the level of an omni-directional point source producing the same sound power level.