
**Road vehicles — Communication
between vehicle and external equipment
for emissions-related diagnostics —**

Part 3:
**Diagnostic connector and related
electrical circuits, specification and use**

*Véhicules routiers — Communications entre un véhicule et un
équipement externe pour le diagnostic relatif aux émissions —*

*Partie 3: Connecteur de diagnostic et circuits électriques associés:
spécifications et utilisation*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction	v
1 Scope.....	1
2 Normative references	1
3 Terms and definitions.....	2
4 Vehicle connector location/access	3
4.1 General.....	3
4.2 Consistency of location.....	3
4.3 Ease of access	4
4.4 Visibility.....	5
4.5 Vehicle operation	5
5 Vehicle and external test equipment connector design	5
5.1 Dimensions.....	5
5.2 Number of contacts	6
5.3 Contact requirements	6
5.4 Connector mating	6
5.5 Connector shape/features.....	6
5.6 Spring clip.....	7
5.7 Temperature class	7
5.8 External test equipment connector cycle life.....	7
5.9 Strain relief	7
5.10 Contact and connector parameters and performance requirements	7
6 Contact allocation and specifications for related electrical circuits	9
6.1 Vehicle and external test equipment connector contact designation and general allocation.....	9
6.2 General contact allocation	9
6.3 Vehicle connector contact allocation	10
6.4 Vehicle connector contact protection.....	12
6.5 External test equipment connector contact allocations and requirements for related circuits.....	12
6.6 External test equipment connector contact protection	13
6.7 Minimum impedance between external test equipment connector contacts 4 and 5, and external surface of external test equipment.....	13
Annex A (normative) Diagnostic connections — Type A.....	14
Annex B (normative) Diagnostic connections — Type B.....	17
Bibliography	20

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15031-3 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 3, *Electrical and electronic equipment*.

ISO 15031 consists of the following parts, under the general title *Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics*:

- *Part 1: General information*
- *Part 2: Terms, definitions, abbreviations and acronyms*
- *Part 3: Diagnostic connector and related electrical circuits, specification and use*
- *Part 4: External test equipment*
- *Part 5: Emissions-related diagnostic services*
- *Part 6: Diagnostic trouble code definitions*
- *Part 7: Data link security*

Introduction

The various parts of ISO 15031, when taken together, provide a coherent, consistent set of specifications for facilitating emissions-related diagnostics. ISO 15031-2 to ISO 15031-7 are based on recommended practices of the society of automotive engineers (SAE). This part of ISO 15031 is based on SAE J1962:02/98, *Diagnostic Connector*.

This document is a preview generated by EVS

This document is a preview generated by EVS

Road vehicles — Communication between vehicle and external equipment for emissions-related diagnostics —

Part 3:

Diagnostic connector and related electrical circuits, specification and use

1 Scope

This part of ISO 15031 specifies a minimum set of requirements for a diagnostic connector used in communication between vehicle and external equipment for emissions-related diagnostics. Its aim is to promote the use of a common diagnostic connector throughout the motor vehicle industry. The diagnostic connection consists of two mating connectors, the vehicle connector and the external test equipment connector. Applicable to all types of road vehicles, the connector specified has no positive locking feature and is intended for short-term diagnostic connection only.

This part of ISO 15031 specifies functional requirements for

- a) the vehicle connector, separated into the four principal areas of
 - 1) connector location/access,
 - 2) connector design,
 - 3) connector contact allocation, and
 - 4) electrical requirements for connector and related electrical circuits, and
- b) the external test equipment connector, separated into the three principal areas of
 - 1) connector design,
 - 2) connector contact allocation, and
 - 3) electrical requirements for connector and related electrical circuits.

The dimensional requirements of the vehicle connector are given as a minimum specification, to allow design freedom.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8092-2:2000, *Road vehicles — Connections for on-board electrical wiring harnesses — Part 2: Definitions, test methods and general performance requirements*

ISO 8092-3, *Road vehicles — Connections for on-board electrical wiring harnesses — Part 3: Tabs for multi-pole connections — Dimensions and specific requirements*

ISO 9141-2, *Road vehicles — Diagnostic systems — Part 2: CARB requirements for interchange of digital information*

ISO 14230-4, *Road vehicles — Diagnostic systems — Keyword Protocol 2000 — Part 4: Requirements for emission-related systems*

ISO 15031-4, *Road vehicles — Communication between vehicle and external test equipment for emissions-related diagnostics — Part 4: External test equipment*

ISO 15765-4, *Road vehicles — Diagnostics on Controller Area Networks (CAN) — Part 4: Requirements for emissions-related systems*

ISO 16750-2, *Road vehicles — Environmental conditions and testing for electrical and electronic equipment — Part 2: Electrical loads*

SAE J1850 (all parts), *Class B Data Communication Network Interface*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

- 3.1 connection**
two mated connectors or contacts
- 3.2 connector**
assembly of contact and housing which terminates conductors for the purpose of providing connection and disconnection to a suitable mating connector
- 3.3 contact**
conductive element in a connector (including means for cable attachment) which mates with a corresponding element to provide an electrical path
- 3.4 female contact**
electrical contact (including means for cable attachment) intended to make electrical engagement on its inner surface and to accept entry of a male contact, thus forming an electrical connection
- EXAMPLE Receptacle, sleeve.
- 3.5 male contact**
electrical contact (including means for cable attachment) intended to make electrical engagement on its outer surface and to enter a female contact, thus forming an electrical connection
- EXAMPLE Tab, pin, blade.