Safety devices for protection against excessive pressure - Part 6: Application, selection and installation of bursting disc safety devices

Safety devices for protection against excessive pressure - Part 6: Application, selection and installation of bursting disc safety devices



# **EESTI STANDARDI EESSÕNA**

## **NATIONAL FOREWORD**

Käesolev Eesti standard EVS-EN ISO 4126-6:2004 sisaldab Euroopa standardi EN ISO 4126-6:2003 ingliskeelset teksti.

Käesolev dokument on jõustatud 18.05.2004 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni

Standard on kättesaadav Eesti standardiorganisatsioonist.

ametlikus väljaandes.

This Estonian standard EVS-EN ISO 4126-6:2004 consists of the English text of the European standard EN ISO 4126-6:2003.

This document is endorsed on 18.05.2004 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

#### Käsitlusala:

This standard gives guidance on the application, selection and installation of bursting disc safety devices used to protect pressure equipment from excessive pressure and/or excessive vacuum. Annex A provides a checklist for the information to be supplied by the purchaser to the manufacturer.

# Scope:

This standard gives guidance on the application, selection and installation of bursting disc safety devices used to protect pressure equipment from excessive pressure and/or excessive vacuum. Annex A provides a checklist for the information to be supplied by the purchaser to the manufacturer.

**ICS** 13.240

**Võtmesõnad:** overpressure protectio, performance tests, pneumatīc tests, pressure, pressure control valves, pressure equipment, pressure overload, pressure vessels, safety device, safety devices, safety requirements, safety valves, selection specification, steam, tests, valves

# **EUROPEAN STANDARD** NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 4126-6

December 2003



#### **English version**

# Safety devices for protection against excessive pressure

olication, selection and installation of bursting disc safety devices (ISO 4126-6: 2003)

Dispositifs de sécurité contre les pressions excessives - Partie 6: Application, sélection et installation des dispositifs de sûreté à disques de rupture (ISO 4126-6 : 2003)

Sicherheitseinrichtungen gegen unzulässigen Überdruck - Teil 6: Berstscheibeneinrichtungen - Anwendung, Auswahl und Einbau (ISO 4126-6: 2003)

This European Standard was approved by CEN on 2002-12-27.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, the Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, the Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland, and the United Kingdom. The of the same of

European Committee for Standardization Comité Européen de Normalisation Europäisches Komitee für Normung

Management Centre: rue de Stassart 36, B-1050 Brussels

# **Contents** Page

A.3   Bursting disc safety device operating details   17     A.4   Installation details   17     A.5   Special details   18     A.6   Language   18     A.7   Replacement bursting discs   18     Annex B (informative)   Guidelines for determining the replacement period of a bursting disc   19     B.1   Introduction   19     B.2   Bursting disc safety devices   19     B.3   Replacement period   19     B.4   Methods of determining the replacement period   20     Annex C (informative)   Pressure relief system discharge capacity   21     C.1   General   21     C.2   Simplified approach   21     C.3   Comprehensive approach   25     Annex D (informative)   Derivation of compressibility factor Z   27     Annex E (informative)   Flow testing of bursting disc safety devices   28	Foreword3			
2   Normative references   5     3   Terms and definitions   5     4   Symbols and moits   9     5   Application   10     6   Selection   11     6.1   Selection of bursting disc safety devices   11     6.2   Selection of the performance tolerance   12     7   Installation   15     7.1   General   15     7.2   Location of bursting disc safety devices   16     7.3   Installation of bursting disc safety devices   16     Annex A (informative) Information to be supplied by the purchaser   17     A.1   General   17     A.2   Application details   17     A.3   Bursting disc safety device operating details   17     A.4   Installation details   17     A.5   Special details   17     A.6   Language   18     A.7   Replacement bursting discs   18     A.9   Replacement bursting discs   18     B.1   Introduction   19     B.2   Bursting disc	Introduction		4	
3 Terms and definitions	1	Scope	5	
4   Symbols and units   9     5   Application   10     6   Selection   11     6.1   Selection of bursting disc safety devices   11     6.2   Selection of the performance tolerance   12     7   Installation   15     7.1   General   15     7.2   Location of bursting disc safety devices   16     Annex A (informative) Information to be supplied by the purchaser   17     A.1   General   17     A.2   Application details   17     A.3   Bursting disc safety device operating details   17     A.4   Installation details   17     A.5   Special details   17     A.6   Language   18     A.7   Replacement bursting discs   18     Annex B (informative) Guidelines for determining the replacement period of a bursting disc   19     B.1   Introduction   19     B.2   Bursting disc safety devices   19     B.3   Replacement period   20     Annex C (informative) Pressure relief system discharge capacity   21 <td>2</td> <td>Normative references</td> <td>5</td>	2	Normative references	5	
5   Application   10     6   Selection   11     6.1   Selection of bursting disc safety devices   11     6.2   Selection of the performance tolerance   12     7   Installation   15     7.1   General   15     7.2   Location of bursting disc safety devices   15     7.3   Installation of bursting disc safety devices   16     Annex A (informative)   Information to be supplied by the purchaser   17     A.1   General   17     A.2   Application details   17     A.3   Bursting disc safety device operating details   17     A.4   Installation details   17     A.5   Special details   17     A.6   Language   18     A.7   Replacement bursting discs   18     Annex B (informative) Guidelines for determining the replacement period of a bursting disc   19     B.1   Introduction   19     B.2   Bursting disc safety devices   19     B.3   Replacement period   20     Annex C (informative) Pressure relief system disc	3	Terms and definitions	5	
6   Selection   11     6.1   Selection of bursting disc safety devices   11     6.2   Selection of the performance tolerance   12     7   Installation   15     7.1   General   15     7.2   Location of bursting disc safety devices   15     7.3   Installation of bursting disc safety devices   16     Annex A (informative)   Information to be supplied by the purchaser   17     A.1   General   17     A.2   Application details   17     A.3   Bursting disc safety device operating details   17     A.4   Installation details   17     A.5   Special details   17     A.6   Language   18     A.7   Replacement bursting discs   18     Annex B (informative) Guidelines for determining the replacement period of a bursting disc   19     B.1   Introduction   19     B.2   Bursting disc safety devices   19     B.3   Replacement period   20     Annex C (informative) Pressure relief system discharge capacity   21     C.1	4	Symbols and units	9	
6.1   Selection of bursting disc safety devices   11     6.2   Selection of the performance tolerance   12     7   Installation   15     7.1   General   15     7.2   Location of bursting disc safety devices   15     7.3   Installation of bursting disc safety devices   16     Annex A (informative) Information to be supplied by the purchaser   17     A.1   General   17     A.2   Application details   17     A.3   Bursting disc safety device operating details   17     A.4   Installation details   17     A.5   Special details   18     A.6   Language   18     A.7   Replacement bursting discs   18     A.7   Replacement bursting discs   18     Annex B (informative)   Guidelines for determining the replacement period of a bursting disc   19     B.2   Bursting disc safety devices   19     B.3   Replacement period   19     B.4   Methods of determining the replacement period   20     C.1   General   21 <td< td=""><td>5</td><td>Application</td><td>10</td></td<>	5	Application	10	
6.2   Selection of the performance tolerance   12     7   Installation   15     7.1   General   15     7.2   Location of bursting disc safety devices   16     7.3   Installation of bursting disc safety devices   16     Annex A (informative) Information to be supplied by the purchaser   17     A.1   General   17     A.2   Application details   17     A.3   Bursting disc safety device operating details   17     A.4   Installation details   17     A.5   Special details   18     A.6   Language   18     A.7   Replacement bursting discs   18     A.9   Replacement bursting discs   18     Annex B (informative) Guidelines for determining the replacement period of a bursting disc   19     B.1   Introduction   19     B.2   Bursting disc safety devices   19     B.3   Replacement period   19     B.4   Methods of determining the replacement period   20     Annex C (informative) Pressure relief system discharge capacity   21     C.1 <td>-</td> <td></td> <td></td>	-			
7     Installation     15       7.1     General     15       7.2     Location of bursting disc safety devices     15       7.3     Installation of bursting disc safety devices     16       Annex A (informative) Information to be supplied by the purchaser     17       A.1     General     17       A.2     Application details     17       A.3     Bursting disc safety device operating details     17       A.4     Installation details     17       A.5     Special details     18       A.6     Language     18       A.7     Replacement bursting discs     18       A.7     Replacement bursting discs     19       B.1     Introduction     19       B.2     Bursting disc safety devices     19       B.3     Replacement period     19       B.4     Methods of determining the replacement period     20       Annex C (informative) Pressure relief system discharge capacity     21       C.1     General     21       C.2     Simplified approach     25	•			
7.1   General   15     7.2   Location of bursting disc Safety devices   15     7.3   Installation of bursting disc safety devices   16     Annex A (informative)   Information to be supplied by the purchaser   17     A.1   General   17     A.2   Application details   17     A.3   Bursting disc safety device operating details   17     A.4   Installation details   17     A.5   Special details   18     A.6   Language   18     A.7   Replacement bursting discs   18     A.7   Replacement bursting discs   18     B.1   Introduction   19     B.2   Bursting disc safety devices   19     B.3   Replacement period   19     B.4   Methods of determining the replacement period   20     Annex C (informative) Pressure relief system discharge capacity   21     C.1   General   21     C.2   Simplified approach   21     C.3   Comprehensive approach   25     Annex E (informative) Provisition of compressibility factor Z<	_			
7.3   Installation of bursting disc safety devices   16     Annex A (informative) Information to be supplied by the purchaser   17     A.1   General   17     A.2   Application details   17     A.3   Bursting disc safety device operating details   17     A.4   Installation details   17     A.5   Special details   18     A.6   Language   18     A.7   Replacement bursting discs   18     A.7   Replacement bursting discs   19     B.1   Introduction   19     B.2   Bursting disc safety devices   19     B.3   Replacement period   19     B.4   Methods of determining the replacement period   20     Annex C (informative) Pressure relief system discharge capacity   21     C.1   General   21     C.2   Simplified approach   25     C.3   Comprehensive approach   25     Annex D (informative) Derivation of compressibility factor Z   27     Annex E (informative) Flow testing of bursting disc safety devices   28     E.1   Scope	-	General	15	
Annex A (informative) Information to be supplied by the purchaser.   17     A.1 General				
A.1 General				
A.3 Bursting disc safety device operating details				
A.3 Bursting disc safety device operating details	A.2	Application details	17	
A.5   Special details   18     A.6   Language   18     A.7   Replacement bursting discs   18     Annex B (informative) Guidelines for determining the replacement period of a bursting disc   19     B.1   Introduction   19     B.2   Bursting disc safety devices   19     B.3   Replacement period   19     B.4   Methods of determining the replacement period   20     Annex C (informative) Pressure relief system discharge capacity   21     C.1   General   21     C.2   Simplified approach   21     C.3   Comprehensive approach   25     Annex D (informative) Derivation of compressibility factor Z   27     Annex E (informative) Flow testing of bursting disc safety devices   28     E.1   Scope   28     E.2   Test requirements   28     E.3   Method of testing   31     E.4   Test procedure   32     E.5   Determination of flow resistance factor K <sub>B</sub> 33	A.3	Bursting disc safety device operating details	17	
A.6Language18A.7Replacement bursting discs18Annex B (informative) Guidelines for determining the replacement period of a bursting disc19B.1Introduction19B.2Bursting disc safety devices19B.3Replacement period19B.4Methods of determining the replacement period20Annex C (informative) Pressure relief system discharge capacity21C.1General21C.2Simplified approach21C.3Comprehensive approach25Annex D (informative) Derivation of compressibility factor $Z$ 27Annex E (informative) Flow testing of bursting disc safety devices28E.1Scope28E.2Test requirements28E.3Method of testing31E.4Test procedure32E.5Determination of flow resistance factor $K_R$ 33	A.4			
Annex B (informative)   Guidelines for determining the replacement period of a bursting disc   19     B.1 Introduction   19     B.2 Bursting disc safety devices   19     B.3 Replacement period   19     B.4 Methods of determining the replacement period   20     Annex C (informative)   Pressure relief system discharge capacity   21     C.1 General   21     C.2 Simplified approach   21     C.3 Comprehensive approach   25     Annex D (informative)   Derivation of compressibility factor Z   27     Annex E (informative)   Flow testing of bursting disc safety devices   28     E.1 Scope   28     E.2 Test requirements   28     E.3 Method of testing   31     E.4 Test procedure   32     E.5 Determination of flow resistance factor K <sub>B</sub> 33		Special details	18	
Annex B (informative)   Guidelines for determining the replacement period of a bursting disc   19     B.1 Introduction   19     B.2 Bursting disc safety devices   19     B.3 Replacement period   19     B.4 Methods of determining the replacement period   20     Annex C (informative)   Pressure relief system discharge capacity   21     C.1 General   21     C.2 Simplified approach   21     C.3 Comprehensive approach   25     Annex D (informative)   Derivation of compressibility factor Z   27     Annex E (informative)   Flow testing of bursting disc safety devices   28     E.1 Scope   28     E.2 Test requirements   28     E.3 Method of testing   31     E.4 Test procedure   32     E.5 Determination of flow resistance factor K <sub>B</sub> 33		Replacement hursting discs	18 18	
B.1   Introduction   19     B.2   Bursting disc safety devices   19     B.3   Replacement period   19     B.4   Methods of determining the replacement period   20     Annex C (informative) Pressure relief system discharge capacity   21     C.1   General   21     C.2   Simplified approach   21     C.3   Comprehensive approach   25     Annex D (informative) Derivation of compressibility factor Z   27     Annex E (informative) Flow testing of bursting disc safety devices   28     E.1   Scope   28     E.2   Test requirements   28     E.3   Method of testing   31     E.4   Test procedure   32     E.5   Determination of flow resistance factor K <sub>B</sub> 33				
B.2Bursting disc safety devices19B.3Replacement period19B.4Methods of determining the replacement period20Annex C (informative)Pressure relief system discharge capacity21C.1General21C.2Simplified approach21C.3Comprehensive approach25Annex D (informative)Derivation of compressibility factor $Z$ 27Annex E (informative)Flow testing of bursting disc safety devices28E.1Scope28E.2Test requirements28E.3Method of testing31E.4Test procedure32E.5Determination of flow resistance factor $K_B$ 33		Introduction	19	
B.4   Methods of determining the replacement period   20     Annex C (informative)   Pressure relief system discharge capacity   21     C.1   General   21     C.2   Simplified approach   21     C.3   Comprehensive approach   25     Annex D (informative)   Derivation of compressibility factor Z   27     Annex E (informative)   Flow testing of bursting disc safety devices   28     E.1   Scope   28     E.2   Test requirements   28     E.3   Method of testing   31     E.4   Test procedure   32     E.5   Determination of flow resistance factor K <sub>R</sub> 33		Rursting disc safety devices	19	
B.4   Methods of determining the replacement period   20     Annex C (informative)   Pressure relief system discharge capacity   21     C.1   General   21     C.2   Simplified approach   21     C.3   Comprehensive approach   25     Annex D (informative)   Derivation of compressibility factor Z   27     Annex E (informative)   Flow testing of bursting disc safety devices   28     E.1   Scope   28     E.2   Test requirements   28     E.3   Method of testing   31     E.4   Test procedure   32     E.5   Determination of flow resistance factor K <sub>R</sub> 33	B.3	Replacement period	19	
Annex C (informative)     Pressure relief system discharge capacity     21       C.1 General     21       C.2 Simplified approach     21       C.3 Comprehensive approach     25       Annex D (informative)     Derivation of compressibility factor Z     27       Annex E (informative)     Flow testing of bursting disc safety devices     28       E.1 Scope     28       E.2 Test requirements     28       E.3 Method of testing     31       E.4 Test procedure     32       E.5 Determination of flow resistance factor K <sub>R</sub> 33	<b>B.4</b>	Methods of determining the replacement period	20	
C.1   General   21     C.2   Simplified approach   21     C.3   Comprehensive approach   25     Annex D (informative)   Derivation of compressibility factor Z   27     Annex E (informative)   Flow testing of bursting disc safety devices   28     E.1   Scope   28     E.2   Test requirements   28     E.3   Method of testing   31     E.4   Test procedure   32     E.5   Determination of flow resistance factor K <sub>P</sub> 33	Annex C (informative) Pressure relief system discharge capacity			
Annex D (informative)Derivation of compressibility factor $Z$ 27Annex E (informative)Flow testing of bursting disc safety devices28E.1Scope28E.2Test requirements28E.3Method of testing31E.4Test procedure32E.5Determination of flow resistance factor $K_R$ 33	C.1	General	21	
Annex D (informative)Derivation of compressibility factor $Z$ 27Annex E (informative)Flow testing of bursting disc safety devices28E.1Scope28E.2Test requirements28E.3Method of testing31E.4Test procedure32E.5Determination of flow resistance factor $K_R$ 33	C.2	Simplified approach	21	
Annex D (informative) Derivation of compressibility factor Z		Comprehensive approach	25	
E.1   Scope   28     E.2   Test requirements   28     E.3   Method of testing   31     E.4   Test procedure   32     E.5   Determination of flow resistance factor K <sub>R</sub> 33	Annex	D (informative) Derivation of compressibility factor Z	27	
E.2   Test requirements   28     E.3   Method of testing   31     E.4   Test procedure   32     E.5   Determination of flow resistance factor K <sub>P</sub> 33		E (informative) Flow testing of bursting disc safety devices	28	
E.3 Method of testing	E.1	Scope	28	
E.4 Test procedure				
E.4 Test procedure				
E.6 Application of flow resistance factor $K_R$	E.4	Determination of flow registered factor V	32	
E.o Application of flow resistance factor $K_R$		Application of flow resistance factor V	33	
	⊏.0	Application of now resistance factor $\Lambda_R$	36	
Bibliography	Bibliog			

## **Foreword**

This document (EN ISO 4126-6:2003) has been prepared by Technical Committee CEN/TC 69 "Industrial valves", the secretariat of which is held by AFNOR, in collaboration with Technical Committee ISO/TC 185 "Safety devices for protection against excessive pressure".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2004 and conflicting national standards shall be withdrawn at the latest by April 2004.

This standard for safety devices for protection against excessive pressure consists of seven parts of which this is Part 6. The various parts are :

- Part 1 : Safety valves
- Part 2 : Bursting disc safety devices
- Part 3 : Safety valves and bursting disc safety devices in combination
- Part 4 : Pilot operated safety valves
- Part 5 : Controlled safety pressure relief systems (CSPRS)
- Part 6: Application, selection and installation of bursting disc safety devices
- Part 7 : Common data

Part 7 contains data which is common to more than one of the parts of this standard to avoid unnecessary repetition.

Annexes A to E are informative.

This document includes a Bibliography.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland. France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal. Slovakia, Spain, Sweden, Switzerland and the United Kingdom.

Page 4 EN ISO 4126-6: 2003

# Introduction


Safety devices for the protection of pressure equipment against excessive pressure include pressure relief devices such as safety valves and bursting disc safety devices which, dependent upon the application, may be used either as the sole pressure relieving devices or in conjunction with each other.

Operating problems frequently arise due to the use of pressure relieving devices not having been properly selected for the intended service or properly selected but whose performance is adversely affected by improper handling, wrong installation on lack of maintenance, any of which may affect the safety of the pressure equipment being protected.

It is important to consider not only the pressure relief devices but also the whole of the pressure relief system so as not to reduce the relieving capacity below that required or adversely affect the proper operation of the pressure relieving devices.

A bursting disc safety device is a non-reclosing pressure relief device which typically comprises a bursting disc, which is a pressure-containing and pressure-sensitive part designed to open by bursting at a predetermined pressure, and a bursting disc holder. There are many different types of bursting disc safety devices manufactured in corrosion resistant materials, both metallic and non-metallic, to cover a wide range of nominal sizes, burst pressures and temperatures. They are used to protect pressure equipment such as vessels, piping, gas cylinders or other enclosures from excessive pressure and/or excessive vacuum.

This standard covers the important considerations necessary in the application, selection and installation of bursting disc safety devices to give the required protection against excessive pressure and/or excessive vacuum.



Page 5 EN ISO 4126-6 : 2003

## 1 Scope

This standard gives guidance on the application, selection and installation of bursting disc safety devices used to protect pressure equipment from excessive pressure and/or excessive vacuum.

Annex Aprovides a checklist for the information to be supplied by the purchaser to the manufacturer.

Annex B gives guidance on the replacement period of a bursting disc and annex C guidance on determining the mass flow rate, for single phase fluids, of a pressure relief system that contains a bursting disc safety device

Annex E is a non-mandatory procedure for establishing the flow resistance of a burst bursting disc assembly.

The requirements for the manufacture, inspection, testing, marking, certification and packaging of bursting disc safety devices are given in Part 2 of EN ISO 4126.

# 2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text, and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

EN ISO 4126-1:2003, Safety devices for protection against excessive pressure — Part 1 : Safety valves (ISO 4126-1:2003).

EN ISO 4126-2:2003, Safety devices for protection against excessive pressure — Part 2: Bursting disc safety devices (ISO 4126-2:2003).

EN ISO 4126-4, Safety devices for protection against excessive pressure — Part 4: Pilot operated safety valves (ISO 4126-4:2003).

EN ISO 4126-5, Safety devices for protection against excessive pressure — Part 5 : Controlled safety pressure relief systems (CSPRS) (ISO 4126-5:2003).

EN ISO 4126-7:2003, Safety devices for protection against excessive pressure — Part 7 : Common data (ISO 4126-7:2003).

## 3 Terms and definitions

For the purposes of this European Standard, the terms and definitions given in EN ISO 4126-1:2003 and the following apply.

#### 3.1

#### bursting disc safety device

non-reclosing pressure relief device actuated by differential pressure and designed to function by the bursting of the bursting disc(s)

NOTE It is the complete assembly of installed components, including where appropriate, the bursting disc holder.

#### 3.2

#### bursting disc assembly

complete assembly of components, which are installed in the bursting disc holder to perform the desired function

#### 3.3

#### bursting disc

pressure-containing and pressure-sensitive component of a bursting disc safety device