

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Fibre optic active components and devices – Package and interface standards –
Part 15: Discrete vertical cavity surface emitting laser packages**

**Composants et dispositifs actifs à fibres optiques – Normes de boîtier et
d'interface –
Partie 15: Boîtiers individuels pour laser à cavité verticale émettant par
la surface**



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE

**Fibre optic active components and devices – Package and interface standards –
Part 15: Discrete vertical cavity surface emitting laser packages**

**Composants et dispositifs actifs à fibres optiques – Normes de boîtier et
d'interface –
Partie 15: Boîtiers individuels pour laser à cavité verticale émettant par
la surface**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE
CODE PRIX

ICS 33.180.20

ISBN 978-2-8322-1602-6

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	8
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions.....	8
3.2 Abbreviations.....	8
4 Classification.....	9
5 Specification of the optical interface	9
5.1 General.....	9
5.2 Optical connector interface (type 1)	9
5.3 Pigtail interface (type 3).....	9
6 Specifications of electrical interfaces	9
6.1 General.....	9
6.2 Electrical interface specifications for VCSEL TO CAN packages	10
6.2.1 General	10
6.2.2 Numbering of electrical terminals.....	10
6.2.3 Electrical terminal assignment	10
6.3 Electrical interface specifications for VCSEL TOSA package with a LC connector.....	10
6.3.1 General	10
6.3.2 Numbering of electrical terminals.....	11
6.3.3 Electrical terminal assignment	11
6.4 Electrical interface specifications for VCSEL TOSA package with a SC connector.....	11
6.4.1 General	11
6.4.2 Numbering of electrical terminals.....	11
6.4.3 Electrical terminal assignment	11
7 Outline.....	12
7.1 General.....	12
7.2 Outline of VCSEL TO CAN packages	12
7.2.1 Drawings of case outline.....	12
7.2.2 Dimensions of VCSEL TO CAN packages	13
7.3 Outlines of VCSEL TOSA package with an LC connector for use at low speed (below 8 Gbps).....	13
7.3.1 Drawings of case outline.....	13
7.3.2 Dimensions of VCSEL TOSA package with an LC connector for use at a low speed (below 8 Gbps).....	14
7.3.3 Optical receptacle LC style	14
7.4 Outlines of VCSEL TOSA package with an SC connector for use at low speed (below 8 Gbps).....	14
7.4.1 Drawings of case outline.....	14
7.4.2 Dimensions of VCSEL TOSA package with an SC connector for use at low speed (below 8 Gbps).....	15
7.4.3 Optical receptacle SC style.....	15
7.5 Outlines of VCSEL TOSA package with an LC connector for use at high speed (≥ 8 Gbps).....	15

7.5.1	Drawings of case outline.....	15
7.5.2	Dimensions of VCSEL TOSA package with an LC connector for use at high speed (≥ 8 Gbps)	16
7.6	Outlines of VCSEL TOSA package with an SC connector for use at high speed (≥ 8 Gbps)	17
7.6.1	Drawings of case outline.....	17
7.6.2	Dimensions of VCSEL TOSA package with an SC connector for use at high speed (≥ 8 Gbps)	18
7.7	Electrical terminals of high-speed (≥ 8 Gbps) VCSEL TOSA packages for both cases with LC and SC connectors	19
7.7.1	Pin out terminals.....	19
7.7.2	Pad terminals	20
7.8	Outlines of VCSEL pigtail package.....	20
7.8.1	Drawings of case outline.....	20
7.8.2	Dimensions of VCSEL pigtail package	21
7.8.3	Optical connectors.....	21
	Bibliography.....	22
	Figure 1 – Electrical terminal numbering assignments of 3-pin and 4-pin type TO CAN packages with optional colour code C for pin configuration	10
	Figure 2 – Electrical terminal numbering assignments of 3-pin and 4-pin type TOSA packages with LC connector and with optional colour code C.....	11
	Figure 3 – Electrical terminal numbering assignments of 3-pin and 4-pin type TOSA packages with SC connector and with optional colour code C	11
	Figure 4 – Schematic diagrams and pin-out of VCSEL TO CANs with flat window, with ball lens, and with tilted window with optional colour code C on the bottom.....	12
	Figure 5 – Schematic diagram of VCSEL TOSA package with LC connector and with optional colour code C on the bottom for use at low speed (below 8 Gbps)	13
	Figure 6 – Schematic diagram of VCSEL TOSA package with SC connector and with optional colour code C on the bottom for use at low speed (below 8 Gbps)	15
	Figure 7 – Schematic diagram of VCSEL TOSA package with LC connector and with optional colour code C for pin-type notation for use at high speed (> 8 Gbps).....	16
	Figure 8 – Schematic diagram of VCSEL TOSA package with SC connector and with optional colour code C for pin-type notation for use at high speed (≥ 8 Gbps).....	18
	Figure 9 – Schematic diagram and pin-out of VCSEL pigtail package with optional colour code C	21
	Table 1 – Pin-function definitions of 4-pin type VCSEL TO CAN packages.....	10
	Table 2 – Pin-function definitions of 3-pin type VCSEL TO CAN packages.....	10
	Table 3 – Dimension of VCSEL TO CANs with flat window, ball lens and tilted window	13
	Table 4 – Dimensions of VCSEL TOSA package with LC connector for use at low speed (below 8 Gbps)	14
	Table 5 – Dimension of VCSEL TOSA package with SC connector for use at low speed (below 8 Gbps)	15
	Table 6 – Dimension of VCSEL TOSA package with LC connector for use at high speed (≥ 8 Gbps)	16
	Table 7 – Dimension of VCSEL TOSA package with SC connector for use at high speed (≥ 8 Gbps)	19
	Table 8 – Pin out terminals of VCSEL TOSA package with LC and SC connectors for use at high speed (≥ 8 Gbps).....	20

Table 9 – Pad terminals of VCSEL TOSA package with LC and SC connectors and with flexible printed circuit board for use at high speed (≥ 8 Gbps) 20

Table 10 – Dimensions of VCSEL pigtail package 21

This document is a preview generated by EVS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**FIBRE OPTIC ACTIVE COMPONENTS AND DEVICES –
PACKAGE AND INTERFACE STANDARDS –****Part 15: Discrete vertical cavity surface emitting laser packages**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62148-15 has been prepared by subcommittee 86C: Fibre optic systems and active devices, of IEC technical committee 86: Fibre optics.

This second edition cancels and replaces the first edition published in 2009 and constitutes a technical revision.

The significant technical changes with respect to the previous edition are as follows:

- to include a type-A pin configuration in the 4-pin type VCSEL TO CAN packages;
- to introduce new package standards for high-speed (8 Gbps and 10 Gbps) VCSEL TOSA packages with LC and SC connectors;
- to suggest optional colour codes for various pin configurations; and
- to delete the requirement of the minimum dimension for the outer diameters of the TO CAN packages in order to accommodate recent mini-TO CAN packages.

The text of this standard is based on the following documents:

CDV	Report on voting
86C/1131/CDV	86C/1228/RVC

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

A list of all parts of the IEC 62148 series, published under the general title *Fibre optic active components and devices – Package and interface standards*, can be found on the IEC website.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

A list of all parts of the IEC 62148 series, published under the general title *Fibre optic active components and devices – Package and interface standards*, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

This document is a preview generated by EVS

INTRODUCTION

Fibre optic laser devices are used to convert electrical signals into optical signals. This standard covers the physical dimension and interface for the discrete vertical cavity surface emitting laser (VCSEL) packages.

This document is a preview generated by EVS

FIBRE OPTIC ACTIVE COMPONENTS AND DEVICES – PACKAGE AND INTERFACE STANDARDS –

Part 15: Discrete vertical cavity surface emitting laser packages

1 Scope

This part of IEC 62148 covers the physical dimension and interface specifications for the discrete vertical cavity surface emitting laser (VCSEL) devices in optical telecommunication and optical data transmission applications.

The intent of this standard is to adequately specify the physical requirements of VCSEL devices that will enable mechanical interchangeability of laser devices or transmitters complying with this standard both at the printed circuit wiring board and for any panel-mounting requirement.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60793-2 (all parts), *Optical fibres – Part 2: Product specifications*

IEC 60874 (all parts), *Fibre optic interconnecting devices and passive components – Connectors for optical fibres and cables*

IEC 61754-4-1, *Fibre optic connector interfaces – Part 4-1: Type SC connector family – Simplified receptacle SC-PC connector interfaces*

IEC 61754-20, *Fibre optic interconnecting devices and passive components – Fibre optic connector interfaces – Part 20: Type LC connector family*

IEC 62148-1, *Fibre optic active components and devices – Package and interface standards – Part 1: General and guidance*

ITU-T Recommendation G.652, *Characteristics of a single-mode optical fibre and cable*

3 Terms, definitions and abbreviations

For the purpose of this document, the following terms, definitions and abbreviations apply.

3.1 Terms and definitions

3.1.1

pigtail package

package type of photonic devices which has a length of fibre attachment for both optical input and output ports

3.2 Abbreviations

VCSEL vertical cavity surface emitting laser