INTERNATIONAL STANDARD

ISO 16649-2

First edition 2001-04-15

Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of β -glucuronidase-positive *Escherichia coli* —

Part 2:

Colony-count technique at 44 °C using 5-bromo-4-chloro-3-indolyl β-D-glucuronide

Microbiologie des aliments — Méthode horizontale pour le dénombrement des Escherichia coli β -glucuronidase positive —

Partie 2: Technique de comptage des colonies à 44 °C au moyen de 5-bromo-4-chloro-3-indolyl β -D-glucuronate



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview denotated by ENS

© ISO 2001

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.ch Web www.iso.ch

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 16649 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 16649-2 was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 9, *Microbiology*.

ISO 16649 consists of the following parts, under the general title *Microbiology* of food and animal feeding stuffs — Horizontal method for the enumeration of β -glucuren dase-positive Escherichia coli:

Generaled by FLS

- -- Part 1: Colony-count technique at 44 °C using membranes and 5-bromo-4-chloro-3-indolyl β-D-glucuronide
- -- Part 2: Colony-count technique at 44 °C using 5-bron $m{\Omega}$ 4-chloro-3-indolyl eta-D-glucuronide
- Part 3: Most probable number technique

© ISO 2001 – All rights reserved

Introduction

Because of the large variety of food and feed products, this horizontal method may not be appropriate in every detail for certain products. In this case, different methods which are specific to these products may be used if absolutely necessary for justified technical reasons. Nevertheless, every attempt should be made to apply this

When this part of ISO 16649 is next reviewed, account will be taken of all information then available regarding the extent to which this horizontal method has been followed and the reasons for deviations from this method in the

acritain , / necessary | method as far a. iis part of ISO 166494 s nex. .o which this horizontal method . f particular products.

narmonization of test methods cannot be im. dards and/or national standards may already exist tr. when such standards are reversited they will be changentually the only remaining departures from this horizontal method. hical reasons.

nis International Standard describes two horizontal methods (ISO 16649-1 and . f β-glucuronidase-positive Escherichia coli.

The user may choose either ISO 16649-1 or \$30 16649-2. Either part is for general applications are reversible to the product of the part of the part is for general applications. The harmonization of test methods cannot be immediate and, for certain groups of products, International Standards and/or national standards may already exist that do not comply with this horizontal method. It is hoped that when such standards are reviewed they will be changed to comply with this part of ISO 16649 so that eventually the only remaining departures from this horizontal method will be those necessary for well-established

This International Standard describes two horizontal methods (ISO 16649-1 and ISO 16649-2) for the enumeration

The user may choose either ISO 16649-1 or 16649-2. Either part is for general application. However,

įν

Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of β -glucuronidase-positive *Escherichia coli* —

Part 2:

Colony-count echnique at 44 °C using 5-bromo-4-chloro-3-indolyl β-D-glucuronide

1 Scope

This part of ISO 16649 specifies a horizontal method for the enumeration of β -glucuronidase-positive *Escherichia coli* in products intended for human consumption or for the feeding of animals. It uses a colony-count technique at 44 °C on a solid medium containing a chromogenic ingredient for detection of the enzyme β -glucuronidase.

WARNING — Strains of *Escherichia coli* which do not grow at 44 °C and, in particular, those that are β-glucuronidase negative, such as *Escherichia coli* O157, will not be detected.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 16649. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 16649 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 6887-1, Microbiology of food and animal feeding stuffs — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination — Part 1: General rules for the preparation of the initial suspension and decimal dilutions.

ISO 7218, Microbiology of food and animal feeding stuffs — General rules for metobiological examinations.

3 Terms and definitions

For the purposes of this part of ISO 16649, the following terms and definitions apply.

3.1

β-glucuronidase-positive *Escherichia coli*

bacteria which at 44 °C form typical blue colony on tryptone-bile-glucuronide medium (TBX) under the conditions specified in this part of ISO 16649

3.2

enumeration of β-glucuronidase-positive *Escherichia coli*

determination of the number of colony-forming units (CFU) of β -glucuronidase-positive *Escherichia coli*, per millilitre or per gram of sample, when test and calculations are carried out in accordance with this part of ISO 16649