
**Information technology — Volume and file
structure of write-once and rewritable
media using non-sequential recording for
information interchange —**

Part 2:
Volume and boot block recognition

*Technologies de l'information — Structure de volume et de fichier de
moyens d'écriture unique et de réécriture utilisant un enregistrement non
séquentiel pour l'échange d'information —*

Partie 2: Reconnaissance de volume et de «boot block»

Contents

1 Scope	1
2 Parts references	1
3 Part interface	1
3.1 Input	1
3.2 Output	1
4 Conformance	1
5 Definitions	2
5.1 extent	2
6 Notation	2
7 Basic types	2
8 Volume recognition	2
8.1 Arrangement of data on a volume	2
8.1.1 Sector numbers	2
8.2 Volume recognition space	2
8.3 Volume recognition area	2
8.3.1 Volume recognition sequence	2
8.4 Recording of descriptors	3
9 Volume recognition structures	3
9.1 Volume Structure Descriptor	3
9.1.1 Structure Type (BP 0)	3
9.1.2 Standard Identifier (BP 1)	3
9.1.3 Structure Version (BP 6)	4
9.1.4 Structure Data (BP 7)	4

© ISO/IEC 1999

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

ISO/IEC Copyright Office • Case postale 56 • CH-1211 Genève 20 • Switzerland
Printed in Switzerland

9.2 Beginning Extended Area Descriptor	4
9.2.1 Structure Type (BP 0)	4
9.2.2 Standard Identifier (BP 1)	4
9.2.3 Structure Version (BP 6)	4
9.2.4 Structure Data (BP 7)	4
9.3 Terminating Extended Area Descriptor	5
9.3.1 Structure Type (BP 0)	5
9.3.2 Standard Identifier (BP 1)	5
9.3.3 Structure Version (BP 6)	5
9.3.4 Structure Data (BP 7)	5
9.4 Boot Descriptor	5
9.4.1 Structure Type (BP 0)	6
9.4.2 Standard Identifier (BP 1)	6
9.4.3 Structure Version (BP 6)	6
9.4.4 Reserved (BP 7)	6
9.4.5 Architecture Type (BP 8)	6
9.4.6 Boot Identifier (BP 40)	6
9.4.7 Boot Extent Location (BP 72)	6
9.4.8 Boot Extent Length (BP 76)	6
9.4.9 Load Address (BP 80)	6
9.4.10 Start Address (BP 88)	6
9.4.11 Descriptor Creation Date and Time (BP 96)	6
9.4.12 Flags (BP 108)	6
9.4.13 Reserved (BP 110)	7
9.4.14 Boot Use (BP 142)	7
10 Levels of medium interchange	7
10.1 Level 1	7
10.2 Level 2	7
11 Requirements for the description of systems	7
12 Requirements for an originating system	8

12.1 General.....	8
12.2 Optional access by user.....	8
12.2.1 Descriptors	8
13 Requirements for a receiving system	8
13.1 General.....	8
13.2 Optional access by user.....	8
13.2.1 Descriptors	8
Annex A (informative) Changes from ISO/IEC 13346-2:1995 to this second edition	9

This document is a preview generated by EVS

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialised system for worldwide standardisation. National Bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organisation to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organisations, governmental and non-governmental, in liaison with ISO and IEC, also take part in this work.

In the field of information technology, ISO and IEC have established a Joint Technical Committee, ISO/IEC JTC 1. Draft International Standards adopted by the Joint Technical Committee are circulated to National Bodies for voting. Publication of an International Standard requires approval by at least 75% of the national bodies casting a vote.

International Standard ISO/IEC 13346-2 was prepared by ECMA, (as Standard ECMA-167) and was adopted, under a special “fast-track procedure”, by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by National Bodies of ISO and IEC.

This second edition cancels and replaces the first edition (ISO/IEC 13346-2:1995), which has been technically revised.

ISO/IEC 13346 consists of the following parts, under the general title *Information technology — Volume and file structure of write-once and rewritable media using non-sequential recording for information interchange*:

- *Part 1: General*
- *Part 2: Volume and boot block recognition*
- *Part 3: Volume structure*
- *Part 4: File structure*
- *Part 5: Record structure*

Annex A of this part of ISO/IEC 13346 is for information only.

Introduction

ISO/IEC 13346 is a volume and file structure standard for interchanging files and as such, it is a peer to existing volume and file structure standards such as ISO 9293 and ISO 9660. It is rather different from those standards in at least two important ways. Firstly, it offers much more functionality, mainly because of user needs for increased character set support and for more powerful file system features. Secondly, it acknowledges the separate concerns of booting, volume structure and file system structure. Rather than bundling these different functions together, ISO/IEC 13346 carefully segregates these functions into separate parts and describes in detail how those parts fit together. It is expected that future volume and file structure standards will fit into this framework, rather than building other distinct and incompatible formats.

ISO/IEC 13346 is published in five Parts. Part 1 - general - specifies references, definitions, notations and basic structures used in the other four Parts. Part 2 - volume and boot block recognition - specifies formats and system requirements for recognising the volume structures on a medium and booting from a medium. Part 3 - volume structure - specifies how to record various volume-related entities such as volumes, volume sets and logical volumes. Part 4 - file structure - specifies how to record and interpret files, both file data and file attributes, and file hierarchies within logical volumes. Part 5 - record structure - specifies how to record and interpret file data encoded as records.

Information technology — Volume and file structure of write-once and rewritable media using non-sequential recording for information interchange —

Part 2: Volume and boot block recognition

1 Scope

This part of ISO/IEC 13346 specifies a format and associated system requirements for volume and boot block recognition by specifying:

- volume recognition;
- boot descriptors intended for use to bring a system to a known state;
- levels of medium interchange;
- requirements for the processes which are provided within information processing systems, to enable information to be interchanged between different systems; for this purpose, this part of ISO/IEC 13346 specifies the functions to be provided within systems which are intended to originate or receive media which conform to this part of ISO/IEC 13346.

2 Parts references

See 1/2.

3 Part interface

This clause specifies the interface of this part of ISO/IEC 13346 to other standards or Parts.

3.1 Input

This part of ISO/IEC 13346 requires the specification of the following by another standard or Part.

- A standard for recording (see 1/5.10).
- The address of the initial sector in the volume (see 2/8.1.1).
- A volume recognition space (see 2/8.2).

3.2 Output

This part of ISO/IEC 13346 specifies the following which may be used by other standards or Parts.

- identification of certain standards (see 2/9.1.2) used to record information in the volume.
- information that may be used to bring a system to a known state.

4 Conformance

See 1/3.