Asfaltsegud. Kuuma asfaltsegu katsemeetodid. Osa 1: Lahustuva sideaine sisaldus

Bituminous mixtures - Test methods for hot mix asphalt ar cu - Part 1: Soluble binder content



# **EESTI STANDARDI EESSÕNA**

## **NATIONAL FOREWORD**

| See Eesti standard EVS-EN 12697-1:2012 sisaldab                    |  |
|--|--|
| Euroopa standardi EN 12697-1:2012 ingliskeelset                    | consists of the English text of the European standard  |
| teksti.  | EN 12697-1:2012.   |
| Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas. | This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation. |
|  | Date of Availability of the European standard is 06.06.2012.   |
| Standard on kättesaadav Eesti Standardikeskusest.                  | The standard is available from the Estonian Centre for Standardisation.  |

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile <u>standardiosakond@evs.ee</u>.

ICS 93.080.20

# Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega: Aru 10, 10317 Tallinn, Eesti; <a href="www.evs.ee">www.evs.ee</a>; telefon 605 5050; e-post <a href="mailto:info@evs.ee">info@evs.ee</a>

## The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation: Aru 10, 10317 Tallinn, Estonia; www.evs.ee; phone 605 5050; e-mail info@evs.ee

# EUROPEAN STANDARD

# EN 12697-1

# NORME EUROPÉENNE EUROPÄISCHE NORM

June 2012

ICS 93.080.20

Supersedes EN 12697-1:2005

## **English Version**

# Bituminous mixtures - Test methods for hot mix asphalt - Part 1: Soluble binder content

Mélanges bitumineux - Méthode d'essai pour mélange hydrocarboné à chaud - Partie 1: Teneur en liant soluble

Asphalt - Prüfverfahren für Heißasphalt - Teil 1: Löslicher Bindemittelgehalt

This European Standard was approved by CEN on 28 April 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

# Contents

|                |  | Page     |
|----------------|--|----------|
| orew           | ord  | 4        |
| ntrodi         | uction   | 8        |
| l              | Scope  | 9        |
| <u> </u>       | Normative references   |          |
| -<br>}         | Terms and definitions  |          |
| ,              | Preparatory treatment of laboratory samples of bituminous mixtures     | _        |
| •<br>-         |  |          |
| 5.1            | Determination of binder content  |          |
| 5.1<br>5.2     | Binder extraction  | 10<br>11 |
| 5.2.1          | Solvent  |          |
| 5.2.2          | Apparatus  |          |
| 5.2.3          | Procedure  |          |
| 5.2.5<br>5.3   | Separation of mineral matter   |          |
| 5.3.1          | Apparatus  |          |
| 5.3.2          | Procedure  |          |
| 5.4            | Binder quantity  |          |
| 5.4.1          | Apparatus  |          |
| 5.4.1<br>5.4.2 | Procedure  |          |
| 5.4.2<br>5.5   | Calculation and expression of results                                  |          |
| _              |  |          |
| 5.5.1          | General  |          |
| 5.5.2          | Binder determined by difference  | 13       |
| 5.5.3          | Binder by total recovery   |          |
| 5.5.4          | Binder by recovery from portion (volume calculation)                   |          |
| 5.5.5          | Binder by recovery from portion (mass calculation)                     |          |
| 3              | Drying to constant mass  | 14       |
| 5.1            | General  |          |
| 5.2            | Apparatus  |          |
| 5.2<br>5.3     | Procedure  |          |
| ა.ა            |  |          |
| 7              | Reporting of results   | 15       |
| 7.1            | Results  | 15       |
| 7.2            | Test report  |          |
| _              |  |          |
| 3              | Precision data   |          |
| 3.1            | Precision — Experiment 1   |          |
| 3.2            | Precision — Experiment 2   |          |
| 3.3            | Precision — Experiment 3   |          |
| 3.4            | Precision — Experiment 4   | 17       |
| <b>1</b> mmay  | A (informative) Guidance on the determination of binder content        | 40       |
| Annex          | Evaluation of the results  | 10       |
| <b>A.1</b>     |  | _        |
| <b>A.2</b>     | Effect of water content  |          |
| <b>A.3</b>     | Choice of test equipment and the sequence of operations                |          |
| ۹.4            | Determination of total binder content                                  |          |
| ∆nn≙v          | B (normative) Use of equipment for the determination of binder content | 20       |
| 3.1            | Binder extraction  | 20       |
| 3.1.1          | Hot extractor (paper filter) method                                    |          |
| 3.1.1<br>3.1.2 | Hot extractor (wire mesh filter) method                                |          |
| 3.1.2<br>3.1.3 | Soxhlet extractor method   |          |
|                | WALLET GATEGUEUT HIGHIUT   | 24       |

|                |  | Page |
|----------------|--|------|
| B.1.4          | Bottle rotation machine method   | 27   |
| B.1.5          | Centrifuge extractor method  |      |
| B.1.6          | Cold mix dissolution of bitumen by agitation   |      |
| B.2            | Separation of mineral matter   |      |
| B.2.1          | Continuous flow centrifuge   |      |
| B.2.2          | Pressure filter  |      |
| B.2.3          | Bucket type centrifuge — Type 1  |      |
| B.2.4          | Bucket type centrifuge — Type 2  |      |
| B.3            | Soluble binder content   |      |
| B.3.1          | Method by recovery from a portion using a volume calculation                         |      |
| B.3.2          | Method by recovery from a portion using a mass calculation                           | 39   |
| Annex          | C (normative) Determination of residual mineral matter in the binder extract by      |      |
|                | incineration   |      |
| C.1            | General  |      |
| C.2            | Method 1   |      |
| C.2.1          | Apparatus  |      |
| C.2.2          | Reagent  |      |
| C.2.3          | Procedure  |      |
| C.3<br>C.3.1   | Method 2   |      |
| C.3.1<br>C.3.2 | ApparatusProcedure   |      |
| -              |  | 41   |
| Annex          | D (informative) Guidance on determination of soluble binder content of mixtures with | 40   |
| D 4            | polymer-modified binders   |      |
| D.1            | General  |      |
| D.2<br>D.3     | Preparatory treatment of laboratory samples of bituminous mixtures                   |      |
| D.3<br>D.3.1   | Determination of binder content  |      |
| D.3.1<br>D.3.2 | Binder extraction  |      |
| D.3.2<br>D.3.3 | Separation of mineral matter   |      |
| D.3.4          | Binder quantity  |      |
| D.3.5          | Calculation and expression of results  |      |
| D.4            | Drying to constant mass.   |      |
| D.5            | Reporting of results   |      |
| D.6            | Precision data   |      |
|                |  |      |
| Biblio         | graphy   | 47   |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |
|                |  |      |

# **Foreword**

This document (EN 12697-1:2012) has been prepared by Technical Committee CEN/TC TC "Road materials", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2012, and conflicting national standards shall be withdrawn at the latest by December 2012.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12697-1:2005.

Compared with EN 12697-1:2005, the following changes have been made:

- a) Removal of warning that the precision may be compromised with polymer-modified binders even when following Annex D;
- b) For the separation of mineral, a note is added that the residue depends on the solvent and the equipment used;
- c) The desiccator is made optional with the method of achieving a moisture-free atmosphere not fixed;
- d) The definition of constant mass is changed;
- e) Alternative procedures for determination of binder are extended;
- f) Volume units are corrected from mm<sup>3</sup> to 10<sup>3</sup> mm<sup>3</sup> as appropriate;
- g) In Annex B, note is added to ensure the binder is well dissolved;
- h) In Annex B, density of perchloroethylene is changed from  $(1.6 \pm 0.05)$  g/cm³ at 24 °C to  $(1.6 \pm 0.05)$  Mg/m³ at 20 °C;
- i) In Annex B, weighing of multiple sieves that are fitted to the feed funnel is allowed;
- j) In Annex B, repeating the procedure with a second cup in the centrifuge is undertaken with half the flow rate;
- k) In Annex B, note is added that the second run is unnecessary for some centrifuges with larger capacities;
- I) In Annex C,  $M_2$  is clarified as being the mass of fine mineral matter;
- m) In Annex C, the procedures for collecting the recovered binder are clarified;
- In Annex D, a note is added that a good solubility of the polymer-modified binder does not always guarantee a good extraction of the PmB in the bituminous mixture;
- o) In Annex D, the discussion on different solvents is refined;
- p) In Annex D, the flow rate is adjusted rather than just checked to avoid overflowing;

- q) In Annex D, the exceptions on the apparatus and procedure for the centrifuge extractor method are removed and notes added;
- r) In Annex D, note is added to continuous flow centrifuge;
- s) In Annex D, precision statement is changed.

This European Standard is one of a series of standards for Bituminous mixtures as listed below:

EN 12697-1, Bituminous mixtures — Test methods for hot mix asphalt — Part 1: Soluble binder content

EN 12697-2, Bituminous mixtures — Test methods for hot mix asphalt — Part 2: Determination of particle size distribution

EN 12697-3, Bituminous mixtures — Test methods for hot mix asphalt — Part 3: Bitumen recovery: Rotary evaporator

EN 12697-4, Bituminous mixtures — Test methods for hot mix asphalt — Part 4: Bitumen recovery: Fractionating column

EN 12697-5, Bituminous mixtures — Test methods for hot mix asphalt — Part 5: Determination of the maximum density

EN 12697-6, Bituminous mixtures — Test methods for hot mix asphalt — Part 6: Determination of bulk density of bituminous specimens

EN 12697-7, Bituminous mixtures — Test methods for hot mix asphalt — Part 7: Determination of bulk density of bituminous specimens by gamma rays

EN 12697-8, Bituminous mixtures — Test methods for hot mix asphalt — Part 8: Determination of void characteristics of bituminous specimens

EN 12697-10, Bituminous mixtures — Test methods for hot mix asphalt — Part 10: Compactability

EN 12697-11, Bituminous mixtures — Test methods for hot mix asphalt — Part 11: Determination of the affinity between aggregate and bitumen

EN 12697-12, Bituminous mixtures — Test methods for hot mix asphalt — Part 12: Determination of the water sensitivity of bituminous specimens

EN 12697-13, Bituminous mixtures — Test methods for hot mix asphalt — Part 13: Temperature measurement

EN 12697-14, Bituminous mixtures — Test methods for hot mix asphalt — Part 14: Water content

EN 12697-15, Bituminous mixtures — Test methods for hot mix asphalt — Part 15: Determination of the segregation sensitivity

EN 12697-16, Bituminous mixtures — Test methods for hot mix asphalt — Part 16: Abrasion by studded tyres

EN 12697-17, Bituminous mixtures — Test methods for hot mix asphalt — Part 17: Particle loss of porous asphalt specimen

EN 12697-18, Bituminous mixtures — Test methods for hot mix asphalt — Part 18: Binder drainage

EN 12697-19, Bituminous mixtures — Test methods for hot mix asphalt — Part 19: Permeability of specimen

EN 12697-20, Bituminous mixtures — Test methods for hot mix asphalt — Part 20: Indentation using cube or cylindrical specimens(CY)

EN 12697-21, Bituminous mixtures — Test methods for hot mix asphalt — Part 21: Indentation using plate specimens

EN 12697-22, Bituminous mixtures — Test methods for hot mix asphalt — Part 22: Wheel tracking

EN 12697-23, Bituminous mixtures — Test methods for hot mix asphalt — Part 23: Determination of the indirect tensile strength of bituminous specimens

EN 12697-24, Bituminous mixtures — Test methods for hot mix asphalt — Part 24: Resistance to fatigue

prEN 12697-25, Bituminous mixtures — Test methods for hot mix asphalt — Part 25: Cyclic compression test

EN 12697-26, Bituminous mixtures — Test methods for hot mix asphalt — Part 26: Stiffness

EN 12697-27, Bituminous mixtures — Test methods for hot mix asphalt — Part 27: Sampling

EN 12697-28, Bituminous mixtures — Test methods for hot mix asphalt — Part 28: Preparation of samples for determining binder content, water content and grading

EN 12697-29, Bituminous mixtures — Test methods for hot mix asphalt — Part 29: Determination of the dimensions of a bituminous specimen

EN 12697-30, Bituminous mixtures — Test methods for hot mix asphalt — Part 30: Specimen preparation by impact compactor

EN 12697-31, Bituminous mixtures — Test methods for hot mix asphalt — Part 31: Specimen preparation by gyratory compactor

EN 12697-32, Bituminous mixtures — Test methods for hot mix asphalt — Part 32: Laboratory compaction of bituminous mixtures by vibratory compactor

EN 12697-33, Bituminous mixtures — Test methods for hot mix asphalt — Part 33: Specimen prepared by roller compactor

EN 12697-34, Bituminous mixtures — Test methods for hot mix asphalt — Part 34: Marshall test

EN 12697-35, Bituminous mixtures — Test methods for hot mix asphalt — Part 35: Laboratory mixing

EN 12697-36, Bituminous mixtures — Test methods for hot mix asphalt — Part 36: Determination of the thickness of a bituminous pavement

EN 12697-37, Bituminous mixtures — Test methods for hot mix asphalt — Part 37: Hot sand test for the adhesivity of binder on precoated chippings for HRA

EN 12697-38, Bituminous mixtures — Test methods for hot mix asphalt — Part 38: Common equipment and calibration

EN 12697-39, Bituminous mixtures — Test methods for hot mix asphalt — Part 39: Binder content by ignition

EN 12697-40, Bituminous mixtures — Test methods for hot mix asphalt — Part 40: In-situ drainability

EN 12697-41, Bituminous mixtures — Test methods for hot mix asphalt — Part 41: Resistance to de-icing fluids

EN 12697-42, Bituminous mixtures — Test methods for hot mix asphalt — Part 42: Amount of coarse foreign matter in reclaimed asphalt

EN 12697-43, Bituminous mixtures — Test methods for hot mix asphalt — Part 43: Resistance to fuel

EN 12697-44, Bituminous mixtures — Test methods for hot mix asphalt — Part 44: Crack propagation by semi-circular bending test

EN 12697-45, Bituminous mixtures — Test methods for hot mix asphalt — Part 45: Saturation ageing tensile stiffness (SATS) conditioning test

EN 12697-46, Bituminous mixtures — Test methods for hot mix asphalt — Part 46: Low temperature cracking and properties by uniaxial tension tests

EN 12697-47, Bituminous mixtures — Test methods for hot mix asphalt — Part 47: Determination of the ash content of natural asphalts

prEN 12697-48, Bituminous mixtures — Test methods for hot mix asphalt — Part 48: Interlayer bonding<sup>1)</sup>

prEN 12697-49, Bituminous mixtures — Test methods for hot mix asphalt — Part 49: Determination of friction after polishing

prEN 12697-50, Bituminous mixtures — Test methods for hot mix asphalt — Part 50: Scuffing resistance of surface course<sup>1)</sup>

The applicability of this European Standard is described in the product standards for bituminous mixtures.

WARNING — The method described in this European Standard may require the use of dichloromethane (methylene chloride), 1,1,1-trichloroethane, benzene, trichloroethylene, xylene, toluene, perchloroethylene (tetracloroethylene) or other solvents capable of dissolving bitumen. These solvents are hazardous to health and are subject to occupational exposure limits as detailed in relevant legislation and regulations.

Exposure levels are related to both handling procedures and ventilation provision and it is emphasised that adequate training should be given to staff employed in the usage of these substances.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

7

<sup>1)</sup> In preparation.

# Introduction

This European Standard describes a unified approach to the examination of bituminous mixtures that allows some divergence in the detail of procedures followed by individual laboratories. In Clause 5 of this European Standard, a description is given of the basic operations that together form the test method for the proper determination of the binder content of bituminous mixtures. Guidance on the test method is given in Annex A and Figure A.1, while the use of alternative items of equipment that are equally suitable for carrying out particular parts of the test method are described in Annex B. Although the apparatus specified for the separation of mineral filler from the binder solution obtained after extraction is of a suitably efficient level not to affect the precision of the test described in Clause 8, a method for determining the amount of residual mineral matter in the extract is given in Annex C for use in those particular cases where some doubt may exist.

Methods and equipment other than those described in Annex B and Annex C, including automated equipment, are permissible provided that they have been demonstrated to provide the same results as one of the methods in Annex B or Annex C within the limits of the precision given in this document. Guidance on du San Carlon Ca determination of soluble binder content of mixtures with polymer-modified binders is given in Annex D.

# 1 Scope

This document describes test methods for the determination of the soluble binder content of samples of bituminous mixtures.

The test methods described are suitable for quality control purposes during the production of plant mix and for checking compliance with a product specification.

For the analysis of mixtures containing modified binders, the guidance of Annex D should be followed.

### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12697-3, Bituminous mixtures — Test methods for hot mix asphalt — Part 3: Bitumen recovery: Rotary evaporator

EN 12697-4, Bituminous mixtures — Test methods for hot mix asphalt — Part 4: Bitumen recovery: Fractionating column

EN 12697-14, Bituminous mixtures — Test methods for hot mix asphalt — Part 14: Water content

EN 12697-28:2000, Bituminous mixtures — Test methods for hot mix asphalt — Part 28: Preparation of samples for determining binder content, water content and grading

EN 933-1, Tests for geometrical properties of aggregates — Part 1: Determination of particle size distribution — Sieving method

ISO 3310-1, Test sieves — Technical requirements and testing — Part 1: Test sieves of metal wire cloth

ISO 3310-2, Test sieves — Technical requirements and testing — Part 2: Test sieves of perforated metal plate

# 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

#### soluble binder content

percentage by mass of extractable binder in an anhydrous sample, determined by extracting the binder from the sample

Note 1 to entry: Extraction may be followed by binder recovery.

#### 3.2

#### insoluble binder content

percentage by mass of binder that adheres to the aggregate particles after extraction

#### 3.3

#### precision

closeness of agreement between independent test results obtained under stipulated conditions

Note 1 to entry: Precision depends only on the distribution of random errors and does not relate to the true value or the specified value.