

**Bituminous mixtures - Test method for
hot mix asphalt - Part 29: Determination
of the dimensions of a bituminous
specimen**

Bituminous mixtures - Test method for hot mix asphalt - Part 29: Determination of the dimensions of a bituminous specimen

EESTI STANDARDI EESSÖNA

NATIONAL FOREWORD

| | |
|--|--|
| Käesolev Eesti standard EVS-EN 12697-29:2003 sisaldb Euroopa standardi EN 12697-29:2002 ingliskeelset teksti. | This Estonian standard EVS-EN 12697-29:2003 consists of the English text of the European standard EN 12697-29:2002. |
| Käesolev dokument on jõustatud 18.02.2003 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes. | This document is endorsed on 18.02.2003 with the notification being published in the official publication of the Estonian national standardisation organisation. |
| Standard on kätesaadav Eesti standardiorganisatsioonist. | The standard is available from Estonian standardisation organisation. |

| | |
|--|--|
| Käsitlusala: This European Standard specifies a test method for determining the dimensions of cylindrical, rectangular or nonrectangular bituminous test specimens by measurement. The applicability of this European Standard is described in the product standards for bituminous mixtures | Scope: This European Standard specifies a test method for determining the dimensions of cylindrical, rectangular or nonrectangular bituminous test specimens by measurement. The applicability of this European Standard is described in the product standards for bituminous mixtures |
|--|--|

ICS 93.080.20

Võtmesõnad: asphalts, construction, construction materials, core, determination, determination of content, dimensions, hot mix asphalts, measurement, mechanical properties, physical properties, road construction, sampling, sampling methods, test specimens, testing

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 12697-29

September 2002

ICS 93.080; 93.080.20

English version

Bituminous mixtures - Test method for hot mix asphalt - Part 29:
Determination of the dimensions of a bituminous specimen

Mélanges bitumineux - Méthodes d'essai pour mélange hydrocarboné à chaud - Partie 29: Détermination des dimensions des éprouvettes d'enrobées hydrocarbonés

Asphalt - Prüfverfahren für Heißasphalt - Teil 29:
Bestimmung der Maße von Asphalt-Probekörpern

This European Standard was approved by CEN on 1 August 2002.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

| | page |
|----------------------------|----------|
| Foreword | 3 |
| 1 Scope | 6 |
| 2 Apparatus | 6 |
| 3 Procedure | 6 |
| 4 Test report | 7 |
| 5 Precision | 7 |

Foreword

This document EN 12697-29:2002 has been prepared by Technical Committee CEN/TC 227 "Road materials", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2003, and conflicting national standards shall be withdrawn at the latest by April 2005.

This European Standard is one of a series of standards as listed below.

EN 12697-1, *Bituminous mixtures – Test methods for hot mix asphalt – Part 1: Soluble binder content*

EN 12697-2, *Bituminous mixtures – Test methods for hot mix asphalt – Part 2: Determination of particle size distribution*

EN 12697-3, *Bituminous mixtures – Test methods for hot mix asphalt – Part 3: Bitumen recovery: Rotary evaporator*

EN 12697-4, *Bituminous mixtures – Test methods for hot mix asphalt – Part 4: Bitumen recovery: Fractionating column*

EN 12697-5, *Bituminous mixtures - Test methods for hot mix asphalt - Part 5: Determination of the maximum density*

prEN 12697-6, *Bituminous mixtures – Test methods for hot mix asphalt – Part 6: Determination of bulk density of bituminous specimens by hydro-static method*

EN 12697-7, *Bituminous mixtures – Test methods for hot mix asphalt – Part 7: Determination of bulk density of bituminous specimens by gamma rays*

prEN 12697-8, *Bituminous mixtures – Test methods for hot mix asphalt – Part 8: Determination of void characteristics of bituminous specimens*

prEN 12697-9, *Bituminous mixtures – Test methods for hot mix asphalt – Part 9: Determination of the reference density*

EN 12697-10, *Bituminous mixtures – Test methods for hot mix asphalt – Part 10: Compatability*

prEN 12697-11, *Bituminous mixtures – Test methods for hot mix asphalt – Part 11: Determination of the compatibility between aggregates and bitumen*

prEN 12697-12, *Bituminous mixtures – Test methods for hot mix asphalt – Part 12: Determination of the water sensitivity of bituminous specimens*

EN 12697-13, *Bituminous mixtures – Test methods for hot mix asphalt – Part 13: Temperature measurement*

EN 12697-14, *Bituminous mixtures – Test methods for hot mix asphalt – Part 14: Water content*

prEN 12697-15, *Bituminous mixtures – Test methods for hot mix asphalt – Part 15: Determination of the segregation sensitivity of bituminous mixtures*

prEN 12697-16, *Bituminous mixtures – Test methods for hot mix asphalt – Part 16: Abrasion by studded tyres*

prEN 12697-17, Bituminous mixtures – Test methods for hot mix asphalt – Part 17: Particle loss of porous asphalt specimen

prEN 12697-18, Bituminous mixtures – Test methods for hot mix asphalt – Part 18: Binder drainage from porous asphalt

prEN 12697-19, Bituminous mixtures – Test methods for hot mix asphalt – Part 19: Permeability of specimen

prEN 12697-20, Bituminous mixtures – Test methods for hot mix asphalt – Part 20: Indentation using cube or marshall specimens

prEN 12697-21, Bituminous mixtures – Test methods for hot mix asphalt – Part 21: Indentation using plate specimens

prEN 12697-22, Bituminous mixtures – Test methods for hot mix asphalt – Part 22: Wheel tracking

prEN 12697-23, Bituminous mixtures – Test methods for hot mix asphalt – Part 23 Determination of the indirect tensile strength of bituminous specimens

prEN 12697-24, Bituminous mixtures – Test methods for hot mix asphalt – Part 24: Resistance to fatigue

prEN 12697-25, Bituminous mixtures – Test methods for hot mix asphalt – Part 25: Dynamic creep test

prEN 12697-26, Bituminous mixtures – Test methods for hot mix asphalt – Part 26: Stiffness

EN 12697-27, Bituminous mixtures – Test methods for hot mix asphalt – Part 27: Sampling

EN 12697-28, Bituminous mixtures – Test methods for hot mix asphalt – Part 28: Preparation of samples for determining binder content, water content and grading

prEN 12697-29, Bituminous mixtures – Test methods for hot mix asphalt – Part 29: Determination of the dimensions of bituminous specimen

prEN 12697-30, Bituminous mixtures – Test methods for hot mix asphalt – Part 30: Specimen preparation, impact compactor

prEN 12697-31, Bituminous mixtures – Test methods for hot mix asphalt – Part 31: Specimen preparation gyratory compactor

prEN 12697-32, Bituminous mixtures – Test methods for hot mix asphalt – Part 32: Laboratory compaction of bituminous mixtures by a vibratory compactor

prEN 12697-33, Bituminous mixtures – Test methods for hot mix asphalt – Part 33: Specimen preparation slab compactor

prEN 12697-34, Bituminous mixtures – Test methods for hot mix asphalt – Part 34: Marshall test

prEN 12697-35, Bituminous mixtures – Test methods for hot mix asphalt – Part 35: Laboratory mixing

prEN 12697-36, Bituminous mixtures – Test methods for hot mix asphalt – Part 36: Method for the determination of the thickness of a bituminous pavement

prEN 12697-37, Bituminous mixtures – Test methods for hot mix asphalt – Part 37: Hot sand test for the adhesivity of binder on precoated chippings for HRA

prEN 12697-38, Bituminous mixtures – Test methods for hot mix asphalt – Part 38: Test equipment and calibration

prEN 12697-39, Bituminous mixtures – Test methods for hot mix asphalt – Part 39: Soluble binder content of mixtures by ignition method

prEN 12697-40, *Bituminous mixtures – Test methods for hot mix asphalt – Part 40: Void content, compaction and hydraulic conductivity of material in the layer*

prEN 12697-41, *Bituminous mixtures – Test methods for hot mix asphalt – Part 41: Resistance to deicing fluid*

prEN 12697-42, *Bituminous mixtures – Test methods for hot mix asphalt – Part 42: Content of foreign matters in reclaimed asphalt*

prEN 12697-43, *Bituminous mixtures – Test methods for hot mix asphalt – Part 43: Resistance to fuel*

prEN 12697-44, *Bituminous mixtures – Test methods for hot mix asphalt – Part 44: Binder content of mixtures with modified binders*

prEN 12697-45, *Bituminous mixtures — Test methods for hot mix asphalt — Part 45: Binder drainage — Schellenberg method*

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.