
Thermoplastic polymers for plain bearings — Classification and designation

*Polymères thermoplastiques pour paliers lisses — Classification et
désignation*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

This document is a preview generated by EVS

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

Page

| | |
|--|----|
| Foreword..... | iv |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Classification and designation system | 2 |
| 4 Designation examples | 9 |
| 5 Ordering information | 10 |
| Annex A (informative) Properties and applications of the most common unfilled thermoplastic polymers | 11 |
| Annex B (informative) Fundamental application procedures | 17 |
| Bibliography | 23 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

International Standard ISO 6691 was prepared by Technical Committee ISO/TC 123, *Plain bearings*, Subcommittee SC 2, *Materials and lubricants, their properties, characteristics, test methods and testing conditions*.

This second edition cancels and replaces the first edition (ISO 6691:1989), of which has been technically revised.

Annexes A and B of this International Standard are for information only.

Thermoplastic polymers for plain bearings — Classification and designation

1 Scope

This International Standard specifies a classification and designation system for a selection of the most common unfilled thermoplastic polymers for plain bearings.

The unfilled thermoplastic polymers are classified on the basis of appropriate levels of distinctive properties, additives and information about their application for plain bearings. The designation system does not include all properties; thermoplastic polymers having the same designation cannot therefore be interchanged in all cases.

It also provides an outline of the properties and applications of the most common unfilled thermoplastic polymers as well as listing some of the fundamental parameters that influence the selection of thermoplastic polymers for use for plain bearings.

NOTE In the further course of the work it is intended to prepare standards on "thermosetting polymers" and "mixed polymers" for plain bearings.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this International Standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this International Standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 307, *Plastics — Polyamides — Determination of viscosity number.*

ISO 527-1, *Plastics — Determination of tensile properties — Part 1: General principles.*

ISO 527-2, *Plastics — Determination of tensile properties — Part 2: Test conditions for moulding and extrusion plastics.*

ISO 527-3, *Plastics — Determination of tensile properties — Part 3: Test conditions for films and sheets.*

ISO 527-4, *Plastics — Determination of tensile properties — Part 4: Test conditions for isotropic and orthotropic fibre-reinforced plastic composites.*

ISO 527-5, *Plastics — Determination of tensile properties — Part 5: Test conditions for unidirectional fibre-reinforced plastic composites.*

ISO 1133, *Plastics — Determination of the melt mass-flow rate (MFR) and the melt volume-flow rate (MVR) of thermoplastics.*

ISO 1183, *Plastics — Methods for determining the density and relative density of non-cellular plastics.*

ISO 1628-5, *Plastics — Determination of the viscosity of polymers in dilute solution using capillary viscometers — Part 5: Thermoplastic polyester (TP) homopolymers and copolymers.*

ISO 1872-2, *Plastics — Polyethylene (PE) moulding and extrusion materials — Part 2: Preparation of test specimens and determination of properties.*

ISO 1874-2, *Plastics — Polyamide (PA) moulding and extrusion materials — Part 2: Preparation of test specimens and determination of properties.*

ISO 7148-2, *Plain bearings — Testing of the tribological behaviour of bearing materials — Part 2: Testing of polymer-based bearing materials.*

3 Classification and designation system

3.1 General

The classification and designation are based on a block system consisting of a "description block" and "identity block". The "identity block" comprises an "International Standard number block" and an "individual item block". For unambiguous coding of all thermoplastic polymers, the "individual item block" is subdivided into five data blocks.

| Designation | | | | | | |
|-------------------|-------------------------------------|-----------------------|--------------|--------------|--------------|--------------|
| Description block | Identity block | | | | | |
| | International Standard number block | Individual item block | | | | |
| | | Data block 1 | Data block 2 | Data block 3 | Data block 4 | Data block 5 |

The "individual item block" starts with a dash. The data blocks are separated by commas.

Data blocks 1 to 5 include the following information:

data block 1: material symbol (see 3.2)

data block 2: intended application or method of processing (see 3.3)

data block 3: distinctive properties (see 3.4)

data block 4: type and content of fillers or reinforcing materials (see 3.5)

data block 5: information about tribological properties for plain bearings (see 3.6)

The meaning of the letters and digits is different for each data block (see 3.2 to 3.6).

Data block 2 comprises up to 4 positions. If at least one of positions 2 to 4 is used, but no information is given in position 1, then the letter "X" shall be placed in position 1. The letters in positions 2 to 4 shall be arranged in alphabetical order.

If a data block is not used, this shall be indicated by consecutive data block separators, i.e. two commas (,,).

Designation examples are given in clause 4.