

Mechanical seals. - Principal dimensions, designation and material codes

Mechanical seals. - Principal dimensions, designation and material codes

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

<p>Käesolev Eesti standard EVS-EN 12756:2001 sisaldab Euroopa standardi EN 12756:2000 ingliskeelset teksti.</p> <p>Käesolev dokument on jõustatud 18.05.2001 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.</p> <p>Standard on kättesaadav Eesti standardiorganisatsioonist.</p>	<p>This Estonian standard EVS-EN 12756:2001 consists of the English text of the European standard EN 12756:2000.</p> <p>This document is endorsed on 18.05.2001 with the notification being published in the official publication of the Estonian national standardisation organisation.</p> <p>The standard is available from Estonian standardisation organisation.</p>
--	---

<p>Käsitlusala:</p> <p>This European Standard defines the principal dimensions for the internal installation of single and multiple mechanical seals with (rotating) spring units into the pump sealing cavity according to ISO 3069 as minimum cavity dimensions as typical for centrifugal pumps in accordance with EN 22858 and EN 733. It also gives the seal designations and material codes to be used.</p>	<p>Scope:</p> <p>This European Standard defines the principal dimensions for the internal installation of single and multiple mechanical seals with (rotating) spring units into the pump sealing cavity according to ISO 3069 as minimum cavity dimensions as typical for centrifugal pumps in accordance with EN 22858 and EN 733. It also gives the seal designations and material codes to be used.</p>
--	--

ICS 21.140

Võtmesõnad: assembly dimensions, cavities, designations, dimensions, main dimensions, material symbol, materials, mechanical engineering, mechanical seals, minimum dimensions, seals, stoppers

ICS 21.140

English version

Mechanical seals

Principal dimensions, designation and material codes

Garnitures mécaniques d'étanchéité – Dimensions principales, désignation et codes matériaux	Gleitringdichtungen – Hauptmaße, Bezeichnung und Werkstoffschlüssel
---	--

This European Standard was approved by CEN on 1999-11-08.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

The European Standards exist in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, the Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, the Netherlands, Norway, Portugal, Spain, Sweden, Switzerland, and the United Kingdom.

CEN

European Committee for Standardization
Comité Européen de Normalisation
Europäisches Komitee für Normung

Central Secretariat: rue de Stassart 36, B-1050 Brussels

Contents

	Page
Foreword	2
1 Scope	3
2 Normative references	3
3 Dimensions	4
4 Standard designation	8
5 Material key	10

Foreword

This European Standard has been prepared by Technical Committee CEN/TC 197 "Pumps", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2001, and conflicting national standards shall be withdrawn at the latest by June 2001.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Portugal, Spain, Sweden, Switzerland and the United Kingdom.

1 Scope

This European Standard defines the principal dimensions for the internal installation of single and multiple mechanical seals with (rotating) spring units into the pump sealing cavity according to ISO 3069 as minimum cavity dimensions as typical for centrifugal pumps in accordance with EN 22858 and EN 733. It also gives the seal designations and material codes to be used.

2 Normative references

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

EN 733, *End-suction centrifugal pumps, rating 10 bar with bearing bracket — Nominal duty point, main dimensions, designation system*

EN 22858, *End suction centrifugal pumps (rating 16 bar) — Designation, nominal duty point and dimensions (ISO 2858:1975)*

ISO 1382, *Rubber — Vocabulary Trilingual edition*

ISO 1629, *Rubbers and latices — Classification, symbols*

ISO 2768-1, *General tolerances — Part 1: Tolerances for linear and angular dimensions without individual tolerance indications*

ISO 3069, *End suction centrifugal pumps — Dimensions of cavities for mechanical seals and for softpacking*

ISO 5199, *Technical specifications for centrifugal pumps — Class II*

ISO 9905, *Technical specifications for centrifugal pumps — Class I*

ISO 9908, *Technical specifications for centrifugal pumps — Class III*