## **INTERNATIONAL STANDARD**

**ISO** 4998

Sixth edition 2014-06-01

## Continuous hot-dip zinc-coated and zinc-iron alloy-coated carbon steel sheet of structural quality

s en a tinu par Tôles en acier au carbone revêtues de zinc ou d'un alliage zinc-fer en continu par immersion à chaud, de qualité destinée à la construction



Reference number ISO 4998:2014(E)



roduced or utilized e te internet or an ' or ISO's memb All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents			Page
Fore	word		iv
1	Scope		
2	Normative references		1
3	Terms and definitions		
4	Dimensions		2
5	Conditions of manufacture 5.1 Chemical composition 5.2 Mechanical properties 5.3 Coating 5.4 Weldability 5.5 Painting 5.6 Surface treatments 5.7 Dimensional and shape tolerances		3 4 4 6 6
6	Sampling 6.1 Chemical composition 6.2 Tensile test 6.3 Coating tests		6 7
7	Test methods 7.1 Tensile test 7.2 Coating properties		
8	Designation system 8.1 Coating type 8.2 Coating mass 8.3 Coating finish conditions 8.4 Surface treatments 8.5 Example		8 8 8
9	Retests 9.1 Machining and flaws 9.2 Elongation 9.3 Additional tests	<u> </u>	9 9
10	Resubmission		9
11	Workmanship		9
12	Inspection and acceptance		10
13	Coil size		10
14	Marking		10
15	Information to be supplied by the purchaser	<u></u>	10
Ann	ex A (normative) Orders requiring base metal thickness		12
	iogranhy		13

#### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 17, *Steel*, Subcommittee SC 12, *Continuous mill flat rolled products*.

This sixth edition cancels and replaces the fifth edition (ISO 4998:2011), which has been technically revised.

# Continuous hot-dip zinc-coated and zinc-iron alloy-coated carbon steel sheet of structural quality

### 1 Scope

- **1.1** This International Standard specifies continuous hot-dip zinc-coated and zinc-iron alloy-coated carbon steel sheet of structural quality.
- **1.2** The product is intended for applications where resistance to corrosion is of prime importance.
- **1.3** The steel sheet is produced in a number of grades, coating masses, ordering conditions, and surface treatments.
- **1.4** This International Standard does not cover steels designated as commercial quality, or drawing quality, which are covered in ISO 3575[2].

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

 $ISO\ 2178, Non-magnetic\ coatings\ on\ magnetic\ substrates -- \textit{Measurement}\ of\ coating\ thickness\ -- \textit{Magnetic}\ method$ 

ISO 3497, Metallic coatings — Measurement of coating thickness — X-ray spectrometric methods

ISO 6892-1, Metallic materials — Tensile testing — Part 1: Method of test at room temperature

ISO 7438, Metallic materials — Bend test

ISO 16163:2012, Continuously hot-dipped coated steel sheet products — Dimensional and shape tolerances

#### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

#### continuous hot-dip zinc-coated steel sheet

product obtained by hot-dip coating of cold-reduced sheet coils or hot-rolled descaled sheet coils on a continuous zinc-coating line

#### 3.2

#### normal coating

coating formed as a result of unrestricted growth of zinc crystals during normal solidification

Note 1 to entry: This coating has a metallic lustre and is of the type normally furnished for a wide variety of applications. It can be furnished as S or N; however, it can be variable in appearance and is not suitable for decorative painting.