Plastics - Determination of dynamic mechanical ie.

Soloteriem Generaliem Genera properties - Part 1: General principles (ISO 6721-1:2011)



FESTI STANDARDI FESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN ISO 6721-1:2011 sisaldab Euroopa standardi EN ISO 6721-1:2011 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 31.05.2011 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 15.05.2011.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN ISO 6721-1:2011 consists of the English text of the European standard EN ISO 6721-1:2011.

This standard is ratified with the order of Estonian Centre for Standardisation dated 31.05.2011 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 15.05.2011.

The standard is available from Estonian standardisation organisation.

ICS 83.080.01

Standardite reprodutseerimis- ja levitamisõigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega: Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

Right to reproduce and distribute belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without permission in writing from Estonian Centre for Standardisation.

If you have any questions about standards copyright, please contact Estonian Centre for Standardisation: Aru str 10 Tallinn 10317 Estonia; www.evs.ee; Phone: 605 5050; E-mail: info@evs.ee

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 6721-1

May 2011

ICS 83.080.01

Supersedes EN ISO 6721-1:2002

English Version

Plastics - Determination of dynamic mechanical properties - Part 1: General principles (ISO 6721-1:2011)

Plastiques - Détermination des propriétés mécaniques dynamiques - Partie 1: Principes généraux (ISO 6721-1:2011)

Kunststoffe - Bestimmung dynamisch-mechanischer Eigenschaften - Teil 1: Allgemeine Grundlagen (ISO 6721-1:2011)

This European Standard was approved by CEN on 14 May 2011.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Foreword

This document (EN ISO 6721-1:2011) has been prepared by Technical Committee ISO/TC 61 "Plastics" in collaboration with Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2011, and conflicting national standards shall be withdrawn at the latest by November 2011.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 6721-1:2002.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 6721-1:2011 has been approved by CEN as a EN ISO 6721-1:2011 without any modification.

Contents

Page

Forev	word	iv
Introd	duction	vi
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Principle	8
5 5.1	Test apparatus Type	
5.2 5.3 5.4 5.5 5.6	Mechanical, electronic and recording systems Temperature-controlled enclosure Gas supply Temperature-measurement device Devices for measuring test specimen dimensions	10 11 11 11
6 6.1 6.2 6.3	Test specimens	11 1111 11
7	Number of test specimens	11
8	Conditioning	
9 9.1 9.2 9.3 9.4 9.5 9.6	Procedure Test atmosphere Measurement of specimen cross-section Mounting the test specimens Varying the temperature Varying the frequency Varying the dynamic-strain amplitude	12 12 12 13 13
10	Expression of results	
11	Precision	
12	Test report	
Anne	ex A (informative) Resonance curves	15
Anne	ex B (informative) Deviations from linear behaviour	19
Ribliography		20

Introduction

The methods specified in the first nine parts of ISO 6721 can be used for determining storage and loss moduli of plastics over a range of temperatures or frequencies by varying the temperature of the specimen or the frequency of oscillation. Plots of the storage or loss moduli, or both, are indicative of viscoelastic characteristics of the specimen. Regions of rapid changes in viscoelastic properties at particular temperatures or frequencies are normally referred to as transition regions. Furthermore, from the temperature and frequency dependencies of the loss moduli, the damping of sound and vibration of polymer or metal-polymer systems can be estimated.

Apparent discrepancies may arise in results obtained under different experimental conditions. Without changing the observed data, reporting in full (as described in the various parts of ISO 6721) the conditions under which the data were obtained will enable apparent differences observed in different studies to be reconciled.

The definitions of complex moduli apply exactly only to sinusoidal oscillations with constant amplitude and constant frequency during each measurement. On the other hand, measurements of small phase angles between stress and strain involve some difficulties under these conditions. Because these difficulties are not involved in some methods based on freely decaying vibrations and/or varying frequency near resonance, d Is nately . these methods are used frequently (see ISO 6721-2 and ISO 6721-3). In these cases, some of the equations that define the viscoelastic properties are only approximately valid.

Plastics — Determination of dynamic mechanical properties —

Part 1:

General principles

1 Scope

The various parts of ISO 6721 specify methods for the determination of the dynamic mechanical properties of rigid plastics within the region of linear viscoelastic behaviour. This part of ISO 6721 is an introductory section which includes the definitions and all aspects that are common to the individual test methods described in the subsequent parts.

Different deformation modes may produce results that are not directly comparable. For example, tensile vibration results in a stress which is uniform across the whole thickness of the specimen, whereas flexural measurements are influenced preferentially by the properties of the surface regions of the specimen.

Values derived from flexural-test data will be comparable to those derived from tensile-test data only at strain levels where the stress-strain relationship is linear and for specimens which have a homogeneous structure.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 291, Plastics — Standard atmospheres for conditioning and testing

ISO 293, Plastics — Compression moulding of test specimens of thermoplastic materials

ISO 294 (all parts), Plastics — Injection moulding of test specimens of thermoplastic materials

ISO 295, Plastics — Compression moulding of test specimens of thermosetting materials

ISO 1268 (all parts), Fibre-reinforced plastics — Methods of producting test plates

ISO 2818, Plastics — Preparation of test specimens by machining

ISO 4593, Plastics — Film and sheeting — Determination of thickness by mechanical scanning

ISO 6721-2:2008, Plastics — Determination of dynamic mechanical properties — Part 2: Torsion-pendulum method

ISO 6721-3, Plastics — Determination of dynamic mechanical properties — Part 3: Flexural vibration — Resonance-curve method

© ISO 2011 – All rights reserved