

MÜÜRIKIVIDE SPETSIFIKATSIOON. OSA 1:
KERAAMILISED MÜÜRIKIVID

Specification for masonry units - Part 1: Clay masonry
units

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

See Eesti standard EVS-EN 771-1:2011+A1:2015 sisaldab Euroopa standardi EN 771-1:2011+A1:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 771-1:2011+A1:2015 consists of the English text of the European standard EN 771-1:2011+A1:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas.	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 19.08.2015.	Date of Availability of the European standard is 19.08.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile standardiosakond@evs.ee.

ICS 91.100.25

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht www.evs.ee; telefon 605 5050; e-post info@evs.ee

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage www.evs.ee; phone +372 605 5050; e-mail info@evs.ee

English Version

Specification for masonry units - Part 1: Clay masonry units

Spécification pour éléments de maçonnerie - Partie 1:
Briques de terre cuite

Festlegungen für Mauersteine - Teil 1: Mauerziegel

This European Standard was approved by CEN on 3 March 2011 and includes Amendment 1 approved by CEN on 11 January 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Materials and manufacture	9
5 Requirements for clay masonry units	10
5.1 General.....	10
5.2 A_1 P units: intended to be used in protected masonry A_1	10
5.2.1 Dimensions and tolerances (A_1 P A_1 units).....	10
5.2.2 Configuration (A_1 P A_1 units).....	13
5.2.3 Density (A_1 P A_1 units).....	14
5.2.4 Compressive strength (A_1 P A_1 units).....	15
5.2.5 Thermal properties (A_1 P A_1 units).....	16
5.2.6 Durability (A_1 P A_1 units).....	16
5.2.7 Water absorption (A_1 P A_1 units).....	16
5.2.8 Active soluble salts content (A_1 P A_1 units).....	16
5.2.9 Moisture movement (A_1 P A_1 units).....	16
5.2.10 Reaction to fire (A_1 P A_1 units).....	17
5.2.11 Water vapour permeability (A_1 P A_1 units).....	17
5.2.12 Bond strength (A_1 P A_1 units).....	17
5.2.13 Dangerous substances	17
5.3 A_1 U units: intended to be used in unprotected masonry A_1	18
5.3.1 Dimensions and tolerances (A_1 U A_1 units).....	18
5.3.2 Configuration (A_1 U A_1 units).....	19
5.3.3 Density (A_1 U A_1 units).....	20
5.3.4 Compressive strength (A_1 U A_1 units).....	21
5.3.5 Thermal properties (A_1 U A_1 units).....	22
5.3.6 Durability (A_1 U A_1 units).....	22
5.3.7 Water absorption (A_1 U A_1 units).....	22
5.3.8 Initial rate of water absorption (A_1 U A_1 units).....	23
5.3.9 Active soluble salts content (A_1 U A_1 units).....	23
5.3.10 Moisture movement (A_1 U A_1 units).....	23
5.3.11 Reaction to fire (A_1 U A_1 units).....	23
5.3.12 Water vapour permeability (A_1 U A_1 units).....	23
5.3.13 Bond strength (A_1 U A_1 units).....	24
5.3.14 Dangerous substances	24
6 A_1 Description, designation, designation code and classification of clay masonry units A_1	24
6.1 Description and designation	24
6.1.1 A_1 P units A_1	24
6.1.2 A_1 U units A_1	25
6.2 Designation code	26
6.3 Classification.....	30
7 Marking	30
8 A_1 Assessment and verification of constancy of performance (AVCP) A_1	30
8.1 General.....	30
8.2 A_1 Product type determination A_1	30
8.3 Factory production control.....	31

8.3.1	General	31
8.3.2	Testing and measuring equipment.....	32
8.3.3	Production equipment	32
8.3.4	Raw materials	32
8.3.5	Production process.....	32
8.3.6	Finished product testing.....	32
8.3.7	Statistical techniques.....	33
8.3.8	Marking and stock control of products.....	33
8.3.9	Traceability.....	33
8.3.10	Nonconforming products	33
Annex A (normative)  Sampling for product type determination tests and for independent testing of consignments 		34
A.1	General	34
A.2	Sampling procedure.....	34
A.2.1	General	34
A.2.2	Random sampling	34
A.2.3	Representative sampling.....	34
A.2.4	Dividing the sample.....	35
A.2.5	Number of units required for testing.....	36
Annex B (informative) Additional information.....		38
B.1	Use of clay masonry units	38
B.2	Durability	39
B.3	Freeze/thaw resistance	39
B.3.1	General	39
B.3.2	Masonry subjected to severe exposure	39
B.3.3	Masonry subjected to moderate exposure	40
B.3.4	Masonry subjected to passive exposure	40
B.4	Sulfate action on mortars and plasters.....	40
B.5	Efflorescence and staining.....	41
B.6	General guidance on the appearance of facing clay masonry units	41
Annex C (informative) Guidelines for test frequencies for designing a FPC system to demonstrate conformity of finished products with the requirements of the standard and the declaration of the manufacturer		42
Annex ZA (informative)  Clauses of this European Standard addressing the provisions of the EU Construction Products Regulation 		44
ZA.1	Scope and relevant characteristics	44
ZA.2	Procedure for AVCP of clay masonry units.....	47
ZA.2.1	System(s) of AVCP	47
ZA.2.2	Declaration of performance (DoP)	48
ZA.3	CE marking and labelling.....	54
Bibliography.....		57

European foreword

This document (EN 771-1:2011+A1:2015) has been prepared by Technical Committee CEN/TC 125 "Masonry", the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2016, and conflicting national standards shall be withdrawn at the latest by May 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes A1 EN 771-1:2011 A1.

This document includes Amendment 1 approved by CEN on 2015-01-11.

The start and finish of text introduced or altered by amendment is indicated in the text by tags A1 A1.

A1 This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports basic requirements for construction works of the EU Construction Products Regulation (Regulation (EU) No 305/2011).

For relationship with EU Regulation/Directive(s), see informative Annex ZA, which is an integral part of this document. A1

This European Standard also takes into account the general rules for unreinforced and reinforced masonry in Eurocode 6.

EN 771, *Specification for masonry units* consists of:

- *Part 1: Clay masonry units*
- *Part 2: Calcium silicate masonry units*
- *Part 3: Aggregate concrete masonry units (Dense and light weight aggregates)*
- *Part 4: Autoclaved aerated concrete masonry units*
- *Part 5: Manufactured stone masonry units*
- *Part 6: Natural stone masonry units*

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

A1 This European Standard specifies the characteristics and performance requirements for masonry units manufactured from clay for which the main intended uses are protected or unprotected masonry structure (see definitions 3.3 and 3.4) (e.g. facing and rendered masonry, loadbearing or non-loadbearing masonry structures, including internal linings and partitions, for building and civil engineering). **A1**

A1 *deleted text* **A1**

This European Standard includes those clay masonry units of an overall non-rectangular parallelepiped shape.

It defines the performance related to e.g. dimensional tolerances, strength, density measured according to the corresponding test methods contained in separate European Standards.

A1 It provides for the assessment and verification of constancy of performance (AVCP) of the product to this European Standard. **A1**

The marking requirement for products covered by this European Standard is included.

This European Standard does not specify standard sizes for clay masonry units, nor does it specify standard work dimensions, angles and radii of specially shaped clay masonry units. **A1** This European Standard does not include method of measurement of angles and radii characteristics of specially shaped clay masonry units. **A1**

This European Standard does not cover requirements for the following: units for paving, flue liners and storey height clay masonry units and clay masonry units with an incorporated thermal insulation material bonded to the faces of the unit susceptible to be exposed to fire. It does, however, include clay masonry units for external chimney masonry.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 772-1, *Methods of test for masonry units — Part 1: Determination of compressive strength*

EN 772-3, *Methods of test for masonry units — Part 3: Determination of net volume and percentage of voids of clay masonry units by hydrostatic weighing*

EN 772-5, *Methods of test for masonry units — Part 5: Determination of the active soluble salts content of clay masonry units*

EN 772-7, *Methods of test for masonry units — Part 7: Determination of water absorption of clay masonry damp proof course units by boiling in water*

EN 772-9, *Methods of test for masonry units — Part 9: Determination of volume and percentage of voids and net volume of clay and calcium silicate masonry units by sand filling*

EN 772-11, *Methods of test for masonry units — Part 11: Determination of water absorption of aggregate concrete, autoclaved aerated concrete, manufactured stone and natural stone masonry units due to capillary action and the initial rate of water absorption of clay masonry units*

EN 772-13, *Methods of test for masonry units — Part 13: Determination of net and gross dry density of masonry units (except for natural stone)*

EN 772-16, *Methods of test for masonry units — Part 16: Determination of dimensions*

EN 772-19, *Methods of test for masonry units — Part 19: Determination of moisture expansion of large horizontally perforated clay masonry units*

EN 772-20, *Methods of test for masonry units — Part 20: Determination of flatness of faces of aggregate concrete, manufactured stone and natural stone masonry units*

EN 772-21, *Methods of test for masonry units — Part 21: Determination of water absorption of clay and calcium silicate masonry units by cold water absorption*

EN 1052-3, *Methods of test for masonry — Part 3: Determination of initial shear strength*

EN 1745, *Masonry and masonry products — Methods for determining thermal properties*

EN 13501-1, *Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests*

EN ISO 12572, *Hygrothermal performance of building materials and products — Determination of water vapour transmission properties (ISO 12572:2001)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

NOTE Annex B to this European Standard is informative and gives descriptions of such matters as applications, exposure and durability.

3.1

masonry unit

preformed component intended for use in masonry construction

3.2

clay masonry unit

masonry unit made from clay or other argillaceous materials with or without sand, fuel or other additives fired at a sufficiently high temperature to achieve a ceramic bond

3.3

protected masonry

A1 masonry which is protected against water penetration and is not in contact with soil and ground water

Note 1 to entry: It can either be masonry in external walls which is protected, (e.g. by a layer of suitable render or by cladding), or it can be the inner leaf of a cavity wall or it can be an internal wall. It may or may not be loadbearing. **A1**

A1

3.4

unprotected masonry

masonry which may be exposed to rain, freeze/thaw and/or may be in contact with soil and ground water without a suitable protection

Note 1 to entry: It can either be masonry in external walls which is fully unprotected, or which is intended to be provided by a limited protection (e.g. by a thin layer of render). It may or may not be loadbearing. **A1**

3.5

A1 P unit

clay masonry unit for use in protected masonry **A1**