

Microbiology of food and animal feeding stuffs - Horizontal method for the enumeration of coagulase-positive staphylococci (*Staphylococcus aureus* and other species) - Part 3: Detection and MPN technique for low numbers

Microbiology of food and animal feeding stuffs - Horizontal method for the enumeration of coagulase-positive staphylococci (*Staphylococcus aureus* and other species) - Part 3: Detection and MPN technique for low numbers

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN ISO 6888-3:2004 sisaldab Euroopa standardi EN ISO 6888-3:2003 + AC:2005 ingliskeelset teksti. Käesolev dokument on jõustatud 23.11.2004 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes. Standard on kättesaadav Eesti standardiorganisatsioonist.	This Estonian standard EVS-EN ISO 6888-3:2004 consists of the English text of the European standard EN ISO 6888-3:2003 + AC:2005. This document is endorsed on 23.11.2004 with the notification being published in the official publication of the Estonian national standardisation organisation. The standard is available from Estonian standardisation organisation.
--	---

Käsitlusala: This part of ISO 6888 specifies a horizontal method for the enumeration and detection of coagulase-positive staphylococci, using the most probable number (MPN) technique. It is applicable to - products intended for human consumption and the feeding of animals, and - environmental samples in the area of food production and food handling.	Scope: This part of ISO 6888 specifies a horizontal method for the enumeration and detection of coagulase-positive staphylococci, using the most probable number (MPN) technique. It is applicable to - products intended for human consumption and the feeding of animals, and - environmental samples in the area of food production and food handling.
--	--

ICS 07.100.30

Võtmesõnad:

English version

Microbiology of food and animal feeding stuffs - Horizontal
method for the enumeration of coagulase-positive staphylococci
(*Staphylococcus aureus* and other species) - Part 3: Detection
and MPN technique for low numbers (ISO 6888-3:2003)

Microbiologie des aliments - Méthode horizontale pour le
dénombrement des staphylocoques à coagulase positive
(*Staphylococcus aureus* et autres espèces) - Partie 3:
Recherche et méthode NPP pour les faibles nombres (ISO
6888-3:2003)

Mikrobiologie von Lebensmitteln und Futtermitteln -
Horizontales Verfahren für die Zählung von koagulase-
positiven Staphylokokken (*Staphylococcus aureus* und
andere Species) - Teil 3: Nachweis und MPN-Verfahren für
niedrige Keimzahlen (ISO 6888-3:2003)

This European Standard was approved by CEN on 28 February 2003.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

CORRECTED 2003-05-14

Foreword

This document (EN ISO 6888-3:2003) has been prepared by Technical Committee ISO/TC 34 "Agricultural food products" in collaboration with Technical Committee CEN/TC 275 "Food analysis - Horizontal methods", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2003, and conflicting national standards shall be withdrawn at the latest by September 2003.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Malta, Netherlands, Norway, Portugal, Slovakia, Spain, Sweden, Switzerland and the United Kingdom.

Endorsement notice

The text of ISO 6888-3:2003 has been approved by CEN as EN ISO 6888-3:2003 without any modifications.

NOTE Normative references to International Standards are listed in Annex ZA (normative).

Annex ZA (normative)

Normative references to international publications with their relevant European publications

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

NOTE Where an International Publication has been modified by common modifications, indicated by (mod.), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN</u>	<u>Year</u>
ISO 6887-1	1999	Microbiology of food and animal feeding stuffs — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination — Part: 1: General rules for the preparation of the initial suspension and decimal dilutions	EN ISO 6887-1	1999
ISO 6888-1	1999	Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coagulase-positive staphylococci (<i>Staphylococcus aureus</i> and other species) — Part 1: Technique using Baird-Parker agar medium	EN ISO 6888-1	1999
ISO 6888-2	1999	Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coagulase-positive staphylococci (<i>Staphylococcus aureus</i> and other species) — Part 2: Technique using rabbit plasma fibrinogen agar medium	EN ISO 6888-2	1999
ISO 8261	2001	Milk and mild products — General guidance for the preparation of test samples, initial suspensions and decimal dilutions for microbiological examination	EN ISO 8261	2001
ISO/TR 11133-1	2000	Microbiology of food and animal feeding stuffs — Guidelines on preparation and production of culture media — Part 1: General guidelines on quality assurance for the preparation of culture media in the laboratory	ENV ISO 11133-1	2000

First edition
2003-03-15

Corrected version
2004-01-15

**Microbiology of food and animal feeding
stuffs — Horizontal method for the
enumeration of coagulase-positive
staphylococci (*Staphylococcus aureus*
and other species) —**

**Part 3:
Detection and MPN technique for low
numbers**

*Microbiologie des aliments — Méthode horizontale pour le
dénombrement des staphylocoques à coagulase positive
(Staphylococcus aureus et autres espèces) —*

Partie 3: Recherche et méthode NPP pour les faibles nombres



Reference number
ISO 6888-3:2003(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Principle	2
4.1 Detection method	2
4.2 Enumeration method	2
5 Diluents and culture media	3
6 Apparatus	6
7 Sampling	6
8 Preparation of test sample	6
9 Procedure	6
9.1 Detection method	6
9.2 Enumeration method	7
9.3 Selection of plates and interpretation	8
10 Expression of results	9
10.1 Detection method	9
10.2 Enumeration method	9
11 Precision	10
12 Test report	10
Bibliography	11

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6888-3 was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 9, *Microbiology*.

ISO 6888 consists of the following parts, under the general title *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coagulase-positive staphylococci (Staphylococcus aureus and other species)*:

- *Part 1: Technique using Baird-Parker agar medium*
- *Part 2: Technique using rabbit plasma fibrinogen agar medium*
- *Part 3: Detection and MPN technique for low numbers*

This corrected version of ISO 6888-3:2003 incorporates the following correction:

Subclause 9.1.1

The second paragraph has been amended to resolve any ambiguity.

Introduction

Because of the large variety of food and feed products, this horizontal method may not be appropriate in every detail for certain products. In this case, different methods, which are specific to these products, may be used if absolutely necessary for justified technical reasons. Nevertheless, every attempt should be made to apply this horizontal method as far as possible.

When this part of ISO 6888 is next reviewed, account will be taken of all information then available regarding the extent to which this horizontal method has been followed and the reasons for deviations from this method in the case of particular products.

The harmonization of test methods cannot be immediate and, for certain groups of products, International Standards and/or national standards may already exist that do not comply with this horizontal method. It is hoped that when such standards are reviewed they will be changed to comply with this part of ISO 6888 so that eventually the only remaining departures from this horizontal method will be those necessary for well-established technical reasons.

Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coagulase-positive staphylococci (*Staphylococcus aureus* and other species) —

Part 3: Detection and MPN technique for low numbers

1 Scope

This part of ISO 6888 specifies a horizontal method for the enumeration and detection of coagulase-positive staphylococci, using the most probable number (MPN) technique. It is applicable to

- products intended for human consumption and the feeding of animals, and
- environmental samples in the area of food production and food handling.

This method is recommended for products where staphylococci are expected to be stressed and in low numbers as, for example, in dried products. Coagulase-positive staphylococci will primarily be *Staphylococcus aureus* but *Staphylococcus intermedius* and some strains of *Staphylococcus hyicus* also produce coagulase.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6887 (all parts), *Microbiology of food and animal feeding stuffs — Preparation of test samples, initial suspension and decimal dilutions for microbiological examination*

ISO 8261, *Milk and milk products — General guidance for the preparation of test samples, initial suspensions and decimal dilutions for microbiological examination*

ISO 6888-1:1999, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coagulase-positive staphylococci (Staphylococcus aureus and other species) — Part 1: Technique using Baird-Parker agar medium*

ISO 6888-2:1999, *Microbiology of food and animal feeding stuffs — Horizontal method for the enumeration of coagulase-positive staphylococci (Staphylococcus aureus and other species) — Part 2: Technique using rabbit plasma fibrinogen agar medium*

ISO 7218, *Microbiology of food and animal feeding stuffs — General rules for microbiological examinations*

ISO/TS 11133-1, *Microbiology of food and animal feeding stuffs — Guidelines on preparation and production of culture media — Part 1: General guidelines on quality assurance for the preparation of culture media in the laboratory*

ISO/TS 11133-2:—¹⁾, *Microbiology of food and animal feeding stuffs — Guidelines on preparation and production of culture media — Part 2: Practical guidelines on performance testing culture media*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

coagulase-positive staphylococci

bacteria which form typical and/or atypical colonies on the surface of a selective culture medium and which show a positive coagulase reaction or a specific rabbit plasma reaction on rabbit plasma fibrinogen agar

NOTE For the purpose of this part of ISO 6888, the confirmation of coagulase-positive staphylococci is based on a strongly positive coagulase reaction, but it is recognized that some strains of coagulase-positive staphylococci give weakly positive coagulase reactions. These latter strains can be confused with other bacteria but they can be distinguished from such other bacteria by the use of additional tests such as the production of thermonuclease (for details, see IDF 83).

3.2

enumeration of the coagulase-positive staphylococci

determination of the number of coagulase-positive staphylococci found per millilitre or per gram of sample when the test is carried out according to the method specified in this part of ISO 6888

4 Principle

4.1 Detection method

4.1.1 A selective culture medium is inoculated with a specified quantity of the test sample if the initial product is liquid, or a specified quantity of an initial suspension in the case of other products.

4.1.2 The tubes are incubated at 37 °C, anaerobically, for 24 h and 48 h. The presence of presumptive coagulase-positive staphylococci is indicated by the reduction of potassium tellurite.

NOTE In this part of ISO 6888, anaerobiosis is obtained by pouring a plug of agar or paraffin into each tube, but an alternative procedure is to incubate the tubes in a jar or an incubator under anaerobic conditions.

4.1.3 The surface of solid selective Baird-Parker medium is inoculated from presumptive positive tubes (4.1.2) after 24 h, and all the remaining tubes after 48 h.

4.1.4 The plates are inoculated at 37 °C for 24 h and 48 h. The presence of presumptive coagulase-positive staphylococci is indicated by the reduction of potassium tellurite and an egg yolk reaction.

4.1.5 Typical and/or atypical colonies are confirmed by a coagulase reaction.

4.1.6 Alternatively, the surface of rabbit plasma fibrinogen agar may be inoculated and, after appropriate incubation, the presence of coagulase-positive staphylococci is indicated by colonies showing a specific rabbit plasma fibrinogen reaction.

4.1.7 The results are given as the “presence” or “absence” of coagulase-positive staphylococci in x g or x ml of product.

4.2 Enumeration method

4.2.1 Serial dilutions of product are inoculated into liquid selective culture medium.

1) To be published.