# Ohutusnõuded inimeste transportimiseks mõeldud köisteepaigaldistele. Köied. Osa 6: Väljapraakimiskriteeriumid

Safety requirements for cableway installations designed to carry persons - Ropes - Part 6: Discard criteria



# **EESTI STANDARDI EESSÕNA**

# **NATIONAL FOREWORD**

Käesolev Eesti standard EVS-EN 12927-6:2004 sisaldab Euroopa standardi EN 12927-6:2004 ingliskeelset teksti.

Käesolev dokument on jõustatud 21.12.2004 ja selle kohta on avaldatud teade Eesti standardiorganisatsiooni ametlikus väljaandes.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 12927-6:2004 consists of the English text of the European standard EN 12927-6:2004.

This document is endorsed on 21.12.2004 with the notification being published in the official publication of the Estonian national standardisation organisation.

The standard is available from Estonian standardisation organisation.

#### Käsitlusala:

This part of EN 12927 specifies the safety requirements applicable to discard criteria for steel ropes for passenger transportation by rope. This standard is applicable to the various types of installations and takes into account their environment.

## Scope:

This part of EN 12927 specifies the safety requirements applicable to discard criteria for steel ropes for passenger transportation by rope. This standard is applicable to the various types of installations and takes into account their environment.

ICS 45.100

Võtmesõnad:

# EUROPEAN STANDARD NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

EN 12927-6

October 2004

ICS 45,100

#### **English version**

# Safety requirements for cableway installations designed to carry persons - Ropes - Part 6: Discard criteria

Prescriptions de sécurité pour les installations à câbles transportant des personnes - Câbles - Partie 6 : Critères de dépose Sicherheitsanforderungen für Seilbahnen und Schleppaufzüge im Personenverkehr - Seile - Teil 6: Ablegekriterien

This European Standard was approved by CEN on 23 August 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

# Contents

	0,	Page
Forew	vord	
1	Scope	5
2	Normative references	5
3	Terms and definitions	6
4	Symbols	6
5 5.1 5.2	General requirementsApplication of this standard	7 7
6 6.1	Discard criteriaMain body of rope (and long splice)	
Table	1 — Maximum permissible loss in metallic area	8
Table 2 6.2	2 — Maximum number of visible outer wire breaks	9 10
	3 — Discard criteria for hot metal sockets	
Annex	x A (informative) A-deviations	11
Annex	x ZA (informative) Relationship between this European Standa Requirements of EU Directive 2000/9/EC relating to cableway persons	installations designed to carry

## **Foreword**

This document (EN 12927-6:2004) has been prepared by Technical Committee CEN/TC 242 "Safety requirements for passenger transportation by rope", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2005, and conflicting national standards shall be withdrawn at the latest by April 2005.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This EN 12927 includes the following parts under the general title "Safety requirements for cableway installations designed to carry persons — Ropes":

- Part 1: Selection criteria for ropes and their end fixings
- Part 2: Safety factors
- Part 3: Long splicing of 6 strand hauling, carrying-hauling and towing ropes
- Part 4: End fixings
- Part 5: Storage, transportation, installation and tensioning
- Part 6: Discard criteria
- Part 7: Inspection, repair and maintenance
- Part 8: Magnetic rope testing (MRT)

This European Standard forms part of the standards programme adopted by the CEN Technical Board in relation of safety requirements for passenger transportation by rope. This programme includes the following standards:

- 1) Safety requirements for cableway installations designed to carry persons Terminology
- 2) Safety requirements for cableway installations designed to carry persons General requirements
- 3) Safety requirements for cableway installations designed to carry persons Calculations
- 4) Safety requirements for cableway installations designed to carry persons Ropes
- 5) Safety requirements for cableway installations designed to carry persons Tensioning devices
- 6) Safety requirements for cableway installations designed to carry persons Drive systems and other mechanical equipment
- 7) Safety requirements for cableway installations designed to carry persons Carriers
- Safety requirements for cableway installations designed to carry persons Electrical equipment other than for drive systems
- 9) Safety requirements for cableway installations designed to carry persons Civil engineering works

## EN 12927-6:2004 (E)

- 10) Safety requirements for cableway installations designed to carry persons Pre-commissioning inspection, maintenance and operational inspection and checks
- 11) Safety requirements for cableway installations designed to carry persons Recovery and evacuation
- 12) Safety requirements for cableway installations designed to carry persons Operation
- 13) Safety requirements for cableway installations designed to carry persons Quality assurance

Together these form a series of standards regarding design, manufacture, production, maintenance and operation of all installations for passenger transportation by rope.

In respect of ski-tows, the drafting of this European Standard has been guided by the works of the International Organisation for Transportation by rope (OITAF).

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Je., Hur., pvakia, S Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

# 1 Scope

This part of EN 12927 specifies the safety requirements applicable to discard criteria for steel ropes for passenger transportation by rope. This standard is applicable to the various types of installations and takes into account their environment.

This part of EN 12927 applies to all types of ropes and end fixing used in cableways for passenger transport.

Some requirements concern synthetic ropes.

Requirements relating to the protection of workers are not included in this part of EN 12927.

This part of EN 12927 is not applicable to installations for the transportation of goods nor to inclined lifts.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1709, Safety requirements for cableway installations designed to carry persons - Pre-commissioning inspection, maintenance, operational inspection and checks.

prEN 1907:2004, Safety requirements for cableway installations designed to carry persons - Terminology.

EN 1908, Safety requirements for cableway installations designed to carry persons - Tensioning devices.

EN 1909, Safety requirements for cableway installations designed to carry persons - Recovery and evacuation.

EN 12397, Safety requirements for cableway installations designed to carry persons - Operation.

EN 12408, Safety requirements for cableway installations designed to carry persons - Quality assurance.

EN 12927-1, Safety requirements for cableway installations designed to carry persons – Ropes – Part 1: Selection criteria for ropes and their end fixings.

EN 12927-2, Safety requirements for cableway installations designed to carry persons - Ropes - Part 2: Safety factors.

EN 12927-3, Safety requirements for cableway installations designed to carry persons – Ropes – Part 3: Long splicing of 6 strand hauling, carrying-hauling and towing ropes.

EN 12927-4, Safety requirements for cableway installations designed to carry persons – Ropes – Part 4: End fixings.

EN 12927-5, Safety requirements for cableway installations designed to carry persons — Ropes — Part 5: Storage, transportation, installation and tensioning.

EN 12927-7 Safety requirements for cableway installations designed to carry persons – Ropes – Part 7: Inspection, repair and maintenance.

EN 12927-8, Safety requirements for cableway installations designed to carry persons – Ropes – Part 8: Magnetic rope testing (MRT).

EN 12929-1, Safety requirements for passenger transportation by rope - General requirements - Part 1: Requirements applicable to all installations.

## EN 12927-6:2004 (E)

EN 12929-2, Safety requirements for cableway installations designed to carry persons – General requirements – Part 2: Additional requirements for reversible bicable aerial ropeways without carrier truck brakes.

EN 12930, Safety requirements for cableway installations designed to carry persons - Calculations.

EN 13107, Safety requirements for cableway installations designed to carry persons - Civil engineering works.

EN 13223, Safety requirements for cableway installations designed to carry persons – Drive systems and other mechanical equipment.

EN 13243, Safety requirements for cableway installations designed to carry persons - Electrical equipment other than for drive systems.

prEN 13796-1, Safety requirements for cableway installations designed to carry persons – Carriers – Part 1: Grips, carrier trucks, on-board brakes, cabins, chairs, carriages, maintenance carriers, tow-hangers.

prEN 13796-2, Safety requirements for cableway installations designed to carry persons – Carriers – Part 2: Slipping resistance tests for grips.

prEN 13796-3, Safety requirements for cableway installations designed to carry persons - Carriers – Part 3: Fatigue testing.

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in prEN 1907:2004 and the following apply.

#### 3.1

#### discard criteria

level of deterioration at which the rope or the end fixing is declared unfit for further service

NOTE In certain cases a rope can be repaired (see EN 12927-3 and EN 12927-7).

#### 3.2

#### reference length

the length of rope over which the value of a specified characteristic is measured or assessed e.g. 6 x d (6 x nominal diameter of the rope)

#### 3.3

# loss in metallic area (lma)

reduction in area expressed as a percentage of the nominal metallic cross-sectional area of the new rope, taking into account the effects of broken wires and the effect of corrosion and wear

#### 3.4

#### main body of the rope

all the length of rope excluding any sections in end fixing or long splice

#### 3.5

#### additional tensioning device

additional device intended to hold the tension in a rope in case of failure of the main tensioning device

# 4 Symbols

d nominal diameter of the rope.