

Universal Serial Bus interfaces for data and power - Part  
2-2: Universal Serial Bus - Micro-USB Cables and  
Connectors Specification, Revision 1.01 (TA 14)

## EESTI STANDARDI EESSÕNA

## NATIONAL FOREWORD

See Eesti standard EVS-EN 62680-2-2:2015 sisaldab Euroopa standardi EN 62680-2-2:2015 ingliskeelset teksti.	This Estonian standard EVS-EN 62680-2-2:2015 consists of the English text of the European standard EN 62680-2-2:2015.
Standard on jõustunud sellekohase teate avaldamisega EVS Teatajas	This standard has been endorsed with a notification published in the official bulletin of the Estonian Centre for Standardisation.
Euroopa standardimisorganisatsioonid on teinud Euroopa standardi rahvuslikele liikmetele kättesaadavaks 11.12.2015.	Date of Availability of the European standard is 11.12.2015.
Standard on kättesaadav Eesti Standardikeskusest.	The standard is available from the Estonian Centre for Standardisation.

Tagasisidet standardi sisu kohta on võimalik edastada, kasutades EVS-i veebilehel asuvat tagasiside vormi või saates e-kirja meiliaadressile [standardiosakond@evs.ee](mailto:standardiosakond@evs.ee).

ICS 29.220, 33.120, 35.200

Standardite reprodutseerimise ja levitamise õigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonsesse süsteemi või edastamine ükskõik millises vormis või millisel teel ilma Eesti Standardikeskuse kirjaliku loata on keelatud.

Kui Teil on küsimusi standardite autorikaitse kohta, võtke palun ühendust Eesti Standardikeskusega:

Aru 10, 10317 Tallinn, Eesti; koduleht [www.evs.ee](http://www.evs.ee); telefon 605 5050; e-post [info@evs.ee](mailto:info@evs.ee)

The right to reproduce and distribute standards belongs to the Estonian Centre for Standardisation

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying, without a written permission from the Estonian Centre for Standardisation.

If you have any questions about copyright, please contact Estonian Centre for Standardisation:

Aru 10, 10317 Tallinn, Estonia; homepage [www.evs.ee](http://www.evs.ee); phone +372 605 5050; e-mail [info@evs.ee](mailto:info@evs.ee)

ICS 29.220; 33.120; 35.200

English Version

**Universal Serial Bus interfaces for data and power - Part 2-2:  
Universal Serial Bus - Micro-USB Cables and Connectors  
Specification, Revision 1.01 (TA 14)  
(IEC 62680-2-2:2015)**

Interfaces de bus universel en série pour les données et  
l'alimentation électrique - Partie 2-2 : bus universel en série  
- Spécification des câbles et connecteurs micro-USB,  
révision 1.01 (TA 14)  
(IEC 62680-2-2:2015)

Schnittstellen des Universellen Seriellen Busses für Daten  
und Energie - Teil 2-2: Festlegung für Mikro-USB-Kabel und  
-Steckverbinder, Überarbeitung 1.01  
(IEC 62680-2-2:2015)

This European Standard was approved by CENELEC on 2015-10-14. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## European foreword

The text of document 100/2332/CDV, future edition 1 of IEC 62680-2-2, prepared by Technical Area 14 "Interfaces and methods of measurement for personal computing equipment" of IEC/TC 100 "Audio, video and multimedia systems and equipment" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 62680-2-2:2015.

The following dates are fixed:

- latest date by which the document has to be (dop) 2016-07-14  
implemented at national level by  
publication of an identical national  
standard or by endorsement
- latest date by which the national (dow) 2018-10-14  
standards conflicting with the  
document have to be withdrawn

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

## Endorsement notice

The text of the International Standard IEC 62680-2-2:2015 was approved by CENELEC as a European Standard without any modification.

## INTRODUCTION

The IEC 62680 series is based on a series of specifications that were originally developed by the USB Implementers Forum (USB-IF). These specifications were submitted to the IEC under the auspices of a special agreement between the IEC and the USB-IF.

The USB Implementers Forum, Inc.(USB-IF) is a non-profit corporation founded by the group of companies that developed the Universal Serial Bus specification. The USB-IF was formed to provide a support organization and forum for the advancement and adoption of Universal Serial Bus technology. The Forum facilitates the development of high-quality compatible USB peripherals (devices), and promotes the benefits of USB and the quality of products that have passed compliance testing.

**ANY USB SPECIFICATIONS ARE PROVIDED TO YOU "AS IS, "WITH NO WARRANTIES WHATSOEVER, INCLUDING ANY WARRANTY OF MERCHANTABILITY, NON-INFRINGEMENT, OR FITNESS FOR ANY PARTICULAR PURPOSE. THE USB IMPLEMENTERS FORUM AND THE AUTHORS OF ANY USB SPECIFICATIONS DISCLAIM ALL LIABILITY, INCLUDING LIABILITY FOR INFRINGEMENT OF ANY PROPRIETARY RIGHTS, RELATING TO USE OR IMPLEMENTATION OR INFORMATION IN THIS SPECIFICATION.**

**THE PROVISION OF ANY USB SPECIFICATIONS TO YOU DOES NOT PROVIDE YOU WITH ANY LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY INTELLECTUAL PROPERTY RIGHTS.**

Entering into USB Adopters Agreements may, however, allow a signing company to participate in a reciprocal, royalty-free licensing arrangement for compliant products. For more information, please see:

<http://www.usb.org/developers/docs/>  
[http://www.usb.org/developers/devclass\\_docs#approved](http://www.usb.org/developers/devclass_docs#approved)

IEC DOES NOT TAKE ANY POSITION AS TO WHETHER IT IS ADVISABLE FOR YOU TO ENTER INTO ANY USB ADOPTERS AGREEMENTS OR TO PARTICIPATE IN THE USB IMPLEMENTERS FORUM."

This series covers the Universal Serial Bus interfaces for data and power and consists of the following parts:

IEC 62680-1-1, *Universal Serial Bus interfaces for data and power – Part 1-1: Common components – USB Battery Charging Specification, Revision 1.2*

IEC 62680-2-1, *Universal Serial Bus interfaces for data and power – Part 2-1: Universal Serial Bus Specification, Revision 2.0*

IEC 62680-2-2, *Universal Serial Bus interfaces for data and power – Part 2-2: USB Micro-USB Cables and Connectors Specification, Revision 1.01*

IEC 62680-2-3, *Universal Serial Bus interfaces for data and power – Part 2-3: Universal Serial Bus Cables and Connectors Class Document Revision 2.0*

This part of the IEC 62680 series consists of several distinct parts:

- the main body of the text, which consists of the original specification and all ECN and Errata developed by the USB-IF.

## CONTENTS

FOREWORD .....	2
INTRODUCTION .....	4
1 Introduction .....	10
1.1 General .....	10
1.2 Objective of the Specification .....	10
1.3 Intended Audience/Scope .....	10
1.4 Related Documents .....	10
2 Acronyms and Terms .....	10
3 Significant Features .....	11
3.1 USB 2.0 Specification Compliance .....	11
3.2 On-The-Go Device .....	12
3.3 Connectors .....	12
3.4 Compliant Cable Assemblies .....	12
3.5 Plug Overmolds .....	12
4 Cables and Connectors .....	13
4.1 Introduction .....	13
4.2 Micro-Connector Mating .....	13
4.3 Color Coding .....	13
4.4 Device, Cable and Adapter Delays .....	14
4.5 Compliant Usage of Connectors and Cables .....	15
4.5.1 Cables .....	15
4.5.2 Overmolds .....	15
4.5.3 Mechanical Interfaces) .....	15
4.5.4 Surface mount standard version drawings .....	15
4.5.5 DIP-type and Midmount-type receptacles .....	15
4.5.6 Connector Keying .....	15
4.5.7 Right Angle Plugs .....	15
4.5.8 Adapters .....	16
4.6 Drawings .....	17
5 Electrical Compliance Requirements .....	35
5.1 Data Rates Beyond USB 2.0 (480 Mb/s -->) .....	36
5.2 Low Level Contact Resistance .....	36
5.3 Contact Current Rating .....	36
5.3.1 Signal Contacts Only (2, 3, and 4) .....	36
5.3.2 With Power Applied Contacts (1 and 5) .....	36
6 Mechanical Compliance Requirements .....	36
6.1 Operating Temperature Range .....	36
6.1.1 Option I .....	36
6.1.2 Option II .....	36
6.2 Insertion Force .....	36
6.3 Extraction Force .....	36
6.4 Plating .....	37
6.4.1 Option I .....	37
6.4.2 Option II .....	37
6.5 Solderability .....	37

6.6	Peel Strength (Reference Only) .....	37
6.7	Wrenching Strength (Reference Only) .....	37
6.8	Lead Co-Planarity .....	37
6.9	RoHS Compliance .....	37
6.10	Shell & Latch Materials .....	38
Figure 4-1	– Micro-A to Micro-B Cable .....	17
Figure 4-2	– Standard-A to Micro-B Cable .....	18
Figure 4-3	– Micro-A to Captive Cable .....	19
Figure 4-4	– Micro-A Plug Overmold, Straight .....	20
Figure 4-5	– Micro-B Plug Overmold, Straight .....	21
Figure 4-6	– Micro-A Plug Interface .....	22
Figure 4-7	– Micro-B Plug Interface .....	23
Figure 4-8	– Micro-A/B Plug Interface (Cut-section) .....	24
Figure 4-9	– Micro-AB receptacle interface .....	25
Figure 4-10	– Micro-B receptacle interface .....	26
Figure 4-11	– Micro-AB Receptacle Design .....	27
Figure 4-12	– Micro-B Receptacle Design .....	28
Figure 4-13	– Micro-A Plug Blockage .....	29
Figure 4-14	– Micro-B Plug Blockage .....	30
Figure 4-15	– Micro-A Plug, Side Right Angle .....	31
Figure 4-16	– Micro-A Plug, Down Right Angle .....	32
Figure 4-17	– Micro-B Plug, Side Right Angle .....	33
Figure 4-18	– Micro-B Plug, Down Right Angle .....	34
Figure 4-19	– Adapter, Standard-A receptacle to Micro-A plug .....	35
Figure 4-9	– Micro-AB receptacle interface .....	40
Figure 4-10	– Micro-B receptacle interface .....	41
Table 4-1	– Plugs Accepted By Receptacles .....	13
Table 4-2	– Micro-A Plug Pin Assignments .....	13
Table 4-3	– Color Coding for Plugs and Receptacles .....	14
Table 4-4	– Maximum Delay for Micro-Connector and Cable .....	14
Table 4-5	– Maximum Delay for Standard Connector Cable .....	14

**Note: All Engineering Change Notice's (ECN) and Errata documents as of September 01, 2012 that pertain to this core specification follow the last page of the specification starting on page 39.**

## Universal Serial Bus Micro-USB Cables and Connectors Specification

Revision 1.01  
April 4, 2007

### Revision History

Revision	Issue Date	Comment
0.6	1/30/2006	Revisions to all sections
0.7	3/24/2006	Added revised Micro-USB drawings to Rev.0.8
0.8	4/19/2006	Editorial changes and additions by Jan Fahlund (Nokia)
0.8b	4/26/2006	Corrections to the 0.8 version (based by comments from contributors)
0.9	6/7/2006	Corrections based on comments from the 0.8b version
1.0RC	8/2/2006	Added lubricant recommendation, LLRC delta change specified
1.01RC	11/10/2006	Editorial changes and addition based on Oct-06 USB-IF CCWG meeting.
1.02RC	12/10/2006	Shell material thickness tolerances changed so that material can be 0.25 mm or 0.3 mm; edited three pictures (Figure 4-10, 4-11 and 4-12).
1.03RC	12/11/2006	Two pictures edited (Figure 4-8 and 4-9). In fig 4-8 max height to be 2.8 mm MAX. In fig 4-9 R0.25 mm MAX to be R0.30 mm MAX.
1.0RC3	12/19/2006	For BoD approval
1.0	1/12/2007	Approved
1.0	1/22/2007	Cosmetic edits for publication
1.01	4/4/2007	Editorial corrections and additions to contributor list. Reinserted shell and plug material requirements as section 6.10, Clarified wording on Plating Recommendations.

Copyright © 2006 USB Implementers Forum, Inc. (USB-IF).  
All rights reserved.



A LICENSE IS HEREBY GRANTED TO REPRODUCE THIS SPECIFICATION FOR INTERNAL USE ONLY. NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, IS GRANTED OR INTENDED HEREBY.

USB-IF AND THE AUTHORS OF THIS SPECIFICATION EXPRESSLY DISCLAIM ALL LIABILITY FOR INFRINGEMENT OF INTELLECTUAL PROPERTY RIGHTS, RELATING TO IMPLEMENTATION OF INFORMATION IN THIS SPECIFICATION. USB-IF AND THE AUTHORS OF THIS SPECIFICATION ALSO DO NOT WARRANT OR REPRESENT THAT SUCH IMPLEMENTATION(S) WILL NOT INFRINGE THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS.

THIS SPECIFICATION IS PROVIDED "AS IS" AND WITH NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE. ALL WARRANTIES ARE EXPRESSLY DISCLAIMED. NO WARRANTY OF MERCHANTABILITY, NO WARRANTY OF NON-INFRINGEMENT, NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, AND NO WARRANTY ARISING OUT OF ANY PROPOSAL, SPECIFICATION, OR SAMPLE.

IN NO EVENT WILL USB-IF OR USB-IF MEMBERS BE LIABLE TO ANOTHER FOR THE COST OF PROCURING SUBSTITUTE GOODS OR SERVICES, LOST PROFITS, LOSS OF USE, LOSS OF DATA OR ANY INCIDENTAL, CONSEQUENTIAL, INDIRECT, OR SPECIAL DAMAGES, WHETHER UNDER CONTRACT, TORT, WARRANTY, OR OTHERWISE, ARISING IN ANY WAY OUT OF THE USE OF THIS SPECIFICATION, WHETHER OR NOT SUCH PARTY HAD ADVANCE NOTICE OF THE POSSIBILITY OF SUCH DAMAGES.

All product names are trademarks, registered trademarks, or service marks of their respective owners.

**Contributors**

Mark Rodda, (editor) Motorola

Jan Fahlund, (editor) Nokia

Jim Koser, (CCWG Chairman), Foxconn

Ed Beeman, 2010 Tech

Glen Chandler, Advanced-Connectek (Acon)

Charles Wang, Advanced-Connectek (Acon)

Toshinori Sasaki, Across Techno

Minoru Ohara, Allion

Brad Brown, ATL

Christopher Mattson, ATL

Marcus Darrington, ATL

Jaremy Flake, ATL Technology

George Olear, Contech Research

Roy Ting, Elka

Sophia Liu, ETC

Bill Northey, FCI

Tsuneki Watanabe, Foxconn

Jim Zhao, Foxconn

David Ko, Foxconn

Jong Tseng, Foxconn

Jack Lu, Foxlink

Tim Chang, Foxlink

Sathid Inthon, Fujikura

Toshi Mimura, Fujijura

Alan Berkema, Hewlett-Packard

Karl Kwiat, Hirose

Shinya Tono, Hirose

Kazu Ichikawa, Hirose

Ryozo Koyama, Hirose

Yousuke Takeuchi, Hirose

Tsuyoshi Kitagawa, Hosiden

Jim Eilers, Hosiden

Kazuhiro Saito, JAE

Ron Muir, JAE

Mark Saubert, JAE

Yasuhira Miya, JST

Takahiro Diguchi, JST

Yoichi Nakazawa, JST

Kevin Fang, Longwell Electronics

Morgan Jair, Main Super Co.

Tom Kawaguchi, Matsushita Electric Works

Ron Ward, Matsushita Electric Works

Satoshi Yamamoto, Matsushita Electric Works

Yasuhiko Shinohara, Mitsumi

Atsushi Nishio, Mitsumi

Hitoshi Kawamura, Mitsumi

Scott Sommers, Molex

Kevin Delaney, Molex

Kieran Wright, Molex

Padraig McDaid, Molex

Mikko Poikselka, Molex

Sam Liu, Newnex Technology Corp.

Richard Petrie, Nokia

Kai Silvennoinen, Nokia

Panu Ylihaavisto, Nokia

Arthur Zarnowitz, Palm

Douglas Riemer, SMK

Eric Yagi, SMK

Abid Hussain, Summit Microelectronics

Kaz Osada, Tyco

Masaru Ueno, Tyco

Yoshikazu Hirata, Tyco

Mark Paxson, VTM Inc.

# UNIVERSAL SERIAL BUS INTERFACES FOR DATA AND POWER –

## Part 2-2: Micro-USB Cables and Connectors Specification, Revision 1.01

### 1 Introduction

#### 1.1 General

USB has become a popular interface for exchanging data between cell phone and portable devices. Many of these devices have become so small it is impossible to use standard USB components as defined in the USB 2.0 specification. In addition the durability requirements of the Cell Phone and Portable Devices market exceed the specifications of the current interconnects. Since Cell Phones and other small Portable Devices are the largest market potential for USB, this specification is addressing this very large market while meeting all the requirements for electrical performance within the USB 2.0 specification.

#### 1.2 Objective of the Specification

The purpose of this document is to define the requirements and features of a Micro-USB connector that will meet the current and future needs of the Cell Phone and Portable Devices markets, while conforming to the USB 2.0 specification for performance, physical size and shape of the Micro-USB interconnect.

This is not a stand-alone document. Any aspects of USB that are not specifically changed by this specification are governed by the USB 2.0 Specification and USB On-The-Go Supplement.

#### 1.3 Intended Audience/Scope

Cell phone and Portable Devices have become so thin that the current Mini-USB does not fit well within the constraints of future designs. Additional requirements for a more rugged connector that will have durability past 10 000 cycles and still meet the USB 2.0 specification for mechanical and electrical performance was also a consideration. The Mini-USB could not be modified and remain backward compatible to the existing connector as defined in the USB OTG specification.

#### 1.4 Related Documents

USB 2.0

USB OTG Supplement

### 2 Acronyms and Terms

This chapter lists and defines terms and abbreviations used throughout this specification.

**A-Device** A device with a Type-A plug inserted into its receptacle. The A-device supplies power to VBUS and is host at the start of a session. If the A-device is On-The-Go, it may relinquish the role of host to an On-The-Go B-device under certain conditions,