

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –  
Part 5-2: Application layer service definition – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –  
Partie 5-2: Définition des services de la couche application – Éléments de type 2**



## THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland

Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00  
[info@iec.ch](mailto:info@iec.ch)  
[www.iec.ch](http://www.iec.ch)

### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

#### IEC publications search - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

#### IEC Glossary - [std.iec.ch/glossary](http://std.iec.ch/glossary)

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

#### IEC Customer Service Centre - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: [csc@iec.ch](mailto:csc@iec.ch).

### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

#### Catalogue IEC - [webstore.iec.ch/catalogue](http://webstore.iec.ch/catalogue)

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

#### Recherche de publications IEC - [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - [webstore.iec.ch/justpublished](http://webstore.iec.ch/justpublished)

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - [www.electropedia.org](http://www.electropedia.org)

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - [std.iec.ch/glossary](http://std.iec.ch/glossary)

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

#### Service Clients - [webstore.iec.ch/csc](http://webstore.iec.ch/csc)

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: [csc@iec.ch](mailto:csc@iec.ch).

# INTERNATIONAL STANDARD

## NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –  
Part 5-2: Application layer service definition – Type 2 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –  
Partie 5-2: Définition des services de la couche application – Eléments de type 2**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

PRICE CODE  
CODE PRIX

**XH**

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-1731-3

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD.....	6
INTRODUCTION.....	9
1 Scope.....	10
1.1 General.....	10
1.2 Specifications.....	11
1.3 Conformance.....	11
2 Normative references .....	11
3 Terms, definitions, symbols, abbreviations and conventions .....	13
3.1 ISO/IEC 7498-1 terms .....	13
3.2 ISO/IEC 8822 terms .....	13
3.3 ISO/IEC 9545 terms .....	13
3.4 ISO/IEC 8824-1 terms .....	13
3.5 Type 2 fieldbus data-link layer terms .....	14
3.6 Type 2 fieldbus application-layer specific definitions.....	14
3.7 Type 2 abbreviations and symbols.....	22
3.8 Conventions .....	23
4 Common concepts.....	26
5 Data type ASE.....	26
5.1 General.....	26
5.2 Formal definition of data type objects .....	26
5.3 FAL defined data types.....	26
5.4 Data type ASE service specification .....	36
6 Communication model specification.....	36
6.1 Concepts.....	36
6.2 ASEs.....	45
6.3 ARs.....	175
6.4 Summary of FAL classes .....	206
6.5 Permitted FAL services by AR type .....	206
Bibliography.....	208
Figure 1 – Overview of ASEs and object classes .....	38
Figure 2 – Addressing format using MAC, class, instance and attribute IDs .....	39
Figure 3 – Identity object state transition diagram .....	58
Figure 4 – Static Assembly state transition diagram.....	63
Figure 5 – Dynamic Assembly state transition diagram .....	64
Figure 6 – Typical timing relationships for acknowledged data production.....	74
Figure 7 – Example of a COS system with two acking devices .....	75
Figure 8 – Message flow in COS connection – one Connection object, one consumer.....	75
Figure 9 – Message flow in COS connection – multiple consumers .....	76
Figure 10 – Path Reconfiguration in a ring topology .....	88
Figure 11 – CPF2 time synchronization offset clock model.....	89
Figure 12 – CPF2 time synchronization system with offset clock model .....	90
Figure 13 – CPF2 time synchronization group startup sequence .....	93
Figure 14 – Parameter object state transition diagram .....	99

Figure 15 – Example of Find_Next_Object_Instance service .....	125
Figure 16 – Transmission trigger timer .....	169
Figure 17 – Inactivity watchdog timer .....	170
Figure 18 – Using tools for configuration .....	171
Figure 19 – Production inhibit timer .....	172
Figure 20 – Context of transport services within the connection model .....	178
Figure 21 – Application-to-application view of data transfer .....	178
Figure 22 – Data flow diagram for a link producer .....	179
Figure 23 – Data flow diagram for a link consumer .....	180
Figure 24 – Triggers .....	181
Figure 25 – Binding transport instances to the producer and consumer of a transport connection that does not have a reverse data path .....	182
Figure 26 – Binding transport instances to the producers and consumers of a transport connection that does have a reverse data path .....	182
Figure 27 – Binding transport instances to the producer and consumers of a multipoint connection when the transport connection does not have a reverse data path .....	183
Figure 28 – Binding transport instances to the producers and consumers of a multipoint connection when the transport connection does have reverse data paths .....	183
Table 1 – Valid IANA MIB printer codes for character set selection .....	35
Table 2 – Common elements .....	42
Table 3 – ST language elements .....	43
Table 4 – Type conversion operations .....	43
Table 5 – Values of implementation-dependent parameters .....	44
Table 6 – Extensions to IEC 61131-3:2003 .....	45
Table 7 – Identity object state event matrix .....	59
Table 8 – Static Assembly state event matrix .....	64
Table 9 – Static Assembly instance attribute access .....	64
Table 10 – Dynamic Assembly state event matrix .....	65
Table 11 – Dynamic Assembly instance attribute access .....	65
Table 12 – Message Router object Forward_Open parameters .....	68
Table 13 – Acknowledge Handler object state event matrix .....	71
Table 14 – Producing I/O application object state event matrix .....	72
Table 15 – Profile identification .....	85
Table 16 – Profile default settings and ranges .....	85
Table 17 – Profile transports .....	85
Table 18 – Default PTP clock settings .....	86
Table 19 – Hand_Set clock quality management .....	87
Table 20 – Path Reconfiguration Signalling message .....	88
Table 21 – Parameter object state event matrix .....	99
Table 22 – Status codes .....	101
Table 23 – Get_Attribute_All service parameters .....	104
Table 24 – Set_Attribute_All service parameters .....	106
Table 25 – Get_Attribute_List service parameters .....	108

Table 26 – Set_Attribute_List service parameters .....	110
Table 27 – Reset service parameters .....	112
Table 28 – Start service parameters .....	114
Table 29 – Stop service parameters .....	116
Table 30 – Create service parameters .....	117
Table 31 – Delete service parameters .....	119
Table 32 – Get_Attribute_Single service parameters .....	120
Table 33 – Set_Attribute_Single service parameters .....	122
Table 34 – Find_Next_Object_Instance service parameters .....	124
Table 35 – NOP service parameters .....	126
Table 36 – Apply_Attributes service parameters .....	127
Table 37 – Save service parameters .....	129
Table 38 – Restore service parameters .....	130
Table 39 – Get_Member service parameters .....	132
Table 40 – Set_Member service parameters .....	134
Table 41 – Insert_Member service parameters .....	135
Table 42 – Remove_Member service parameters .....	137
Table 43 – Group_Sync service parameters .....	138
Table 44 – Add_AckData_Path service parameters .....	140
Table 45 – Remove_AckData_Path service parameters .....	141
Table 46 – Get_Enum_String service parameters .....	142
Table 47 – Symbolic_Translation service parameters .....	144
Table 48 – CM_Open service parameters .....	152
Table 49 – CM_Close service parameters .....	154
Table 50 – CM_Unconnected_Send service parameters .....	156
Table 51 – CM_Get_Connection_Data service parameters .....	158
Table 52 – CM_Search_Connection_Data service parameters .....	160
Table 53 – CM_Get_Connection_Data service parameters .....	161
Table 54 – I/O Connection object attribute access .....	166
Table 55 – Bridged Connection object attribute access .....	166
Table 56 – Explicit messaging object attribute access .....	167
Table 57 – Connection_Bind service parameters .....	173
Table 58 – Service_Name service parameters .....	174
Table 59 – How production trigger, transport class, and CM_RPI determine when data is produced .....	177
Table 60 – Transport classes .....	188
Table 61 – UCMM_Create service parameters .....	199
Table 62 – UCMM_Delete service parameters .....	200
Table 63 – UCMM_Write service parameters .....	200
Table 64 – UCMM_Abort service parameters .....	202
Table 65 – TR_Write service parameters .....	203
Table 66 – TR_Trigger service parameters .....	203
Table 67 – TR_Packet_arrived service parameters .....	204

Table 68 – TR_Ack_received service parameters.....	204
Table 69 – TR_Verify service parameters .....	205
Table 70 – TR_Status_updated service parameters .....	205
Table 71 – FAL class summary .....	206
Table 72 – FAL services by AR type .....	207

This document is a preview generated by EVS

# INTERNATIONAL ELECTROTECHNICAL COMMISSION

## INDUSTRIAL COMMUNICATION NETWORKS – FIELD BUS SPECIFICATIONS –

### Part 5-2: Application layer service definition – Type 2 elements

#### FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-5-2 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.



This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- Updates of definitions used by the Time Sync ASE;
- Corrections to numbering of services in 6.2;
- Addition of “member” and and object specific services in 6.2.1.2.1, 6.2.1.2.3, 6.2.1.3.1, 6.2.1.3.20 to 6.2.1.3.23, 6.2.1.3.28, and 6.5;
- Updates of Identity ASE in 6.2.1.2.2;
- Updates of Assembly ASE in 6.2.1.2.3;
- Updates of Message Router ASE in 6.2.1.2.4;
- Updates of Time Sync ASE in 6.2.1.2.6;
- Updates of FAL service status codes in 6.2.1.3.3;
- Miscellaneous clarifications of FAL services in 6.2.1.3.4 to 6.2.1.3.19;
- Updates of Connection Manager ASE in 6.2.2;
- Updates of Connection ASE in 6.2.3;
- Removal of obsolete transport classes 4 to 6 in 6.3.1, 6.3.3 and 6.4;
- Miscellaneous editorial corrections.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/763/FDIS	65C/773/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

**IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.**

## INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application service is provided by the application protocol making use of the services available from the data-link or other immediately lower layer. This standard defines the application service characteristics that fieldbus applications and/or system management may exploit.

Throughout the set of fieldbus standards, the term “service” refers to the abstract capability provided by one layer of the OSI Basic Reference Model to the layer immediately above. Thus, the application layer service defined in this standard is a conceptual architectural service, independent of administrative and implementation divisions.

## **INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –**

### **Part 5-2: Application layer service definition – Type 2 elements**

## **1 Scope**

### **1.1 General**

The fieldbus application layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 2 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible service provided by the Type 2 fieldbus application layer in terms of

- a) an abstract model for defining application resources (objects) capable of being manipulated by users via the use of the FAL service,
- b) the primitive actions and events of the service;
- c) the parameters associated with each primitive action and event, and the form which they take; and
- d) the interrelationship between these actions and events, and their valid sequences.

The purpose of this standard is to define the services provided to

- a) the FAL user at the boundary between the user and the application layer of the fieldbus reference model, and
- b) Systems Management at the boundary between the application layer and Systems Management of the fieldbus reference model.

This standard specifies the structure and services of the Type 2 fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI application layer structure (ISO/IEC 9545).

FAL services and protocols are provided by FAL application-entities (AE) contained within the application processes. The FAL AE is composed of a set of object-oriented application service elements (ASEs) and a layer management entity (LME) that manages the AE. The ASEs provide communication services that operate on a set of related application process object (APO) classes. One of the FAL ASEs is a management ASE that provides a common set of services for the management of the instances of FAL classes.

Although these services specify, from the perspective of applications, how request and responses are issued and delivered, they do not include a specification of what the requesting and responding applications are to do with them. That is, the behavioral aspects of the applications are not specified; only a definition of what requests and responses they can

send/receive is specified. This permits greater flexibility to the FAL users in standardizing such object behavior. In addition to these services, some supporting services are also defined in this standard to provide access to the FAL to control certain aspects of its operation.

## 1.2 Specifications

The principal objective of this standard is to specify the characteristics of conceptual application layer services suitable for time-critical communications, and thus supplement the OSI Basic Reference Model in guiding the development of application layer protocols for time-critical communications.

A secondary objective is to provide migration paths from previously-existing industrial communications protocols. It is this latter objective which gives rise to the diversity of services standardized as the various Types of IEC 61158, and the corresponding protocols standardized in subparts of IEC 61158-6.

This specification may be used as the basis for formal application programming interfaces. Nevertheless, it is not a formal programming interface, and any such interface will need to address implementation issues not covered by this specification, including

- a) the sizes and octet ordering of various multi-octet service parameters, and
- b) the correlation of paired request and confirm, or indication and response, primitives.

## 1.3 Conformance

This standard does not specify individual implementations or products, nor does it constrain the implementations of application layer entities within industrial automation systems.

There is no conformance of equipment to this application layer service definition standard. Instead, conformance is achieved through implementation of conforming application layer protocols that fulfill the Type 2 application layer services as defined in this standard.

## 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross -references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61131-3:2003<sup>1</sup>, *Programmable controllers – Part 3: Programming languages*

IEC 61158-1:2014, *Industrial communication networks – Fieldbus specifications – Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series*

IEC 61158-3-2:2014, *Industrial communication networks – Fieldbus specifications – Part 3-2: Data-link layer service definition – Type 2 elements*

IEC 61158-4-2:2014, *Industrial communication networks – Fieldbus specifications – Part 4-2: Data-link layer protocol specification – Type 2 elements*

---

<sup>1</sup> A newer edition of this standard has been published, but only the cited edition applies.

IEC 61158-6-2:2014, *Industrial communication networks – Fieldbus specifications – Part 6-2: Application layer protocol specification – Type 2 elements*

IEC 61588:2009, *Precision clock synchronization protocol for networked measurement and control systems*

IEC 61784-3-2, *Industrial communications networks – Profiles – Part 3-2: Functional safety fieldbuses – Additional specifications for CPF 2*

ISO/IEC 646, *Information technology – ISO 7-bit coded character set for information interchange*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 8859-1, *Information technology – 8-bit single-byte coded graphic character sets – Part 1: Latin alphabet No. 1*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

ISO/IEC 10646, *Information technology – Universal Coded Character Set (UCS)*

ISO/IEC 10731, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

ISO/IEC/IEEE 60559, *Information technology – Microprocessor Systems – Floating-Point arithmetic*

ISO 639-2, *Codes for the representation of names of languages – Part 2: Alpha-3 code*

ISO 8859-12:1987, *Information processing – 8-bit single-byte coded graphic character sets – Part 1: Latin alphabet No. 1*

ISO 8859-2<sup>2</sup>:1987, *Information processing – 8-bit single-byte coded graphic character sets – Part 2: Latin alphabet No. 2*

ISO 8859-3<sup>2</sup>:1988, *Information processing – 8-bit single-byte coded graphic character sets – Part 3: Latin alphabet No. 3*

ISO 8859-4<sup>2</sup>:1988, *Information processing – 8-bit single-byte coded graphic character sets – Part 4: Latin alphabet No. 4*

ISO 8859-5<sup>2</sup>:1988, *Information processing – 8-bit single-byte coded graphic character sets – Part 5: Latin/Cyrillic alphabet*

ISO 8859-6<sup>2</sup>:1987, *Information processing – 8-bit single-byte coded graphic character sets – Part 6: Latin/Arabic alphabet*

ISO 8859-7<sup>2</sup>:1987, *Information processing – 8-bit single-byte coded graphic character sets – Part 7: Latin/Greek alphabet*

---

<sup>2</sup> A newer edition of this standard has been published by ISO/IEC, but the cited edition is the one used in the referenced IETF standards.

ISO 8859-8<sup>2</sup>:1988, *Information processing – 8-bit single-byte coded graphic character sets – Part 8: Latin/Hebrew alphabet*

ISO 8859-9<sup>2</sup>:1989, *Information processing – 8-bit single-byte coded graphic character sets – Part 9: Latin alphabet No. 5*

ISO 11898:1993<sup>3</sup>, *Road vehicles – Interchange of digital information – Controller area network (CAN) for high-speed communication*

IETF RFC 1759, *Printer MIB*, available at <<http://www.ietf.org>>

### 3 Terms, definitions, symbols, abbreviations and conventions

For the purposes of this document, the following terms, definitions, symbols, abbreviations and conventions apply.

#### 3.1 ISO/IEC 7498-1 terms

- a) application entity
- b) application process
- c) application protocol data unit
- d) application service element
- e) application entity invocation
- f) application process invocation
- g) application transaction
- h) real open system
- i) transfer syntax

#### 3.2 ISO/IEC 8822 terms

- a) abstract syntax
- b) presentation context

#### 3.3 ISO/IEC 9545 terms

- a) application-association
- b) application-context
- c) application context name
- d) application-entity-invocation
- e) application-entity-type
- f) application-process-invocation
- g) application-process-type
- h) application-service-element
- i) application control service element

#### 3.4 ISO/IEC 8824-1 terms

- a) object identifier
- b) type

---

<sup>3</sup> A newer edition of this standard has been published, but only the cited edition applies.