

Keraamilised rea- ja erikatusekivid. Määratlused ja -spetsifikatsioonid

Clay roofing tiles and fittings - Product definitions and specifications

EESTI STANDARDI EESSÕNA

NATIONAL FOREWORD

Käesolev Eesti standard EVS-EN 1304:2006 sisaldab Euroopa standardi EN 1304:2005 ingliskeelset teksti.

Standard on kinnitatud Eesti Standardikeskuse 19.09.2006 käskkirjaga ja jõustub sellekohase teate avaldamisel EVS Teatajas.

Euroopa standardimisorganisatsioonide poolt rahvuslikele liikmetele Euroopa standardi teksti kättesaadavaks tegemise kuupäev on 20.04.2005.

Standard on kättesaadav Eesti standardiorganisatsioonist.

This Estonian standard EVS-EN 1304:2006 consists of the English text of the European standard EN 1304:2005.

This standard is ratified with the order of Estonian Centre for Standardisation dated 19.09.2006 and is endorsed with the notification published in the official bulletin of the Estonian national standardisation organisation.

Date of Availability of the European standard text 20.04.2005.

The standard is available from Estonian standardisation organisation.

ICS 01.040.91

Võtmesõnad: füüsikalised näitajad, geomeetrilised karakteristikud, katusekivid, keraamika, kvaliteedikontroll, külmakindlus, mehaanilised näitajad, mõõtmete tolerantsid, määratlused, nõuded, proovivõtmine, vastavushindamine, vastavuskatsed

Standardite reprodutseerimis- ja levitamisoigus kuulub Eesti Standardikeskusele

Andmete paljundamine, taastekitamine, kopeerimine, salvestamine elektroonilisse süsteemi või edastamine ükskõik millises vormis või millisel teel on keelatud ilma Eesti Standardikeskuse poolt antud kirjaliku loata.

Kui Teil on küsimusi standardite autorikaitse kohta, palun võtke ühendust Eesti Standardikeskusega:
Aru 10 Tallinn 10317 Eesti; www.evs.ee; Telefon: 605 5050; E-post: info@evs.ee

English version

Clay roofing tiles and fittings - Product definitions and specifications

Tuiles et accessoires en terre cuite - Définitions et spécifications des produits

Dachziegel und Formziegel - Begriffe und Produktanforderungen

This European Standard was approved by CEN on 3 March 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	Page
Foreword.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Requirements	10
5 Marking and labelling	15
6 Evaluation of conformity.....	16
Annex A (normative) Initial type testing and frequency of product tests for factory production control	18
Annex B (informative) Appearance	19
Annex C (informative) Freeze/thaw test method(s) applicable in different countries	20
Bibliography	27

Foreword

This document (EN 1304:2005) has been prepared by Technical Committee CEN/TC 128 “Roof covering products for discontinuous laying and products for wall cladding”, the secretariat of which is held by IBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2005, and conflicting national standards shall be withdrawn at the latest by January 2007.

This document supersedes EN 1304:1998.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

This document is part of a package of standards on clay roofing tiles and fittings.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

1 Scope

This document specifies requirements for clay roofing tiles and fittings for pitched roof coverings and wall cladding and lining.

It applies to all tiles and fittings as defined in Clause 3.

Clay roofing tiles and clay fittings which conform to this document are suitable for use as roof coverings, vertical wall cladding and lining.

This document defines the minimum requirements for a product which if satisfactory at the time of delivery will ensure that the product is able to perform its function in relation to the performance levels declared for it, whilst subjected to the changes that occur in such materials during normal conditions of use.

The results obtained according to the European Standard apply to products at the time they are offered for sale.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 538, *Clay roofing tiles for discontinuous laying – Flexural strength test*

EN 539-1, *Clay roofing tiles for discontinuous laying – Determination of physical characteristics – Part 1: Impermeability test*

EN 539-2, *Clay roofing tiles for discontinuous laying – Determination of physical characteristics – Part 2: Test for frost resistance*

EN 1024, *Clay roofing tiles for discontinuous laying – Determination of geometric characteristics*

EN 13501-1, *Fire classification of construction products and building elements – Part 1: Classification using test data from reaction to fire tests*

prEN 13501-5, *Fire classification of construction products and building elements – Part 5: Classification using test data from external fire exposure to roof tests*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 General

3.1.1 clay roofing tiles

products for discontinuous laying on pitched roofs, and for wall cladding, which are manufactured by shaping (extrusion and/or pressing), drying and firing of the prepared clay, with or without additives.

All or part of their surface can be covered with an engobe or glaze.

The principal types of tile are: